

12/14/2018
Mr. Jim Tomalia
Arcadis U.S., Inc.
28550 Cabot Dr.
Suite 500
Novi MI 48377

Project Name: Ford LTP
Project #:
Workorder #: 1812143

Dear Mr. Jim Tomalia

The following report includes the data for the above referenced project for sample(s) received on 12/7/2018 at Air Toxics Ltd.

The data and associated QC analyzed by Modified TO-15 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics Inc. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Ausha Scott at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Ausha Scott
Project Manager

WORK ORDER #: 1812143

Work Order Summary

CLIENT:	Mr. Jim Tomalia Arcadis U.S., Inc. 28550 Cabot Dr. Suite 500 Novi, MI 48377	BILL TO:	Accounts Payable Arcadis U.S., Inc. 630 Plaza Drive Suite 600 Highlands Ranch, CO 80129
PHONE:	517-819-0356	P.O. #	MI001454.003
FAX:		PROJECT #	Ford LTP
DATE RECEIVED:	12/07/2018	CONTACT:	Ausha Scott
DATE COMPLETED:	12/14/2018		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT VAC./PRES.</u>	<u>FINAL PRESSURE</u>
01A	IAF-11672Belden-01_120418	Modified TO-15	8.8 "Hg	4.9 psi
02A	IAF-11672Belden-02_120418	Modified TO-15	8 "Hg	5 psi
03A	IAF-11672Belden-03_120418	Modified TO-15	9.6 "Hg	4.9 psi
04A	IAF-11672Belden-04_120418	Modified TO-15	9 "Hg	5.1 psi
04B	IAF-11672Belden-04_120418	Modified TO-15	9 "Hg	5.1 psi
05A(cancelled)	AA-11672Belden-01_120418	Modified TO-15	3.9 "Hg	5 psi
06A	DUP-11672Belden-01_120418	Modified TO-15	8.2 "Hg	5 psi
07A	DUP-11672Belden-02_120418	Modified TO-15	10.4 "Hg	4.9 psi
07B	DUP-11672Belden-02_120418	Modified TO-15	10.4 "Hg	4.9 psi
08A	DUP-11672Belden-03_120418	Modified TO-15	8 "Hg	5 psi
09A	Lab Blank	Modified TO-15	NA	NA
09B	Lab Blank	Modified TO-15	NA	NA
10A	CCV	Modified TO-15	NA	NA
10B	CCV	Modified TO-15	NA	NA
11A	LCS	Modified TO-15	NA	NA
11AA	LCS	Modified TO-15	NA	NA
11B	LCS	Modified TO-15	NA	NA
11BB	LCS	Modified TO-15	NA	NA

CERTIFIED BY: 

 Technical Director

DATE: 12/14/18

Certification numbers: AZ Licensure AZ0775, NJ NELAP - CA016, NY NELAP - 11291,
 TX NELAP - T104704434-15-9, UT NELAP CA0093332015-6, VA NELAP - 8113, WA NELAP - C935
 Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program)
 Accreditation number: CA300005, Effective date: 10/18/2015, Expiration date: 10/17/2016.

Eurofins Air Toxics Inc.. certifies that the test results contained in this report meet all requirements of the NELAC standards

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, Inc.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630
 (916) 985-1000 . (800) 985-5955 . FAX (916) 985-1020

LABORATORY NARRATIVE
Modified TO-15
Arcadis U.S., Inc.
Workorder# 1812143

Eight 6 Liter Summa Canister (100% Certified) samples were received on December 07, 2018. The laboratory performed analysis via modified EPA Method TO-15 using GC/MS in the full scan mode.

This workorder was independently validated prior to submittal using 'USEPA National Functional Guidelines' as generally applied to the analysis of volatile organic compounds in air. A rules-based, logic driven, independent validation engine was employed to assess completeness, evaluate pass/fail of relevant project quality control requirements and verification of all quantified amounts.

Method modifications taken to run these samples are summarized in the table below. Specific project requirements may over-ride the ATL modifications.

<i>Requirement</i>	<i>TO-15</i>	<i>ATL Modifications</i>
Initial Calibration	</=30% RSD with 2 compounds allowed out to < 40% RSD	</=30% RSD with 4 compounds allowed out to < 40% RSD
Blank and standards	Zero Air	UHP Nitrogen provides a higher purity gas matrix than zero air

Receiving Notes

There was a difference (greater than or equal to 5.0" Hg) between the measured canister receipt vacuum and that which was reported on the Chain of Custody (COC) for sample AA-11672Belden-01_120418.

Sample AA-11672Belden-01_120418 was cancelled on 12/12/2018 per client's request.

Analytical Notes

The results for each sample in this report were acquired from two separate data files originating from the same analytical run. The two data files have the same base file name and are differentiated with a "sim" extension on the SIM data file.

As per client project requirements, the laboratory has reported estimated values for target compound hits that are below the Reporting Limit but greater than the Method Detection Limit. Concentrations that are below the level at which the canister was certified may be false positives.

Definition of Data Qualifying Flags

Eight qualifiers may have been used on the data analysis sheets and indicates as follows:

- B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).
- J - Estimated value.
- E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit, LOD, or MDL value. See data page for project specific U-flag definition.

UJ- Non-detected compound associated with low bias in the CCV

N - The identification is based on presumptive evidence.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	IAF-11672Belden-01_120418	Date/Time Analyzed:	12/10/18 02:36 PM
Lab ID:	1812143-01A	Dilution Factor:	1.88
Date/Time Collected:	12/4/18 02:57 PM	Instrument/Filename:	msd21.i / 21121008
Media:	6 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.089	0.37	0.74	Not Detected
1,4-Dioxane	123-91-1	0.10	0.34	0.68	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.083	0.37	0.74	Not Detected
Tetrachloroethene	127-18-4	0.090	0.64	1.3	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.058	0.37	0.74	Not Detected
Trichloroethene	79-01-6	0.14	0.50	1.0	Not Detected
Vinyl Chloride	75-01-4	0.038	0.24	0.48	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	128
4-Bromofluorobenzene	460-00-4	70-130	80
Toluene-d8	2037-26-5	70-130	101

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	IAF-11672Belden-02_120418	Date/Time Analyzed:	12/10/18 03:12 PM
Lab ID:	1812143-02A	Dilution Factor:	1.82
Date/Time Collected:	12/4/18 02:50 PM	Instrument/Filename:	msd21.i / 21121009
Media:	6 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.086	0.36	0.72	Not Detected
1,4-Dioxane	123-91-1	0.098	0.33	0.66	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.080	0.36	0.72	Not Detected
Tetrachloroethene	127-18-4	0.087	0.62	1.2	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.056	0.36	0.72	Not Detected
Trichloroethene	79-01-6	0.13	0.49	0.98	Not Detected
Vinyl Chloride	75-01-4	0.037	0.23	0.46	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	128
4-Bromofluorobenzene	460-00-4	70-130	81
Toluene-d8	2037-26-5	70-130	100

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	IAF-11672Belden-03_120418	Date/Time Analyzed:	12/10/18 03:48 PM
Lab ID:	1812143-03A	Dilution Factor:	1.96
Date/Time Collected:	12/4/18 02:50 PM	Instrument/Filename:	msd21.i / 21121010
Media:	6 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.093	0.39	0.78	Not Detected
1,4-Dioxane	123-91-1	0.10	0.35	0.71	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.086	0.39	0.78	Not Detected
Tetrachloroethene	127-18-4	0.094	0.66	1.3	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.061	0.39	0.78	Not Detected
Trichloroethene	79-01-6	0.14	0.53	1.0	Not Detected
Vinyl Chloride	75-01-4	0.040	0.25	0.50	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	128
4-Bromofluorobenzene	460-00-4	70-130	83
Toluene-d8	2037-26-5	70-130	102

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	IAF-11672Belden-04_120418	Date/Time Analyzed:	12/11/18 07:36 AM
Lab ID:	1812143-04A	Dilution Factor:	1.92
Date/Time Collected:	12/4/18 02:51 PM	Instrument/Filename:	msd21.i / 21121022
Media:	6 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,4-Dioxane	123-91-1	0.10	0.34	0.69	1.6

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
Toluene-d8	2037-26-5	70-130	103

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	IAF-11672Belden-04_120418	Date/Time Analyzed:	12/11/18 07:36 AM
Lab ID:	1812143-04B	Dilution Factor:	1.92
Date/Time Collected:	12/4/18 02:51 PM	Instrument/Filename:	msd21.i / 21121022sim
Media:	6 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.065	0.068	0.76	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.080	0.080	0.76	0.73 J
Tetrachloroethene	127-18-4	0.042	0.12	1.3	0.094 J
trans-1,2-Dichloroethene	156-60-5	0.062	0.068	0.76	0.11 J
Trichloroethene	79-01-6	0.054	0.093	1.0	0.18 J
Vinyl Chloride	75-01-4	0.017	0.044	0.49	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	126
4-Bromofluorobenzene	460-00-4	70-130	91
Toluene-d8	2037-26-5	70-130	104

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	DUP-11672Belden-01_120418	Date/Time Analyzed:	12/10/18 05:00 PM
Lab ID:	1812143-06A	Dilution Factor:	1.84
Date/Time Collected:	12/4/18 12:00 AM	Instrument/Filename:	msd21.i / 21121012
Media:	6 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.087	0.36	0.73	Not Detected
1,4-Dioxane	123-91-1	0.099	0.33	0.66	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.081	0.36	0.73	Not Detected
Tetrachloroethene	127-18-4	0.088	0.62	1.2	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.057	0.36	0.73	Not Detected
Trichloroethene	79-01-6	0.14	0.49	0.99	Not Detected
Vinyl Chloride	75-01-4	0.037	0.24	0.47	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	129
4-Bromofluorobenzene	460-00-4	70-130	78
Toluene-d8	2037-26-5	70-130	101

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	DUP-11672Belden-02_120418	Date/Time Analyzed:	12/10/18 06:04 PM
Lab ID:	1812143-07A	Dilution Factor:	2.04
Date/Time Collected:	12/4/18 12:00 AM	Instrument/Filename:	msd21.i / 21121013
Media:	6 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,4-Dioxane	123-91-1	0.11	0.37	0.74	0.26 J

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
Toluene-d8	2037-26-5	70-130	100

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	DUP-11672Belden-02_120418	Date/Time Analyzed:	12/10/18 06:04 PM
Lab ID:	1812143-07B	Dilution Factor:	2.04
Date/Time Collected:	12/4/18 12:00 AM	Instrument/Filename:	msd21.i / 21121013sim
Media:	6 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.069	0.073	0.81	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.085	0.085	0.81	Not Detected
Tetrachloroethene	127-18-4	0.044	0.12	1.4	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.066	0.073	0.81	Not Detected
Trichloroethene	79-01-6	0.058	0.099	1.1	Not Detected
Vinyl Chloride	75-01-4	0.018	0.047	0.52	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	118
4-Bromofluorobenzene	460-00-4	70-130	80
Toluene-d8	2037-26-5	70-130	104

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	DUP-11672Belden-03_120418	Date/Time Analyzed:	12/10/18 06:40 PM
Lab ID:	1812143-08A	Dilution Factor:	1.82
Date/Time Collected:	12/4/18 12:00 AM	Instrument/Filename:	msd21.i / 21121014
Media:	6 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.086	0.36	0.72	Not Detected
1,4-Dioxane	123-91-1	0.098	0.33	0.66	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.080	0.36	0.72	Not Detected
Tetrachloroethene	127-18-4	0.087	0.62	1.2	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.056	0.36	0.72	Not Detected
Trichloroethene	79-01-6	0.13	0.49	0.98	Not Detected
Vinyl Chloride	75-01-4	0.037	0.23	0.46	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	130
4-Bromofluorobenzene	460-00-4	70-130	80
Toluene-d8	2037-26-5	70-130	100

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	Lab Blank	Date/Time Analyzed:	12/10/18 12:04 PM
Lab ID:	1812143-09A	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msd21.i / 21121006a
Media:	NA - Not Applicable		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.047	0.20	0.40	Not Detected
1,4-Dioxane	123-91-1	0.054	0.18	0.36	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.044	0.20	0.40	Not Detected
Tetrachloroethene	127-18-4	0.048	0.34	0.68	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.031	0.20	0.40	Not Detected
Trichloroethene	79-01-6	0.074	0.27	0.54	Not Detected
Vinyl Chloride	75-01-4	0.020	0.13	0.26	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	129
4-Bromofluorobenzene	460-00-4	70-130	80
Toluene-d8	2037-26-5	70-130	100

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	Lab Blank	Date/Time Analyzed:	12/10/18 12:04 PM
Lab ID:	1812143-09B	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msd21.i / 21121006sima
Media:	NA - Not Applicable		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.034	0.036	0.40	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.042	0.042	0.40	Not Detected
Tetrachloroethene	127-18-4	0.022	0.061	0.68	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.032	0.036	0.40	Not Detected
Trichloroethene	79-01-6	0.028	0.048	0.54	Not Detected
Vinyl Chloride	75-01-4	0.0089	0.023	0.26	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	117
4-Bromofluorobenzene	460-00-4	70-130	83
Toluene-d8	2037-26-5	70-130	103

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	CCV	Date/Time Analyzed:	12/10/18 09:03 AM
Lab ID:	1812143-10A	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msd21.i / 21121002
Media:	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	88
1,4-Dioxane	123-91-1	95
cis-1,2-Dichloroethene	156-59-2	92
Tetrachloroethene	127-18-4	98
trans-1,2-Dichloroethene	156-60-5	92
Trichloroethene	79-01-6	98
Vinyl Chloride	75-01-4	95

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	107
4-Bromofluorobenzene	460-00-4	70-130	88
Toluene-d8	2037-26-5	70-130	102

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	CCV	Date/Time Analyzed:	12/10/18 09:03 AM
Lab ID:	1812143-10B	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msd21.i / 21121002sim
Media:	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	75
cis-1,2-Dichloroethene	156-59-2	82
Tetrachloroethene	127-18-4	86
trans-1,2-Dichloroethene	156-60-5	83
Trichloroethene	79-01-6	87
Vinyl Chloride	75-01-4	83

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	101
4-Bromofluorobenzene	460-00-4	70-130	94
Toluene-d8	2037-26-5	70-130	103

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	LCS	Date/Time Analyzed:	12/10/18 09:58 AM
Lab ID:	1812143-11A	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msd21.i / 21121003
Media:	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	92
1,4-Dioxane	123-91-1	103
cis-1,2-Dichloroethene	156-59-2	88
Tetrachloroethene	127-18-4	94
trans-1,2-Dichloroethene	156-60-5	105
Trichloroethene	79-01-6	97
Vinyl Chloride	75-01-4	102

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	113
4-Bromofluorobenzene	460-00-4	70-130	87
Toluene-d8	2037-26-5	70-130	99

* % Recovery is calculated using unrounded analytical results.

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	LCSD	Date/Time Analyzed:	12/10/18 10:34 AM
Lab ID:	1812143-11AA	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msd21.i / 21121004
Media:	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	97
1,4-Dioxane	123-91-1	107
cis-1,2-Dichloroethene	156-59-2	92
Tetrachloroethene	127-18-4	96
trans-1,2-Dichloroethene	156-60-5	110
Trichloroethene	79-01-6	101
Vinyl Chloride	75-01-4	107

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	116
4-Bromofluorobenzene	460-00-4	70-130	94
Toluene-d8	2037-26-5	70-130	103

* % Recovery is calculated using unrounded analytical results.

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	LCS	Date/Time Analyzed:	12/10/18 09:58 AM
Lab ID:	1812143-11B	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msd21.i / 21121003sim
Media:	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	75
cis-1,2-Dichloroethene	156-59-2	76
Tetrachloroethene	127-18-4	89
trans-1,2-Dichloroethene	156-60-5	90
Trichloroethene	79-01-6	90
Vinyl Chloride	75-01-4	85

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	103
4-Bromofluorobenzene	460-00-4	70-130	93
Toluene-d8	2037-26-5	70-130	102

* % Recovery is calculated using unrounded analytical results.

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	LCSD	Date/Time Analyzed:	12/10/18 10:34 AM
Lab ID:	1812143-11BB	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msd21.i / 21121004sim
Media:	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	75
cis-1,2-Dichloroethene	156-59-2	76
Tetrachloroethene	127-18-4	89
trans-1,2-Dichloroethene	156-60-5	90
Trichloroethene	79-01-6	91
Vinyl Chloride	75-01-4	86

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	103
4-Bromofluorobenzene	460-00-4	70-130	94
Toluene-d8	2037-26-5	70-130	104

* % Recovery is calculated using unrounded analytical results.



December 14, 2018

Kris Hinskey
Arcadis Inc
10559 Citation Ave
Suite 100
Brighton, MI 48116

CADENA project ID: E203631
Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater
Project number: MI001454.0002/3/4.00002/2B/3B
Client project scope reference: Sample COC only was used to define project analytical requirements.
Laboratory: Eurofins Air Toxics - Folsom
Laboratory submittal: 1812143
Sample date: 2018-12-04
Report received by CADENA: 2018-12-14
Initial Data Verification completed by CADENA: 2018-12-14

8 Air samples were analyzed for TO-15 parameters.

There were no significant QC anomalies or exceptions to report.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

12/13/2018
Mr. Jim Tomalia
Arcadis U.S., Inc.
28550 Cabot Dr.
Suite 500
Novi MI 48377

Project Name: Ford LTP
Project #:
Workorder #: 1812144

Dear Mr. Jim Tomalia

The following report includes the data for the above referenced project for sample(s) received on 12/7/2018 at Air Toxics Ltd.

The data and associated QC analyzed by TO-15 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics Inc. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Ausha Scott at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Ausha Scott
Project Manager

WORK ORDER #: 1812144

Work Order Summary

CLIENT:	Mr. Jim Tomalia Arcadis U.S., Inc. 28550 Cabot Dr. Suite 500 Novi, MI 48377	BILL TO:	Accounts Payable Arcadis U.S., Inc. 630 Plaza Drive Suite 600 Highlands Ranch, CO 80129
PHONE:	517-819-0356	P.O. #	MI001454.0003
FAX:		PROJECT #	Ford LTP
DATE RECEIVED:	12/07/2018	CONTACT:	Ausha Scott
DATE COMPLETED:	12/13/2018		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT VAC./PRES.</u>	<u>FINAL PRESSURE</u>
01A	SSMP-11672Belden-02_120418	TO-15	4.0 "Hg	15 psi
02A	SSMP-11672Belden-01_120418	TO-15	4.5 "Hg	15 psi
03A	SSMP-11672Belden-03_120418	TO-15	4.5 "Hg	15 psi
04A	SSMP-11672Belden-04_120418	TO-15	4.0 "Hg	15 psi
05A	SSMP-11672Belden-05_120418	TO-15	5.5 "Hg	15 psi
06A	DUP-11672Belden-04_120418	TO-15	3.5 "Hg	15 psi
07A	DUP-11672Belden-05_120418	TO-15	3.1 "Hg	15.5 psi
08A	Lab Blank	TO-15	NA	NA
09A	CCV	TO-15	NA	NA
10A	LCS	TO-15	NA	NA
10AA	LCSD	TO-15	NA	NA

CERTIFIED BY: 

 Technical Director

DATE: 12/13/18

Certification numbers: AZ Licensure AZ0775, NJ NELAP - CA016, NY NELAP - 11291,
 TX NELAP - T104704434-15-9, UT NELAP CA0093332015-6, VA NELAP - 8113, WA NELAP - C935
 Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program)
 Accreditation number: CA300005, Effective date: 10/18/2015, Expiration date: 10/17/2016.

Eurofins Air Toxics Inc.. certifies that the test results contained in this report meet all requirements of the NELAC standards

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, Inc.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630
 (916) 985-1000 . (800) 985-5955 . FAX (916) 985-1020

LABORATORY NARRATIVE
EPA Method TO-15
Arcadis U.S., Inc.
Workorder# 1812144

Seven 1 Liter Summa Canister samples were received on December 07, 2018. The laboratory performed analysis via EPA Method TO-15 using GC/MS in the full scan mode.

This workorder was independently validated prior to submittal using 'USEPA National Functional Guidelines' as generally applied to the analysis of volatile organic compounds in air. A rules-based, logic driven, independent validation engine was employed to assess completeness, evaluate pass/fail of relevant project quality control requirements and verification of all quantified amounts.

Receiving Notes

The Chain of Custody was missing method information. EATL proceeded with the analysis as per the original contract or verbal agreement.

Analytical Notes

As per client project requirements, the laboratory has reported estimated values for target compound hits that are below the Reporting Limit but greater than the Method Detection Limit. Concentrations that are below the level at which the canister was certified (0.2 ppbv for compounds reported at 0.5 ppbv and 0.8 ppbv for compounds reported at 2.0 ppbv) may be false positives.

Definition of Data Qualifying Flags

Ten qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit, LOD, or MDL value. See data page for project specific U-flag definition.

UJ- Non-detected compound associated with low bias in the CCV

N - The identification is based on presumptive evidence.

M - Reported value may be biased due to apparent matrix interferences.

CN - See Case Narrative.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	SSMP-11672Belden-02_120418	Date/Time Analyzed:	12/11/18 03:53 PM
Lab ID:	1812144-01A	Dilution Factor:	2.33
Date/Time Collected:	12/4/18 10:18 AM	Instrument/Filename:	msdp.i / p121109
Media:	1 Liter Summa Canister		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.8	4.1	4.6	Not Detected
1,4-Dioxane	123-91-1	2.2	12	17	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.1	4.1	4.6	Not Detected
Tetrachloroethene	127-18-4	1.5	7.1	7.9	Not Detected
trans-1,2-Dichloroethene	156-60-5	2.9	4.1	4.6	Not Detected
Trichloroethene	79-01-6	0.82	5.6	6.3	Not Detected
Vinyl Chloride	75-01-4	0.71	2.7	3.0	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	98
4-Bromofluorobenzene	460-00-4	70-130	99
Toluene-d8	2037-26-5	70-130	100

EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	SSMP-11672Belden-01_120418	Date/Time Analyzed:	12/11/18 04:19 PM
Lab ID:	1812144-02A	Dilution Factor:	2.38
Date/Time Collected:	12/4/18 10:05 AM	Instrument/Filename:	msdp.i / p121110
Media:	1 Liter Summa Canister		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.8	4.2	4.7	Not Detected
1,4-Dioxane	123-91-1	2.3	12	17	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.2	4.2	4.7	Not Detected
Tetrachloroethene	127-18-4	1.5	7.2	8.1	Not Detected
trans-1,2-Dichloroethene	156-60-5	2.9	4.2	4.7	Not Detected
Trichloroethene	79-01-6	0.84	5.7	6.4	Not Detected
Vinyl Chloride	75-01-4	0.72	2.7	3.0	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	100
4-Bromofluorobenzene	460-00-4	70-130	96
Toluene-d8	2037-26-5	70-130	97

EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	SSMP-11672Belden-03_120418	Date/Time Analyzed:	12/11/18 10:30 PM
Lab ID:	1812144-03A	Dilution Factor:	2.38
Date/Time Collected:	12/4/18 10:42 AM	Instrument/Filename:	msdp.i / p121116
Media:	1 Liter Summa Canister		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.8	4.2	4.7	Not Detected
1,4-Dioxane	123-91-1	2.3	12	17	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.2	4.2	4.7	Not Detected
Tetrachloroethene	127-18-4	1.5	7.2	8.1	1.7 J
trans-1,2-Dichloroethene	156-60-5	2.9	4.2	4.7	Not Detected
Trichloroethene	79-01-6	0.84	5.7	6.4	Not Detected
Vinyl Chloride	75-01-4	0.72	2.7	3.0	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	96
4-Bromofluorobenzene	460-00-4	70-130	96
Toluene-d8	2037-26-5	70-130	96

EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	SSMP-11672Belden-04_120418	Date/Time Analyzed:	12/11/18 05:10 PM
Lab ID:	1812144-04A	Dilution Factor:	2.33
Date/Time Collected:	12/4/18 10:47 AM	Instrument/Filename:	msdp.i / p121112
Media:	1 Liter Summa Canister		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.8	4.1	4.6	13
1,4-Dioxane	123-91-1	2.2	12	17	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.1	4.1	4.6	Not Detected
Tetrachloroethene	127-18-4	1.5	7.1	7.9	Not Detected
trans-1,2-Dichloroethene	156-60-5	2.9	4.1	4.6	Not Detected
Trichloroethene	79-01-6	0.82	5.6	6.3	2.1 J
Vinyl Chloride	75-01-4	0.71	2.7	3.0	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	98
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	99

EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	SSMP-11672Belden-05_120418	Date/Time Analyzed:	12/11/18 05:36 PM
Lab ID:	1812144-05A	Dilution Factor:	2.47
Date/Time Collected:	12/4/18 11:10 AM	Instrument/Filename:	msdp.i / p121113
Media:	1 Liter Summa Canister		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.9	4.4	4.9	Not Detected
1,4-Dioxane	123-91-1	2.3	12	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.2	4.4	4.9	Not Detected
Tetrachloroethene	127-18-4	1.6	7.5	8.4	Not Detected
trans-1,2-Dichloroethene	156-60-5	3.0	4.4	4.9	Not Detected
Trichloroethene	79-01-6	0.87	6.0	6.6	Not Detected
Vinyl Chloride	75-01-4	0.75	2.8	3.2	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	100
4-Bromofluorobenzene	460-00-4	70-130	98
Toluene-d8	2037-26-5	70-130	99

EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	DUP-11672Belden-04_120418	Date/Time Analyzed:	12/11/18 06:03 PM
Lab ID:	1812144-06A	Dilution Factor:	2.29
Date/Time Collected:	12/4/18 12:00 AM	Instrument/Filename:	msdp.i / p121114
Media:	1 Liter Summa Canister		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.7	4.1	4.5	Not Detected
1,4-Dioxane	123-91-1	2.2	11	16	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.1	4.1	4.5	Not Detected
Tetrachloroethene	127-18-4	1.5	7.0	7.8	Not Detected
trans-1,2-Dichloroethene	156-60-5	2.8	4.1	4.5	Not Detected
Trichloroethene	79-01-6	0.81	5.5	6.2	Not Detected
Vinyl Chloride	75-01-4	0.70	2.6	2.9	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	100
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	100

EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	DUP-11672Belden-05_120418	Date/Time Analyzed:	12/11/18 06:29 PM
Lab ID:	1812144-07A	Dilution Factor:	2.29
Date/Time Collected:	12/4/18 12:00 AM	Instrument/Filename:	msdp.i / p121115
Media:	1 Liter Summa Canister		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.7	4.1	4.5	Not Detected
1,4-Dioxane	123-91-1	2.2	11	16	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.1	4.1	4.5	Not Detected
Tetrachloroethene	127-18-4	1.5	7.0	7.8	Not Detected
trans-1,2-Dichloroethene	156-60-5	2.8	4.1	4.5	Not Detected
Trichloroethene	79-01-6	0.81	5.5	6.2	Not Detected
Vinyl Chloride	75-01-4	0.70	2.6	2.9	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	98
4-Bromofluorobenzene	460-00-4	70-130	100
Toluene-d8	2037-26-5	70-130	97

EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	Lab Blank	Date/Time Analyzed:	12/11/18 12:47 PM
Lab ID:	1812144-08A	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msdp.i / p121106c
Media:	NA - Not Applicable		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.75	1.8	2.0	Not Detected
1,4-Dioxane	123-91-1	0.95	5.0	7.2	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.90	1.8	2.0	Not Detected
Tetrachloroethene	127-18-4	0.64	3.0	3.4	Not Detected
trans-1,2-Dichloroethene	156-60-5	1.2	1.8	2.0	Not Detected
Trichloroethene	79-01-6	0.35	2.4	2.7	Not Detected
Vinyl Chloride	75-01-4	0.30	1.1	1.3	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	102
4-Bromofluorobenzene	460-00-4	70-130	98
Toluene-d8	2037-26-5	70-130	98

EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	CCV	Date/Time Analyzed:	12/11/18 10:25 AM
Lab ID:	1812144-09A	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msdp.i / p121102
Media:	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	106
1,4-Dioxane	123-91-1	102
cis-1,2-Dichloroethene	156-59-2	102
Tetrachloroethene	127-18-4	112
trans-1,2-Dichloroethene	156-60-5	107
Trichloroethene	79-01-6	102
Vinyl Chloride	75-01-4	115

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	101
4-Bromofluorobenzene	460-00-4	70-130	107
Toluene-d8	2037-26-5	70-130	102

EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	LCS	Date/Time Analyzed:	12/11/18 10:51 AM
Lab ID:	1812144-10A	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msdp.i / p121103
Media:	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	103
1,4-Dioxane	123-91-1	98
cis-1,2-Dichloroethene	156-59-2	93
Tetrachloroethene	127-18-4	108
trans-1,2-Dichloroethene	156-60-5	115
Trichloroethene	79-01-6	99
Vinyl Chloride	75-01-4	118

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	100
4-Bromofluorobenzene	460-00-4	70-130	106
Toluene-d8	2037-26-5	70-130	98

* % Recovery is calculated using unrounded analytical results.

EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	LCSD	Date/Time Analyzed:	12/11/18 11:18 AM
Lab ID:	1812144-10AA	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msdp.i / p121104
Media:	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	104
1,4-Dioxane	123-91-1	98
cis-1,2-Dichloroethene	156-59-2	92
Tetrachloroethene	127-18-4	106
trans-1,2-Dichloroethene	156-60-5	115
Trichloroethene	79-01-6	101
Vinyl Chloride	75-01-4	118

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	100
4-Bromofluorobenzene	460-00-4	70-130	105
Toluene-d8	2037-26-5	70-130	100

* % Recovery is calculated using unrounded analytical results.

December 13, 2018



Kris Hinskey
Arcadis Inc
10559 Citation Ave
Suite 100
Brighton, MI 48116

CADENA project ID: E203631
Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater
Project number: MI001454.0002/3/4.00002/2B/3B
Client project scope reference: Sample COC only was used to define project analytical requirements.
Laboratory: Eurofins Air Toxics - Folsom
Laboratory submittal: 1812144
Sample date: 2018-12-04
Report received by CADENA: 2018-12-13
Initial Data Verification completed by CADENA: 2018-12-13

7 Air samples were analyzed for TO-15 parameters.

There were no significant QC anomalies or exceptions to report.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.