

4/19/2019

Mr. Jim Tomalia  
Arcadis U.S., Inc.  
28550 Cabot Dr.  
Suite 500  
Novi MI 48377

Project Name: Ford LTP  
Project #: MI001454.0003  
Workorder #: 1904294

Dear Mr. Jim Tomalia

The following report includes the data for the above referenced project for sample(s) received on 4/12/2019 at Air Toxics Ltd.

The data and associated QC analyzed by Modified TO-15 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics Inc. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Ausha Scott at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Ausha Scott  
Project Manager

**WORK ORDER #: 1904294**

Work Order Summary

<b>CLIENT:</b>	Mr. Jim Tomalia Arcadis U.S., Inc. 28550 Cabot Dr. Suite 500 Novi, MI 48377	<b>BILL TO:</b>	Accounts Payable Arcadis U.S., Inc. 630 Plaza Drive Suite 600 Highlands Ranch, CO 80129
<b>PHONE:</b>	517-819-0356	<b>P.O. #</b>	MI001454.0004.0001B
<b>FAX:</b>		<b>PROJECT #</b>	MI001454.0003 Ford LTP
<b>DATE RECEIVED:</b>	04/12/2019	<b>CONTACT:</b>	Ausha Scott
<b>DATE COMPLETED:</b>	04/19/2019		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT VAC./PRES.</u>	<u>FINAL PRESSURE</u>
01A	AA-12400BELDEN-01_040919	Modified TO-15	6.3 "Hg	4.9 psi
02A	IAF-12400BELDEN-01_040919	Modified TO-15	8 "Hg	4.6 psi
03A	IAF-12400BELDEN-02_040919	Modified TO-15	9.2 "Hg	4.8 psi
04A	IAF-12400BELDEN-03_040919	Modified TO-15	8.4 "Hg	5 psi
05A	IAF-12400BELDEN-04_040919	Modified TO-15	8.4 "Hg	5.1 psi
06A	IAF-12400BELDEN05_040919	Modified TO-15	9 "Hg	5.3 psi
07A	IAF-12400BELDEN-06_040919	Modified TO-15	7.8 "Hg	5.6 psi
08A	IAF-12400BELDEN-07_040919	Modified TO-15	7.6 "Hg	5.3 psi
09A	IAF-12400BELDEN-08_040919	Modified TO-15	6.7 "Hg	5.3 psi
10A	IAF-12400BELDEN-09_040919	Modified TO-15	7.6 "Hg	5 psi
11A	IAF-12400BELDEN-10_040919	Modified TO-15	7.1 "Hg	5.1 psi
12A	IAF-12400BELDEN-11_040919	Modified TO-15	7.1 "Hg	4.5 psi
13A	IAF-12400BELDEN-12_040919	Modified TO-15	7.3 "Hg	5.3 psi
14A	DUP-12400BELDEN01_040919	Modified TO-15	9.2 "Hg	4.9 psi
15A	Lab Blank	Modified TO-15	NA	NA
15B	Lab Blank	Modified TO-15	NA	NA
15C	Lab Blank	Modified TO-15	NA	NA
16A	CCV	Modified TO-15	NA	NA
16B	CCV	Modified TO-15	NA	NA
16C	CCV	Modified TO-15	NA	NA
17A	LCS	Modified TO-15	NA	NA
17AA	LCS	Modified TO-15	NA	NA
17B	LCS	Modified TO-15	NA	NA

Continued on next page

**WORK ORDER #: 1904294**

Work Order Summary

<b>CLIENT:</b>	Mr. Jim Tomalia Arcadis U.S., Inc. 28550 Cabot Dr. Suite 500 Novi, MI 48377	<b>BILL TO:</b>	Accounts Payable Arcadis U.S., Inc. 630 Plaza Drive Suite 600 Highlands Ranch, CO 80129
<b>PHONE:</b>	517-819-0356	<b>P.O. #</b>	MI001454.0004.0001B
<b>FAX:</b>		<b>PROJECT #</b>	MI001454.0003 Ford LTP
<b>DATE RECEIVED:</b>	04/12/2019	<b>CONTACT:</b>	Ausha Scott
<b>DATE COMPLETED:</b>	04/19/2019		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT VAC./PRES.</u>	<u>FINAL PRESSURE</u>
17BB	LCSD	Modified TO-15	NA	NA
17C	LCS	Modified TO-15	NA	NA
17CC	LCSD	Modified TO-15	NA	NA

CERTIFIED BY:   
 Technical Director

DATE: 04/19/19

Certification numbers: AZ Licensure AZ0775, NJ NELAP - CA016, NY NELAP - 11291,  
 TX NELAP - T104704434-16-11, UT NELAP CA0093332016-7, VA NELAP - 8113, WA NELAP - C935  
 Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program)  
 Accreditation number: CA300005, Effective date: 10/18/2016, Expiration date: 10/17/2017.

Eurofins Air Toxics Inc.. certifies that the test results contained in this report meet all requirements of the NELAC standards

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, Inc.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630  
 (916) 985-1000 . (800) 985-5955 . FAX (916) 985-1020

**LABORATORY NARRATIVE**  
**Modified TO-15**  
**Arcadis U.S., Inc.**  
**Workorder# 1904294**

Fourteen 6 Liter Summa Canister (100% Cert Ambient) samples were received on April 12, 2019. The laboratory performed analysis via modified EPA Method TO-15 using GC/MS in the full scan mode.

This workorder was independently validated prior to submittal using 'USEPA National Functional Guidelines' as generally applied to the analysis of volatile organic compounds in air. A rules-based, logic driven, independent validation engine was employed to assess completeness, evaluate pass/fail of relevant project quality control requirements and verification of all quantified amounts.

Method modifications taken to run these samples are summarized in the table below. Specific project requirements may over-ride the ATL modifications.

<i>Requirement</i>	<i>TO-15</i>	<i>ATL Modifications</i>
Initial Calibration	</=30% RSD with 2 compounds allowed out to < 40% RSD	</=30% RSD with 4 compounds allowed out to < 40% RSD
Blank and standards	Zero Air	UHP Nitrogen provides a higher purity gas matrix than zero air

**Receiving Notes**

There were no receiving discrepancies.

**Analytical Notes**

As per project specific client request the laboratory has reported estimated values for target compound hits that are below the Reporting Limit but greater than the Method Detection Limit. The canisters used for this project have been certified to the Reporting Limit for the target analytes included in this workorder. Concentrations that are below the level at which the canister was certified may be false positives.

Samples IAF-12400BELDEN-01\_040919, IAF-12400BELDEN-02\_040919, IAF-12400BELDEN-03\_040919, IAF-12400BELDEN-04\_040919, IAF-12400BELDEN05\_040919, IAF-12400BELDEN-06\_040919, IAF-12400BELDEN-07\_040919, IAF-12400BELDEN-08\_040919, IAF-12400BELDEN-09\_040919, IAF-12400BELDEN-10\_040919, IAF-12400BELDEN-11\_040919 and IAF-12400BELDEN-12\_040919 were transferred from Low Level analysis to full scan TO-15 due to high levels of target compounds.

Dilution was performed on samples IAF-12400BELDEN-01\_040919, IAF-12400BELDEN-02\_040919, IAF-12400BELDEN-03\_040919, IAF-12400BELDEN-04\_040919, IAF-12400BELDEN05\_040919, IAF-12400BELDEN-06\_040919, IAF-12400BELDEN-07\_040919, IAF-12400BELDEN-08\_040919, IAF-12400BELDEN-09\_040919, IAF-12400BELDEN-10\_040919, IAF-12400BELDEN-11\_040919 and IAF-12400BELDEN-12\_040919 due to the presence of high level target species.

**Definition of Data Qualifying Flags**

Eight qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit, LOD, or MDL value. See data page for project specific U-flag definition.

UJ- Non-detected compound associated with low bias in the CCV

N - The identification is based on presumptive evidence.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	AA-12400BELDEN-01_040919	<b>Date/Time Analyzed:</b>	4/16/19 03:01 PM
<b>Lab ID:</b>	1904294-01A	<b>Dilution Factor:</b>	1.69
<b>Date/Time Collecte</b>	4/9/19 03:16 PM	<b>Instrument/Filename:</b>	msd20.i / 20041606
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.16	0.60	0.67	Not Detected
1,4-Dioxane	123-91-1	0.49	0.55	0.61	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.36	0.60	0.67	Not Detected
Tetrachloroethene	127-18-4	0.71	1.0	1.1	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.38	0.60	0.67	4.6
Trichloroethene	79-01-6	0.44	0.82	0.91	3.2
Vinyl Chloride	75-01-4	0.14	0.39	0.43	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	107
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	98

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	IAF-12400BELDEN-01_040919	<b>Date/Time Analyzed:</b>	4/17/19 04:34 PM
<b>Lab ID:</b>	1904294-02A	<b>Dilution Factor:</b>	3.58
<b>Date/Time Collecte</b>	4/9/19 03:25 PM	<b>Instrument/Filename:</b>	msd14.i / 14041714
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	9.6	42	71	Not Detected
1,4-Dioxane	123-91-1	71	130	260	Not Detected
cis-1,2-Dichloroethene	156-59-2	22	42	71	Not Detected
Tetrachloroethene	127-18-4	43	73	120	Not Detected
trans-1,2-Dichloroethene	156-60-5	27	42	71	12000
Trichloroethene	79-01-6	28	58	96	9200
Vinyl Chloride	75-01-4	16	27	46	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	94
4-Bromofluorobenzene	460-00-4	70-130	98
Toluene-d8	2037-26-5	70-130	99

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	IAF-12400BELDEN-02_040919	<b>Date/Time Analyzed:</b>	4/17/19 05:48 PM
<b>Lab ID:</b>	1904294-03A	<b>Dilution Factor:</b>	3.82
<b>Date/Time Collecte</b>	4/9/19 03:24 PM	<b>Instrument/Filename:</b>	msd14.i / 14041716
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	10	45	76	Not Detected
1,4-Dioxane	123-91-1	76	140	280	Not Detected
cis-1,2-Dichloroethene	156-59-2	23	45	76	Not Detected
Tetrachloroethene	127-18-4	46	78	130	Not Detected
trans-1,2-Dichloroethene	156-60-5	29	45	76	9100
Trichloroethene	79-01-6	30	62	100	6600
Vinyl Chloride	75-01-4	17	29	49	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	99
4-Bromofluorobenzene	460-00-4	70-130	98
Toluene-d8	2037-26-5	70-130	99



EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	IAF-12400BELDEN-03_040919	<b>Date/Time Analyzed:</b>	4/18/19 11:53 AM
<b>Lab ID:</b>	1904294-04A	<b>Dilution Factor:</b>	9.30
<b>Date/Time Collecte</b>	4/9/19 03:04 PM	<b>Instrument/Filename:</b>	msd14.i / 14041809
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	25	110	180	Not Detected
1,4-Dioxane	123-91-1	180	340	670	Not Detected
cis-1,2-Dichloroethene	156-59-2	57	110	180	Not Detected
Tetrachloroethene	127-18-4	110	190	320	Not Detected
trans-1,2-Dichloroethene	156-60-5	70	110	180	14000
Trichloroethene	79-01-6	74	150	250	10000
Vinyl Chloride	75-01-4	41	71	120	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	97
4-Bromofluorobenzene	460-00-4	70-130	93
Toluene-d8	2037-26-5	70-130	99

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	IAF-12400BELDEN-04_040919	<b>Date/Time Analyzed:</b>	4/18/19 12:23 PM
<b>Lab ID:</b>	1904294-05A	<b>Dilution Factor:</b>	6.23
<b>Date/Time Collecte</b>	4/9/19 03:25 PM	<b>Instrument/Filename:</b>	msd14.i / 14041810
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	17	74	120	Not Detected
1,4-Dioxane	123-91-1	120	220	450	Not Detected
cis-1,2-Dichloroethene	156-59-2	38	74	120	Not Detected
Tetrachloroethene	127-18-4	74	130	210	Not Detected
trans-1,2-Dichloroethene	156-60-5	47	74	120	14000
Trichloroethene	79-01-6	50	100	170	8600
Vinyl Chloride	75-01-4	28	48	80	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	97
4-Bromofluorobenzene	460-00-4	70-130	94
Toluene-d8	2037-26-5	70-130	99

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	IAF-12400BELDEN05_040919	<b>Date/Time Analyzed:</b>	4/17/19 07:39 PM
<b>Lab ID:</b>	1904294-06A	<b>Dilution Factor:</b>	3.88
<b>Date/Time Collecte</b>	4/9/19 03:27 PM	<b>Instrument/Filename:</b>	msd14.i / 14041719
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	10	46	77	Not Detected
1,4-Dioxane	123-91-1	77	140	280	Not Detected
cis-1,2-Dichloroethene	156-59-2	24	46	77	Not Detected
Tetrachloroethene	127-18-4	46	79	130	Not Detected
trans-1,2-Dichloroethene	156-60-5	29	46	77	13000
Trichloroethene	79-01-6	31	62	100	7900
Vinyl Chloride	75-01-4	17	30	50	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	99
4-Bromofluorobenzene	460-00-4	70-130	96
Toluene-d8	2037-26-5	70-130	99

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	IAF-12400BELDEN-06_040919	<b>Date/Time Analyzed:</b>	4/18/19 11:19 AM
<b>Lab ID:</b>	1904294-07A	<b>Dilution Factor:</b>	9.30
<b>Date/Time Collecte</b>	4/9/19 03:07 PM	<b>Instrument/Filename:</b>	msd14.i / 14041808
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	25	110	180	Not Detected
1,4-Dioxane	123-91-1	180	340	670	Not Detected
cis-1,2-Dichloroethene	156-59-2	57	110	180	Not Detected
Tetrachloroethene	127-18-4	110	190	320	Not Detected
trans-1,2-Dichloroethene	156-60-5	70	110	180	14000
Trichloroethene	79-01-6	74	150	250	8300
Vinyl Chloride	75-01-4	41	71	120	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	100
4-Bromofluorobenzene	460-00-4	70-130	92
Toluene-d8	2037-26-5	70-130	100

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	IAF-12400BELDEN-07_040919	<b>Date/Time Analyzed:</b>	4/17/19 08:32 PM
<b>Lab ID:</b>	1904294-08A	<b>Dilution Factor:</b>	3.64
<b>Date/Time Collecte</b>	4/9/19 03:10 PM	<b>Instrument/Filename:</b>	msd14.i / 14041720
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	9.8	43	72	Not Detected
1,4-Dioxane	123-91-1	72	130	260	Not Detected
cis-1,2-Dichloroethene	156-59-2	22	43	72	Not Detected
Tetrachloroethene	127-18-4	43	74	120	Not Detected
trans-1,2-Dichloroethene	156-60-5	28	43	72	9600
Trichloroethene	79-01-6	29	59	98	6600
Vinyl Chloride	75-01-4	16	28	46	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	96
4-Bromofluorobenzene	460-00-4	70-130	97
Toluene-d8	2037-26-5	70-130	101

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	IAF-12400BELDEN-08_040919	<b>Date/Time Analyzed:</b>	4/17/19 09:08 PM
<b>Lab ID:</b>	1904294-09A	<b>Dilution Factor:</b>	3.50
<b>Date/Time Collecte</b>	4/9/19 03:09 PM	<b>Instrument/Filename:</b>	msd14.i / 14041721
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	9.4	42	69	Not Detected
1,4-Dioxane	123-91-1	69	130	250	Not Detected
cis-1,2-Dichloroethene	156-59-2	21	42	69	Not Detected
Tetrachloroethene	127-18-4	42	71	120	Not Detected
trans-1,2-Dichloroethene	156-60-5	26	42	69	11000
Trichloroethene	79-01-6	28	56	94	7300
Vinyl Chloride	75-01-4	15	27	45	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	98
4-Bromofluorobenzene	460-00-4	70-130	98
Toluene-d8	2037-26-5	70-130	101

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	IAF-12400BELDEN-09_040919	<b>Date/Time Analyzed:</b>	4/17/19 09:48 PM
<b>Lab ID:</b>	1904294-10A	<b>Dilution Factor:</b>	3.58
<b>Date/Time Collecte</b>	4/9/19 03:06 PM	<b>Instrument/Filename:</b>	msd14.i / 14041722
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	9.6	42	71	Not Detected
1,4-Dioxane	123-91-1	71	130	260	Not Detected
cis-1,2-Dichloroethene	156-59-2	22	42	71	Not Detected
Tetrachloroethene	127-18-4	43	73	120	Not Detected
trans-1,2-Dichloroethene	156-60-5	27	42	71	12000
Trichloroethene	79-01-6	28	58	96	8400
Vinyl Chloride	75-01-4	16	27	46	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	98
4-Bromofluorobenzene	460-00-4	70-130	95
Toluene-d8	2037-26-5	70-130	100

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	IAF-12400BELDEN-10_040919	<b>Date/Time Analyzed:</b>	4/17/19 10:16 PM
<b>Lab ID:</b>	1904294-11A	<b>Dilution Factor:</b>	3.54
<b>Date/Time Collecte</b>	4/9/19 03:43 PM	<b>Instrument/Filename:</b>	msd14.i / 14041723
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	9.5	42	70	Not Detected
1,4-Dioxane	123-91-1	70	130	260	Not Detected
cis-1,2-Dichloroethene	156-59-2	22	42	70	Not Detected
Tetrachloroethene	127-18-4	42	72	120	Not Detected
trans-1,2-Dichloroethene	156-60-5	27	42	70	12000
Trichloroethene	79-01-6	28	57	95	5700
Vinyl Chloride	75-01-4	16	27	45	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	97
4-Bromofluorobenzene	460-00-4	70-130	99
Toluene-d8	2037-26-5	70-130	98



EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	IAF-12400BELDEN-11_040919	<b>Date/Time Analyzed:</b>	4/17/19 11:02 PM
<b>Lab ID:</b>	1904294-12A	<b>Dilution Factor:</b>	3.42
<b>Date/Time Collecte</b>	4/9/19 03:00 PM	<b>Instrument/Filename:</b>	msd14.i / 14041724
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	9.2	41	68	Not Detected
1,4-Dioxane	123-91-1	68	120	250	Not Detected
cis-1,2-Dichloroethene	156-59-2	21	41	68	Not Detected
Tetrachloroethene	127-18-4	41	70	120	Not Detected
trans-1,2-Dichloroethene	156-60-5	26	41	68	7100
Trichloroethene	79-01-6	27	55	92	5400
Vinyl Chloride	75-01-4	15	26	44	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	98
4-Bromofluorobenzene	460-00-4	70-130	97
Toluene-d8	2037-26-5	70-130	99

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	IAF-12400BELDEN-12_040919	<b>Date/Time Analyzed:</b>	4/18/19 10:48 AM
<b>Lab ID:</b>	1904294-13A	<b>Dilution Factor:</b>	3.60
<b>Date/Time Collecte</b>	4/9/19 03:00 PM	<b>Instrument/Filename:</b>	msd14.i / 14041807
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	9.7	43	71	Not Detected
1,4-Dioxane	123-91-1	71	130	260	Not Detected
cis-1,2-Dichloroethene	156-59-2	22	43	71	Not Detected
Tetrachloroethene	127-18-4	43	73	120	Not Detected
trans-1,2-Dichloroethene	156-60-5	27	43	71	6600
Trichloroethene	79-01-6	29	58	97	4900
Vinyl Chloride	75-01-4	16	28	46	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	98
4-Bromofluorobenzene	460-00-4	70-130	96
Toluene-d8	2037-26-5	70-130	99

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	DUP-12400BELDEN01_040919	<b>Date/Time Analyzed:</b>	4/16/19 03:40 PM
<b>Lab ID:</b>	1904294-14A	<b>Dilution Factor:</b>	1.92
<b>Date/Time Collecte</b>	4/9/19 12:00 AM	<b>Instrument/Filename:</b>	msd20.i / 20041607
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.18	0.68	0.76	Not Detected
1,4-Dioxane	123-91-1	0.56	0.62	0.69	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.41	0.68	0.76	Not Detected
Tetrachloroethene	127-18-4	0.81	1.2	1.3	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.43	0.68	0.76	96
Trichloroethene	79-01-6	0.51	0.93	1.0	55
Vinyl Chloride	75-01-4	0.16	0.44	0.49	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	106
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	101

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	Lab Blank	<b>Date/Time Analyzed:</b>	4/16/19 12:11 PM
<b>Lab ID:</b>	1904294-15A	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collecte</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd20.i / 20041605a
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.095	0.36	0.40	Not Detected
1,4-Dioxane	123-91-1	0.29	0.32	0.36	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.21	0.36	0.40	Not Detected
Tetrachloroethene	127-18-4	0.42	0.61	0.68	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.22	0.36	0.40	Not Detected
Trichloroethene	79-01-6	0.26	0.48	0.54	Not Detected
Vinyl Chloride	75-01-4	0.082	0.23	0.26	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	113
4-Bromofluorobenzene	460-00-4	70-130	104
Toluene-d8	2037-26-5	70-130	100

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	Lab Blank	<b>Date/Time Analyzed:</b>	4/17/19 10:07 AM
<b>Lab ID:</b>	1904294-15B	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collecte</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd14.i / 14041705d
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.7	12	20	Not Detected
1,4-Dioxane	123-91-1	20	36	72	Not Detected
cis-1,2-Dichloroethene	156-59-2	6.1	12	20	Not Detected
Tetrachloroethene	127-18-4	12	20	34	Not Detected
trans-1,2-Dichloroethene	156-60-5	7.6	12	20	Not Detected
Trichloroethene	79-01-6	8.0	16	27	Not Detected
Vinyl Chloride	75-01-4	4.4	7.7	13	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	97
4-Bromofluorobenzene	460-00-4	70-130	97
Toluene-d8	2037-26-5	70-130	101

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	Lab Blank	<b>Date/Time Analyzed:</b>	4/18/19 09:43 AM
<b>Lab ID:</b>	1904294-15C	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collecte</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd14.i / 14041805a
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.7	12	20	Not Detected
1,4-Dioxane	123-91-1	20	36	72	Not Detected
cis-1,2-Dichloroethene	156-59-2	6.1	12	20	Not Detected
Tetrachloroethene	127-18-4	12	20	34	Not Detected
trans-1,2-Dichloroethene	156-60-5	7.6	12	20	Not Detected
Trichloroethene	79-01-6	8.0	16	27	Not Detected
Vinyl Chloride	75-01-4	4.4	7.7	13	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	96
4-Bromofluorobenzene	460-00-4	70-130	96
Toluene-d8	2037-26-5	70-130	100

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	CCV	<b>Date/Time Analyzed:</b>	4/16/19 09:17 AM
<b>Lab ID:</b>	1904294-16A	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collecte</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd20.i / 20041602
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	100
1,4-Dioxane	123-91-1	105
cis-1,2-Dichloroethene	156-59-2	104
Tetrachloroethene	127-18-4	104
trans-1,2-Dichloroethene	156-60-5	100
Trichloroethene	79-01-6	94
Vinyl Chloride	75-01-4	89

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	92
4-Bromofluorobenzene	460-00-4	70-130	106
Toluene-d8	2037-26-5	70-130	95

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	CCV	<b>Date/Time Analyzed:</b>	4/17/19 08:00 AM
<b>Lab ID:</b>	1904294-16B	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collecte</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd14.i / 14041702
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	95
1,4-Dioxane	123-91-1	104
cis-1,2-Dichloroethene	156-59-2	97
Tetrachloroethene	127-18-4	92
trans-1,2-Dichloroethene	156-60-5	93
Trichloroethene	79-01-6	93
Vinyl Chloride	75-01-4	96

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	97
4-Bromofluorobenzene	460-00-4	70-130	100
Toluene-d8	2037-26-5	70-130	100



EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	CCV	<b>Date/Time Analyzed:</b>	4/18/19 08:11 AM
<b>Lab ID:</b>	1904294-16C	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collecte</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd14.i / 14041802
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	97
1,4-Dioxane	123-91-1	105
cis-1,2-Dichloroethene	156-59-2	98
Tetrachloroethene	127-18-4	91
trans-1,2-Dichloroethene	156-60-5	95
Trichloroethene	79-01-6	92
Vinyl Chloride	75-01-4	96

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	98
4-Bromofluorobenzene	460-00-4	70-130	100
Toluene-d8	2037-26-5	70-130	98

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	LCS	<b>Date/Time Analyzed:</b>	4/16/19 10:13 AM
<b>Lab ID:</b>	1904294-17A	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collecte</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd20.i / 20041603
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	104
1,4-Dioxane	123-91-1	114
cis-1,2-Dichloroethene	156-59-2	118
Tetrachloroethene	127-18-4	119
trans-1,2-Dichloroethene	156-60-5	93
Trichloroethene	79-01-6	121
Vinyl Chloride	75-01-4	98

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	96
4-Bromofluorobenzene	460-00-4	70-130	114
Toluene-d8	2037-26-5	70-130	99

\* % Recovery is calculated using unrounded analytical results.

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	LCSD	<b>Date/Time Analyzed:</b>	4/16/19 11:14 AM
<b>Lab ID:</b>	1904294-17AA	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collecte</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd20.i / 20041604
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	108
1,4-Dioxane	123-91-1	119
cis-1,2-Dichloroethene	156-59-2	120
Tetrachloroethene	127-18-4	115
trans-1,2-Dichloroethene	156-60-5	96
Trichloroethene	79-01-6	124
Vinyl Chloride	75-01-4	101

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	96
4-Bromofluorobenzene	460-00-4	70-130	106
Toluene-d8	2037-26-5	70-130	98

\* % Recovery is calculated using unrounded analytical results.

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	LCS	<b>Date/Time Analyzed:</b>	4/17/19 08:38 AM
<b>Lab ID:</b>	1904294-17B	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collecte</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd14.i / 14041703
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	99
1,4-Dioxane	123-91-1	113
cis-1,2-Dichloroethene	156-59-2	110
Tetrachloroethene	127-18-4	95
trans-1,2-Dichloroethene	156-60-5	81
Trichloroethene	79-01-6	96
Vinyl Chloride	75-01-4	100

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	97
4-Bromofluorobenzene	460-00-4	70-130	100
Toluene-d8	2037-26-5	70-130	100

\* % Recovery is calculated using unrounded analytical results.

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	LCSD	<b>Date/Time Analyzed:</b>	4/17/19 09:02 AM
<b>Lab ID:</b>	1904294-17BB	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collecte</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd14.i / 14041704
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	98
1,4-Dioxane	123-91-1	114
cis-1,2-Dichloroethene	156-59-2	109
Tetrachloroethene	127-18-4	93
trans-1,2-Dichloroethene	156-60-5	86
Trichloroethene	79-01-6	94
Vinyl Chloride	75-01-4	102

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	96
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	99

\* % Recovery is calculated using unrounded analytical results.

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	LCS	<b>Date/Time Analyzed:</b>	4/18/19 08:47 AM
<b>Lab ID:</b>	1904294-17C	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collecte</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd14.i / 14041803
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	99
1,4-Dioxane	123-91-1	117
cis-1,2-Dichloroethene	156-59-2	111
Tetrachloroethene	127-18-4	96
trans-1,2-Dichloroethene	156-60-5	84
Trichloroethene	79-01-6	95
Vinyl Chloride	75-01-4	102

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	98
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	99

\* % Recovery is calculated using unrounded analytical results.

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	LCSD	<b>Date/Time Analyzed:</b>	4/18/19 09:16 AM
<b>Lab ID:</b>	1904294-17CC	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collecte</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd14.i / 14041804
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	100
1,4-Dioxane	123-91-1	117
cis-1,2-Dichloroethene	156-59-2	109
Tetrachloroethene	127-18-4	98
trans-1,2-Dichloroethene	156-60-5	82
Trichloroethene	79-01-6	96
Vinyl Chloride	75-01-4	103

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	95
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	100

\* % Recovery is calculated using unrounded analytical results.



April 19, 2019

Kris Hinskey  
Arcadis Inc  
10559 Citation Ave  
Suite 100  
Brighton, MI 48116

CADENA project ID: E203631  
Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater  
Project number: MI001454.0002/3/4.00002/2B/3B  
Client project scope reference: Sample COC only was used to define project analytical requirements.  
Laboratory: Eurofins Air Toxics - Folsom  
Laboratory submittal: 1904294  
Sample date: 2019-04-09  
Report received by CADENA: 2019-04-19  
Initial Data Verification completed by CADENA: 2019-04-19

14 Air samples were analyzed for TO-15 parameters.

There were no significant QC anomalies or exceptions to report.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356



## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

# Ford Motor Company – Livonia Transmission Project

## DATA REVIEW

### Livonia, Michigan

Volatile Organic Compounds (VOC) TO-15 Analysis

SDG #1904294

CADENA Verification Report: 2019-04-19

Analyses Performed By:  
Eurofins Air Toxics  
Folsom, California

Report #32576R  
Review Level: Tier III  
Project: MI001454.0003.00001



## DATA REVIEW

### SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 1904294 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III includes a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis		
						TO-15 (Full Scan)	TO-15 (SIM)	MISC
1904294	AA-12400BELDEN-01_040919	1904294-01A	Air	4/9/2019		X		
	IAF-12400BELDEN-01_040919	1904294-02A	Air	4/9/2019		X		
	IAF-12400BELDEN-02_040919	1904294-03A	Air	4/9/2019		X		
	IAF-12400BELDEN-03_040919	1904294-04A	Air	4/9/2019		X		
	IAF-12400BELDEN-04_040919	1904294-05A	Air	4/9/2019		X		
	IAF-12400BELDEN05_040919	1904294-06A	Air	4/9/2019		X		
	IAF-12400BELDEN-06_040919	1904294-07A	Air	4/9/2019		X		
	IAF-12400BELDEN-07_040919	1904294-08A	Air	4/9/2019		X		
	IAF-12400BELDEN-08_040919	1904294-09A	Air	4/9/2019		X		
	IAF-12400BELDEN-09_040919	1904294-10A	Air	4/9/2019		X		
	IAF-12400BELDEN-10_040919	1904294-11A	Air	4/9/2019		X		
IAF-12400BELDEN-11_040919	1904294-12A	Air	4/9/2019		X			

**DATA REVIEW**

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis		
						TO-15 (Full Scan)	TO-15 (SIM)	MISC
	IAF-12400BELDEN-12_040919	1904294-13A	Air	4/9/2019		X		
	DUP-12400BELDEN01_040919	1904294-14A	Air	4/9/2019	AA-12400BELDEN-01_040919	X		

## DATA REVIEW

### ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

## DATA REVIEW

### ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) Method TO-15 (Full Scan). Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - J+ The result is an estimated quantity, but the result may be biased high.
  - J- The result is an estimated quantity, but the result may be biased low.
  - UB Analyte considered non-detect at the listed value due to associated blank contamination.
  - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

## DATA REVIEW

### VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

#### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation	Return Canister Pressure
USEPA TO-15	Air	30 days from collection to analysis (Canister)	Ambient Temperature	< -2" Hg

All samples were analyzed within the specified holding time and canister return pressure / vacuum criteria.

#### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

#### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

##### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (30%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

##### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (30%) and RRF value greater than control limit (0.05).

All compounds associated with the continuing calibrations were within the specified control limits.

#### 4. Internal Standard Performance

Internal standard performance criteria insure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria requires the internal standard compounds associated with the VOC exhibit area counts that are not greater than 140% or less than 60% of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

## DATA REVIEW

### 5. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra. All identified compounds met the specified criteria.

### 6. Field Duplicate Sample Analysis

The field duplicate analysis is used to assess the precision of the field sampling procedures and analytical method. A control limit of 35% for air matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are not greater than five times the RL, a control limit of one times the RL is applied to the difference between the duplicate sample results.

Results (in  $\mu\text{g}/\text{m}^3$ ) for the field duplicate samples are summarized in the following table.

Sample ID / Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
AA-12400BELDEN-01_040919/ DUP-12400BELDEN01_040919	trans-1,2-Dichloroethene	4.6	96	NC
	Trichloroethene	3.2	55	

NC - Not Compliant

The compounds trans-1,2-Dichloroethene and Trichloroethene associated with sample locations AA-12400BELDEN-01\_040919 and DUP-12400BELDEN01\_040919 exhibited a field duplicate RPD greater than the control limit. The associated sample results from sample locations for the listed compound were qualified as estimated.

### 7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.



**DATA REVIEW**

**DATA VALIDATION CHECKLIST FOR VOCs**

VOCs: TO-15 ( Full Scan)	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
<b>GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)</b>					
<b>Tier II Validation</b>					
Canister return pressure (<-2"Hg)		X		X	
<b>Tier III Validation</b>					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X		X	
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Internal standard		X		X	
Field Duplicate Sample RPD		X	X		
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

VALIDATION PERFORMED BY: Joseph C. Houser

SIGNATURE:



DATE: April 28, 2019

PEER REVIEW: Dennis Capria

DATE: May 2, 2019



**CHAIN OF CUSTODY  
CORRECTED SAMPLE ANALYSIS DATA  
SHEETS**



MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	AA-12400BELDEN-01_040919	<b>Date/Time Analyzed:</b>	4/16/19 03:01 PM
<b>Lab ID:</b>	1904294-01A	<b>Dilution Factor:</b>	1.69
<b>Date/Time Collecte</b>	4/9/19 03:16 PM	<b>Instrument/Filename:</b>	msd20.i / 20041606
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.16	0.60	0.67	Not Detected
1,4-Dioxane	123-91-1	0.49	0.55	0.61	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.36	0.60	0.67	Not Detected
Tetrachloroethene	127-18-4	0.71	1.0	1.1	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.38	0.60	0.67	4.6 J
Trichloroethene	79-01-6	0.44	0.82	0.91	3.2 J
Vinyl Chloride	75-01-4	0.14	0.39	0.43	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	107
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	98

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	IAF-12400BELDEN-01_040919	<b>Date/Time Analyzed:</b>	4/17/19 04:34 PM
<b>Lab ID:</b>	1904294-02A	<b>Dilution Factor:</b>	3.58
<b>Date/Time Collecte</b>	4/9/19 03:25 PM	<b>Instrument/Filename:</b>	msd14.i / 14041714
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	9.6	42	71	Not Detected
1,4-Dioxane	123-91-1	71	130	260	Not Detected
cis-1,2-Dichloroethene	156-59-2	22	42	71	Not Detected
Tetrachloroethene	127-18-4	43	73	120	Not Detected
trans-1,2-Dichloroethene	156-60-5	27	42	71	12000
Trichloroethene	79-01-6	28	58	96	9200
Vinyl Chloride	75-01-4	16	27	46	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	94
4-Bromofluorobenzene	460-00-4	70-130	98
Toluene-d8	2037-26-5	70-130	99

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	IAF-12400BELDEN-02_040919	<b>Date/Time Analyzed:</b>	4/17/19 05:48 PM
<b>Lab ID:</b>	1904294-03A	<b>Dilution Factor:</b>	3.82
<b>Date/Time Collecte</b>	4/9/19 03:24 PM	<b>Instrument/Filename:</b>	msd14.i / 14041716
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	10	45	76	Not Detected
1,4-Dioxane	123-91-1	76	140	280	Not Detected
cis-1,2-Dichloroethene	156-59-2	23	45	76	Not Detected
Tetrachloroethene	127-18-4	46	78	130	Not Detected
trans-1,2-Dichloroethene	156-60-5	29	45	76	9100
Trichloroethene	79-01-6	30	62	100	6600
Vinyl Chloride	75-01-4	17	29	49	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	99
4-Bromofluorobenzene	460-00-4	70-130	98
Toluene-d8	2037-26-5	70-130	99

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	IAF-12400BELDEN-03_040919	<b>Date/Time Analyzed:</b>	4/18/19 11:53 AM
<b>Lab ID:</b>	1904294-04A	<b>Dilution Factor:</b>	9.30
<b>Date/Time Collecte</b>	4/9/19 03:04 PM	<b>Instrument/Filename:</b>	msd14.i / 14041809
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	25	110	180	Not Detected
1,4-Dioxane	123-91-1	180	340	670	Not Detected
cis-1,2-Dichloroethene	156-59-2	57	110	180	Not Detected
Tetrachloroethene	127-18-4	110	190	320	Not Detected
trans-1,2-Dichloroethene	156-60-5	70	110	180	14000
Trichloroethene	79-01-6	74	150	250	10000
Vinyl Chloride	75-01-4	41	71	120	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	97
4-Bromofluorobenzene	460-00-4	70-130	93
Toluene-d8	2037-26-5	70-130	99

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	IAF-12400BELDEN-04_040919	<b>Date/Time Analyzed:</b>	4/18/19 12:23 PM
<b>Lab ID:</b>	1904294-05A	<b>Dilution Factor:</b>	6.23
<b>Date/Time Collecte</b>	4/9/19 03:25 PM	<b>Instrument/Filename:</b>	msd14.i / 14041810
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	17	74	120	Not Detected
1,4-Dioxane	123-91-1	120	220	450	Not Detected
cis-1,2-Dichloroethene	156-59-2	38	74	120	Not Detected
Tetrachloroethene	127-18-4	74	130	210	Not Detected
trans-1,2-Dichloroethene	156-60-5	47	74	120	14000
Trichloroethene	79-01-6	50	100	170	8600
Vinyl Chloride	75-01-4	28	48	80	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	97
4-Bromofluorobenzene	460-00-4	70-130	94
Toluene-d8	2037-26-5	70-130	99



EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	IAF-12400BELDEN05_040919	<b>Date/Time Analyzed:</b>	4/17/19 07:39 PM
<b>Lab ID:</b>	1904294-06A	<b>Dilution Factor:</b>	3.88
<b>Date/Time Collecte</b>	4/9/19 03:27 PM	<b>Instrument/Filename:</b>	msd14.i / 14041719
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	10	46	77	Not Detected
1,4-Dioxane	123-91-1	77	140	280	Not Detected
cis-1,2-Dichloroethene	156-59-2	24	46	77	Not Detected
Tetrachloroethene	127-18-4	46	79	130	Not Detected
trans-1,2-Dichloroethene	156-60-5	29	46	77	13000
Trichloroethene	79-01-6	31	62	100	7900
Vinyl Chloride	75-01-4	17	30	50	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	99
4-Bromofluorobenzene	460-00-4	70-130	96
Toluene-d8	2037-26-5	70-130	99

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	IAF-12400BELDEN-06_040919	<b>Date/Time Analyzed:</b>	4/18/19 11:19 AM
<b>Lab ID:</b>	1904294-07A	<b>Dilution Factor:</b>	9.30
<b>Date/Time Collecte</b>	4/9/19 03:07 PM	<b>Instrument/Filename:</b>	msd14.i / 14041808
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	25	110	180	Not Detected
1,4-Dioxane	123-91-1	180	340	670	Not Detected
cis-1,2-Dichloroethene	156-59-2	57	110	180	Not Detected
Tetrachloroethene	127-18-4	110	190	320	Not Detected
trans-1,2-Dichloroethene	156-60-5	70	110	180	14000
Trichloroethene	79-01-6	74	150	250	8300
Vinyl Chloride	75-01-4	41	71	120	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	100
4-Bromofluorobenzene	460-00-4	70-130	92
Toluene-d8	2037-26-5	70-130	100

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	IAF-12400BELDEN-07_040919	<b>Date/Time Analyzed:</b>	4/17/19 08:32 PM
<b>Lab ID:</b>	1904294-08A	<b>Dilution Factor:</b>	3.64
<b>Date/Time Collecte</b>	4/9/19 03:10 PM	<b>Instrument/Filename:</b>	msd14.i / 14041720
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	9.8	43	72	Not Detected
1,4-Dioxane	123-91-1	72	130	260	Not Detected
cis-1,2-Dichloroethene	156-59-2	22	43	72	Not Detected
Tetrachloroethene	127-18-4	43	74	120	Not Detected
trans-1,2-Dichloroethene	156-60-5	28	43	72	9600
Trichloroethene	79-01-6	29	59	98	6600
Vinyl Chloride	75-01-4	16	28	46	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	96
4-Bromofluorobenzene	460-00-4	70-130	97
Toluene-d8	2037-26-5	70-130	101

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	IAF-12400BELDEN-08_040919	<b>Date/Time Analyzed:</b>	4/17/19 09:08 PM
<b>Lab ID:</b>	1904294-09A	<b>Dilution Factor:</b>	3.50
<b>Date/Time Collecte</b>	4/9/19 03:09 PM	<b>Instrument/Filename:</b>	msd14.i / 14041721
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	9.4	42	69	Not Detected
1,4-Dioxane	123-91-1	69	130	250	Not Detected
cis-1,2-Dichloroethene	156-59-2	21	42	69	Not Detected
Tetrachloroethene	127-18-4	42	71	120	Not Detected
trans-1,2-Dichloroethene	156-60-5	26	42	69	11000
Trichloroethene	79-01-6	28	56	94	7300
Vinyl Chloride	75-01-4	15	27	45	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	98
4-Bromofluorobenzene	460-00-4	70-130	98
Toluene-d8	2037-26-5	70-130	101

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	IAF-12400BELDEN-09_040919	<b>Date/Time Analyzed:</b>	4/17/19 09:48 PM
<b>Lab ID:</b>	1904294-10A	<b>Dilution Factor:</b>	3.58
<b>Date/Time Collecte</b>	4/9/19 03:06 PM	<b>Instrument/Filename:</b>	msd14.i / 14041722
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	9.6	42	71	Not Detected
1,4-Dioxane	123-91-1	71	130	260	Not Detected
cis-1,2-Dichloroethene	156-59-2	22	42	71	Not Detected
Tetrachloroethene	127-18-4	43	73	120	Not Detected
trans-1,2-Dichloroethene	156-60-5	27	42	71	12000
Trichloroethene	79-01-6	28	58	96	8400
Vinyl Chloride	75-01-4	16	27	46	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	98
4-Bromofluorobenzene	460-00-4	70-130	95
Toluene-d8	2037-26-5	70-130	100

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	IAF-12400BELDEN-10_040919	<b>Date/Time Analyzed:</b>	4/17/19 10:16 PM
<b>Lab ID:</b>	1904294-11A	<b>Dilution Factor:</b>	3.54
<b>Date/Time Collecte</b>	4/9/19 03:43 PM	<b>Instrument/Filename:</b>	msd14.i / 14041723
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	9.5	42	70	Not Detected
1,4-Dioxane	123-91-1	70	130	260	Not Detected
cis-1,2-Dichloroethene	156-59-2	22	42	70	Not Detected
Tetrachloroethene	127-18-4	42	72	120	Not Detected
trans-1,2-Dichloroethene	156-60-5	27	42	70	12000
Trichloroethene	79-01-6	28	57	95	5700
Vinyl Chloride	75-01-4	16	27	45	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	97
4-Bromofluorobenzene	460-00-4	70-130	99
Toluene-d8	2037-26-5	70-130	98

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	IAF-12400BELDEN-11_040919	<b>Date/Time Analyzed:</b>	4/17/19 11:02 PM
<b>Lab ID:</b>	1904294-12A	<b>Dilution Factor:</b>	3.42
<b>Date/Time Collecte</b>	4/9/19 03:00 PM	<b>Instrument/Filename:</b>	msd14.i / 14041724
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	9.2	41	68	Not Detected
1,4-Dioxane	123-91-1	68	120	250	Not Detected
cis-1,2-Dichloroethene	156-59-2	21	41	68	Not Detected
Tetrachloroethene	127-18-4	41	70	120	Not Detected
trans-1,2-Dichloroethene	156-60-5	26	41	68	7100
Trichloroethene	79-01-6	27	55	92	5400
Vinyl Chloride	75-01-4	15	26	44	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	98
4-Bromofluorobenzene	460-00-4	70-130	97
Toluene-d8	2037-26-5	70-130	99

EPA METHOD TO-15 GC/MS  
Ford LTP

<b>Client ID:</b>	IAF-12400BELDEN-12_040919	<b>Date/Time Analyzed:</b>	4/18/19 10:48 AM
<b>Lab ID:</b>	1904294-13A	<b>Dilution Factor:</b>	3.60
<b>Date/Time Collecte</b>	4/9/19 03:00 PM	<b>Instrument/Filename:</b>	msd14.i / 14041807
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	9.7	43	71	Not Detected
1,4-Dioxane	123-91-1	71	130	260	Not Detected
cis-1,2-Dichloroethene	156-59-2	22	43	71	Not Detected
Tetrachloroethene	127-18-4	43	73	120	Not Detected
trans-1,2-Dichloroethene	156-60-5	27	43	71	6600
Trichloroethene	79-01-6	29	58	97	4900
Vinyl Chloride	75-01-4	16	28	46	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	98
4-Bromofluorobenzene	460-00-4	70-130	96
Toluene-d8	2037-26-5	70-130	99



MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	DUP-12400BELDEN01_040919	<b>Date/Time Analyzed:</b>	4/16/19 03:40 PM
<b>Lab ID:</b>	1904294-14A	<b>Dilution Factor:</b>	1.92
<b>Date/Time Collecte</b>	4/9/19 12:00 AM	<b>Instrument/Filename:</b>	msd20.i / 20041607
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambie		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.18	0.68	0.76	Not Detected
1,4-Dioxane	123-91-1	0.56	0.62	0.69	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.41	0.68	0.76	Not Detected
Tetrachloroethene	127-18-4	0.81	1.2	1.3	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.43	0.68	0.76	96 J
Trichloroethene	79-01-6	0.51	0.93	1.0	55 J
Vinyl Chloride	75-01-4	0.16	0.44	0.49	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	106
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	101

## Analysis Request /Canister Chain of Custody

For Laboratory Use Only

PID: \_\_\_\_\_ Workorder #: 1904294

180 Blue Ravine Rd. Suite B, Folsom, CA 95630  
Phone (800) 985-5955; Fax (916) 351-8279

Click links below to view:

[Canister Sampling Guide](#)

[Helium Shroud Video](#)


Client: <u>Ford</u>	PID: <u>NA</u>	<b>Special Instructions/Notes:</b> Report ONLY: 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, 1,4-Dioxane, PCE, TCE and VC. Submit results through Cadena at jim.tomalia@cadena.com. Cadena #E203631. Level IV Reporting	<b>Turnaround Time (Rush surcharges may apply)</b>		
Project Name: <u>Ford LTP</u>			5 Day Turnaround Time		
Project Manager: <u>Kris Hinskey</u>	P.O.# <u>MI001454.0003</u>		<b>Canister Vacuum/Pressure</b>	<b>Requested Analyses</b>	
Sampler: <u>E. Redner/J. LUST</u>			<b>Lab Use Only</b>		
Site Name: <u>12400 Belden</u>					

Lab ID	Sample Identification	Can #	Flow Controller #	Start Sampling Information		Stop Sampling Information		Initial (in Hg)	Final (in Hg)	Receipt	Final (psig) Gas: N <sub>2</sub> / He	TO-15 (See Special Instructions/Notes)			
				Date	Time	Date	Time								
01A	AA-12400BELDEN-01_040919	6L0483	23599	4/9/19	0657	4/9/19	1516	-29	-6			X			
02A	IAF-12400BELDEN-01_040919	6L0905	24327	4/9/19	0633	4/9/19	1525	-29	-7			X			
03A	IAF-12400BELDEN-02_040919	6L1604	23339	4/9/19	0638	4/9/19	1524	-29	-8			X			
04A	IAF-12400BELDEN-03_040919	6L1472	23369	4/9/19	0635	4/9/19	1504	-29	-7			X			
05A	IAF-12400BELDEN-04_040919	6L1092	23694	4/9/19	0640	4/9/19	1525	-29	-7.5			X			
06A	IAF-12400BELDEN-05_040919	6L1787	22706	4/9/19	0642	4/9/19	1527	-29	-8			X			
07A	IAF-12400BELDEN-06_040919	6L0391	23620	4/9/19	0652	4/9/19	1507	-29	-6.5			X			
08A	IAF-12400BELDEN-07_040919	6L0836	23662	4/9/19	0650	4/9/19	1510	-29	-6.5			X			
09A	IAF-12400BELDEN-08_040919	6L0399	23153	4/9/19	0649	4/9/19	1509	-29	-6			X			
10A	IAF-12400BELDEN-09_040919	6L0390	23537	4/9/19	0646	4/9/19	1506	-29	-6.5			X			

Relinquished by: (Signature/Affiliation) <i>[Signature]</i>	Date <u>4-12-19</u>	Time <u>1600</u>	Received by: (Signature/Affiliation) <i>[Signature]</i> SATL	Date <u>4/12/19</u>	Time <u>1010</u>
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)	Date	Time
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)	Date	Time

<b>Lab Use Only</b>	
Shipper Name: <u>[Signature]</u>	Custody Seals Intact? <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> None

**Sample Transportation Notice:** Relinquishing signature on this document indicates that samples are shipped in compliance with all applicable local, State, Federal, and international laws, regulations, and ordinances of any kind. Relinquishing signature also indicates agreement to hold harmless, defend, and indemnify Eurofins Air Toxics against any claim, demand, or action, of any kind, related to the collection, handling, of shipping of samples. D.O.T Hotline (800) 467-4922



Air Toxics

# Analysis Request / Canister Chain of Custody

180 Blue Ravine Rd. Suite B, Folsom, CA 95630  
Phone (800) 985-5955; Fax (916) 351-8279

For Laboratory Use Only  
Workorder #: **1904294**

Click links below to view:  
[Canister Sampling Guide](#)  
[Helium Shroud Video](#)

Client: <u>Ford</u> PID: _____	Special Instructions/Notes: Report ONLY: 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, 1,4-Dioxane, PCE, TCE and VC. Submit results through Cadena at jim.tomalia@cadena.com. Cadena #E203631. Level IV Reporting	Turnaround Time (Rush surcharges may apply)							
Project Name: <u>Ford LTP</u>		5 day							
Project Manager: <u>Kris Hinskey</u> P.O.# <u>MI001454.0003</u>		Canister Vacuum/Pressure		Requested Analyses					
Sampler: <u>E. Redner / J. Lyst</u>		Lab Use Only							
Site Name: <u>12400 Belden</u>		Initial (in Hg)	Final (in Hg)	Receipt	Final (psig) Gas: N <sub>2</sub> / He	TO-15 (See Special Instructions/Notes)			

Lab ID	Sample Identification	Can #	Flow Controller #	Start Sampling Information		Stop Sampling Information		Initial (in Hg)	Final (in Hg)	Receipt	Final (psig) Gas: N <sub>2</sub> / He	TO-15 (See Special Instructions/Notes)			
				Date	Time	Date	Time								
11A 01A	IAF-12400Belden-10-040919	6L1840	23738	4/9/19	0632	4/9/19	1543	-29	-6.5			X			
12A 02A	IAF-12400Belden-11-040919	6L0687	23593	4/9/19	0626	4/9/19	1500	-29	-6.5			X			
13A 03A	IAF-12400Belden-12-040919	6L0087	23657	4/9/19	0628	4/9/19	1500	-29	-7			X			
14A 04A	DUP-12400Belden-01-040919	6L0720	23417	4/9/19	—	4/9/19	—	-29	-9			X			
17W 04/2/19															

Relinquished by: (Signature/Affiliation) <i>[Signature]</i>	Date <u>4-10-19</u>	Time <u>1600</u>	Received by: (Signature/Affiliation) <i>[Signature]</i>	Date <u>4/12/19</u>	Time <u>1010</u>
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)	Date	Time
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)	Date	Time

Lab Use Only

Shipper Name: [Signature] Custody Seals Intact?  Yes  No  None

**Sample Transportation Notice:** Relinquishing signature on this document indicates that samples are shipped in compliance with all applicable local, State, Federal, and international laws, regulations, and ordinances of any kind. Relinquishing signature also indicates agreement to hold harmless, defend, and indemnify Eurofins Air Toxics against any claim, demand, or action, of any kind, related to the collection, handling, or shipping of samples. D.O.T Hotline (800) 467-4922

4/19/2019

Mr. Jim Tomalia  
Arcadis U.S., Inc.  
28550 Cabot Dr.  
Suite 500  
Novi MI 48377

Project Name: Ford LTP

Project #:

Workorder #: 1904296

Dear Mr. Jim Tomalia

The following report includes the data for the above referenced project for sample(s) received on 4/12/2019 at Air Toxics Ltd.

The data and associated QC analyzed by TO-15 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics Inc. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Ausha Scott at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Ausha Scott

Project Manager

**WORK ORDER #: 1904296**

Work Order Summary

<b>CLIENT:</b>	Mr. Jim Tomalia Arcadis U.S., Inc. 28550 Cabot Dr. Suite 500 Novi, MI 48377	<b>BILL TO:</b>	Accounts Payable Arcadis U.S., Inc. 630 Plaza Drive Suite 600 Highlands Ranch, CO 80129
<b>PHONE:</b>	517-819-0356	<b>P.O. #</b>	MI001454.0003
<b>FAX:</b>		<b>PROJECT #</b>	Ford LTP
<b>DATE RECEIVED:</b>	04/12/2019	<b>CONTACT:</b>	Ausha Scott
<b>DATE COMPLETED:</b>	04/18/2019		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT VAC./PRES.</u>	<u>FINAL PRESSURE</u>
01A	SSMP-12400BELDEN-01_040919	TO-15	6.3 "Hg	16.2 psi
02A	SSMP-12400BELDEN-02_040919	TO-15	6.7 "Hg	15.9 psi
03A	SSMP-12400BELDEN-03_040919	TO-15	7.1 "Hg	16 psi
04A	SSMP-12400BELDEN-04_040919	TO-15	5.1 "Hg	14.9 psi
05A	SSMP-12400BELDEN-05_040919	TO-15	6.3 "Hg	16.1 psi
06A	SSMP-12400BELDEN-06_040919	TO-15	5.9 "Hg	15.8 psi
07A	SSMP-12400BELDEN-07_040919	TO-15	5.3 "Hg	14.9 psi
08A	SSMP-12400BELDEN-08_040919	TO-15	6.1 "Hg	16.2 psi
09A	SSMP-12400BELDEN-09_040919	TO-15	6.1 "Hg	16.2 psi
10A	SSMP-12400BELDEN-10_040919	TO-15	5.9 "Hg	16 psi
11A	SSMP-12400BELDEN-11_040919	TO-15	5.7 "Hg	16.3 psi
12A	SSMP-12400BELDEN-12_040919	TO-15	4.5 "Hg	15.3 psi
13A	DUP-12400BELDEN-02_040919	TO-15	4.7 "Hg	15 psi
14A	Lab Blank	TO-15	NA	NA
15A	CCV	TO-15	NA	NA
16A	LCS	TO-15	NA	NA
16AA	LCSD	TO-15	NA	NA

CERTIFIED BY: 

Technical Director

DATE: 04/19/19

Certification numbers: AZ Licensure AZ0775, NJ NELAP - CA016, NY NELAP - 11291,  
TX NELAP - T104704434-16-11, UT NELAP CA0093332016-7, VA NELAP - 8113, WA NELAP - C935  
Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program)  
Accreditation number: CA300005, Effective date: 10/18/2016, Expiration date: 10/17/2017.

Eurofins Air Toxics Inc. certifies that the test results contained in this report meet all requirements of the NELAC standards

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, Inc.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630  
(916) 985-1000 . (800) 985-5955 . FAX (916) 985-1020

**LABORATORY NARRATIVE**  
**EPA Method TO-15**  
**Arcadis U.S., Inc.**  
**Workorder# 1904296**

Thirteen 1 Liter Summa Canister (100% Certified) samples were received on April 12, 2019. The laboratory performed analysis via EPA Method TO-15 using GC/MS in the full scan mode.

This workorder was independently validated prior to submittal using 'USEPA National Functional Guidelines' as generally applied to the analysis of volatile organic compounds in air. A rules-based, logic driven, independent validation engine was employed to assess completeness, evaluate pass/fail of relevant project quality control requirements and verification of all quantified amounts.

**Receiving Notes**

There were no receiving discrepancies.

**Analytical Notes**

As per client project requirements, the laboratory has reported estimated values for target compound hits that are below the Reporting Limit but greater than the Method Detection Limit. Concentrations that are below the level at which the canister was certified (0.2 ppbv for compounds reported at 0.5 ppbv and 0.8 ppbv for compounds reported at 2.0 ppbv) may be false positives.

Dilution was performed on sample SSMP-12400BELDEN-11\_040919 due to the presence of high level target species.

**Definition of Data Qualifying Flags**

Ten qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit, LOD, or MDL value. See data page for project specific U-flag definition.

UJ- Non-detected compound associated with low bias in the CCV

N - The identification is based on presumptive evidence.

M - Reported value may be biased due to apparent matrix interferences.

CN - See Case Narrative.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	SSMP-12400BELDEN-01_040919	<b>Date/Time Analyzed:</b>	4/16/19 07:47 PM
<b>Lab ID:</b>	1904296-01A	<b>Dilution Factor:</b>	2.66
<b>Date/Time Collecte</b>	4/9/19 07:47 AM	<b>Instrument/Filename:</b>	msd17.i / 17041612
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.3	4.2	5.3	Not Detected
1,4-Dioxane	123-91-1	10	14	19	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.5	4.2	5.3	Not Detected
Tetrachloroethene	127-18-4	3.6	7.2	9.0	27
trans-1,2-Dichloroethene	156-60-5	1.6	4.2	5.3	380
Trichloroethene	79-01-6	2.6	5.7	7.1	1200
Vinyl Chloride	75-01-4	1.4	2.7	3.4	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	89
4-Bromofluorobenzene	460-00-4	70-130	92
Toluene-d8	2037-26-5	70-130	128

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	SSMP-12400BELDEN-02_040919	<b>Date/Time Analyzed:</b>	4/16/19 08:16 PM
<b>Lab ID:</b>	1904296-02A	<b>Dilution Factor:</b>	2.68
<b>Date/Time Collecte</b>	4/9/19 08:15 AM	<b>Instrument/Filename:</b>	msd17.i / 17041613
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.3	4.2	5.3	Not Detected
1,4-Dioxane	123-91-1	10	14	19	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.5	4.2	5.3	Not Detected
Tetrachloroethene	127-18-4	3.6	7.3	9.1	14
trans-1,2-Dichloroethene	156-60-5	1.6	4.2	5.3	150
Trichloroethene	79-01-6	2.6	5.8	7.2	270
Vinyl Chloride	75-01-4	1.4	2.7	3.4	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	100
4-Bromofluorobenzene	460-00-4	70-130	95
Toluene-d8	2037-26-5	70-130	111



EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	SSMP-12400BELDEN-03_040919	<b>Date/Time Analyzed:</b>	4/16/19 11:13 PM
<b>Lab ID:</b>	1904296-03A	<b>Dilution Factor:</b>	2.74
<b>Date/Time Collecte</b>	4/9/19 08:42 AM	<b>Instrument/Filename:</b>	msd17.i / 17041615
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.4	4.3	5.4	Not Detected
1,4-Dioxane	123-91-1	10	15	20	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.5	4.3	5.4	Not Detected
Tetrachloroethene	127-18-4	3.7	7.4	9.3	13
trans-1,2-Dichloroethene	156-60-5	1.6	4.3	5.4	300
Trichloroethene	79-01-6	2.6	5.9	7.4	580
Vinyl Chloride	75-01-4	1.4	2.8	3.5	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	88
4-Bromofluorobenzene	460-00-4	70-130	93
Toluene-d8	2037-26-5	70-130	109

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	SSMP-12400BELDEN-04_040919	<b>Date/Time Analyzed:</b>	4/16/19 11:42 PM
<b>Lab ID:</b>	1904296-04A	<b>Dilution Factor:</b>	2.43
<b>Date/Time Collecte</b>	4/9/19 09:10 AM	<b>Instrument/Filename:</b>	msd17.i / 17041616
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.1	3.8	4.8	Not Detected
1,4-Dioxane	123-91-1	9.3	13	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.3	3.8	4.8	Not Detected
Tetrachloroethene	127-18-4	3.3	6.6	8.2	Not Detected
trans-1,2-Dichloroethene	156-60-5	1.4	3.8	4.8	170
Trichloroethene	79-01-6	2.4	5.2	6.5	170
Vinyl Chloride	75-01-4	1.2	2.5	3.1	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	88
4-Bromofluorobenzene	460-00-4	70-130	94
Toluene-d8	2037-26-5	70-130	110

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	SSMP-12400BELDEN-05_040919	<b>Date/Time Analyzed:</b>	4/17/19 12:10 AM
<b>Lab ID:</b>	1904296-05A	<b>Dilution Factor:</b>	2.65
<b>Date/Time Collecte</b>	4/9/19 09:35 AM	<b>Instrument/Filename:</b>	msd17.i / 17041617
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.3	4.2	5.2	Not Detected
1,4-Dioxane	123-91-1	10	14	19	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.5	4.2	5.2	Not Detected
Tetrachloroethene	127-18-4	3.6	7.2	9.0	Not Detected
trans-1,2-Dichloroethene	156-60-5	1.6	4.2	5.2	260
Trichloroethene	79-01-6	2.6	5.7	7.1	240
Vinyl Chloride	75-01-4	1.4	2.7	3.4	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	91
4-Bromofluorobenzene	460-00-4	70-130	93
Toluene-d8	2037-26-5	70-130	108

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	SSMP-12400BELDEN-06_040919	<b>Date/Time Analyzed:</b>	4/17/19 12:38 AM
<b>Lab ID:</b>	1904296-06A	<b>Dilution Factor:</b>	2.58
<b>Date/Time Collecte</b>	4/9/19 09:58 AM	<b>Instrument/Filename:</b>	msd17.i / 17041618
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.2	4.1	5.1	Not Detected
1,4-Dioxane	123-91-1	9.8	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.4	4.1	5.1	Not Detected
Tetrachloroethene	127-18-4	3.5	7.0	8.8	31
trans-1,2-Dichloroethene	156-60-5	1.5	4.1	5.1	340
Trichloroethene	79-01-6	2.5	5.5	6.9	1100
Vinyl Chloride	75-01-4	1.3	2.6	3.3	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	92
4-Bromofluorobenzene	460-00-4	70-130	93
Toluene-d8	2037-26-5	70-130	108

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	SSMP-12400BELDEN-07_040919	<b>Date/Time Analyzed:</b>	4/17/19 01:06 AM
<b>Lab ID:</b>	1904296-07A	<b>Dilution Factor:</b>	2.44
<b>Date/Time Collecte</b>	4/9/19 10:03 AM	<b>Instrument/Filename:</b>	msd17.i / 17041619
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.1	3.9	4.8	Not Detected
1,4-Dioxane	123-91-1	9.3	13	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.4	3.9	4.8	Not Detected
Tetrachloroethene	127-18-4	3.3	6.6	8.3	18
trans-1,2-Dichloroethene	156-60-5	1.4	3.9	4.8	230
Trichloroethene	79-01-6	2.4	5.2	6.6	370
Vinyl Chloride	75-01-4	1.2	2.5	3.1	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	109
4-Bromofluorobenzene	460-00-4	70-130	96
Toluene-d8	2037-26-5	70-130	109

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	SSMP-12400BELDEN-08_040919	<b>Date/Time Analyzed:</b>	4/17/19 01:34 AM
<b>Lab ID:</b>	1904296-08A	<b>Dilution Factor:</b>	2.64
<b>Date/Time Collecte</b>	4/9/19 09:40 AM	<b>Instrument/Filename:</b>	msd17.i / 17041620
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.3	4.2	5.2	Not Detected
1,4-Dioxane	123-91-1	10	14	19	12 J
cis-1,2-Dichloroethene	156-59-2	1.5	4.2	5.2	Not Detected
Tetrachloroethene	127-18-4	3.6	7.2	9.0	22
trans-1,2-Dichloroethene	156-60-5	1.6	4.2	5.2	360
Trichloroethene	79-01-6	2.6	5.7	7.1	960
Vinyl Chloride	75-01-4	1.3	2.7	3.4	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	92
4-Bromofluorobenzene	460-00-4	70-130	96
Toluene-d8	2037-26-5	70-130	90

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	SSMP-12400BELDEN-09_040919	<b>Date/Time Analyzed:</b>	4/17/19 02:03 AM
<b>Lab ID:</b>	1904296-09A	<b>Dilution Factor:</b>	2.64
<b>Date/Time Collecte</b>	4/9/19 09:09 AM	<b>Instrument/Filename:</b>	msd17.i / 17041621
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.3	4.2	5.2	Not Detected
1,4-Dioxane	123-91-1	10	14	19	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.5	4.2	5.2	Not Detected
Tetrachloroethene	127-18-4	3.6	7.2	9.0	36
trans-1,2-Dichloroethene	156-60-5	1.6	4.2	5.2	560
Trichloroethene	79-01-6	2.6	5.7	7.1	1400
Vinyl Chloride	75-01-4	1.3	2.7	3.4	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	92
4-Bromofluorobenzene	460-00-4	70-130	96
Toluene-d8	2037-26-5	70-130	108

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	SSMP-12400BELDEN-10_040919	<b>Date/Time Analyzed:</b>	4/17/19 02:31 AM
<b>Lab ID:</b>	1904296-10A	<b>Dilution Factor:</b>	2.60
<b>Date/Time Collecte</b>	4/9/19 09:14 AM	<b>Instrument/Filename:</b>	msd17.i / 17041622
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.3	4.1	5.2	Not Detected
1,4-Dioxane	123-91-1	9.9	14	19	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.4	4.1	5.2	Not Detected
Tetrachloroethene	127-18-4	3.5	7.0	8.8	29
trans-1,2-Dichloroethene	156-60-5	1.5	4.1	5.2	810
Trichloroethene	79-01-6	2.5	5.6	7.0	1800
Vinyl Chloride	75-01-4	1.3	2.6	3.3	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	112
4-Bromofluorobenzene	460-00-4	70-130	95
Toluene-d8	2037-26-5	70-130	109



EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	SSMP-12400BELDEN-11_040919	<b>Date/Time Analyzed:</b>	4/17/19 07:17 AM
<b>Lab ID:</b>	1904296-11A	<b>Dilution Factor:</b>	3.47
<b>Date/Time Collecte</b>	4/9/19 08:14 AM	<b>Instrument/Filename:</b>	msd17.i / 17041626
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	3.0	5.5	6.9	Not Detected
1,4-Dioxane	123-91-1	13	19	25	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.9	5.5	6.9	Not Detected
Tetrachloroethene	127-18-4	4.7	9.4	12	11 J
trans-1,2-Dichloroethene	156-60-5	2.1	5.5	6.9	2300
Trichloroethene	79-01-6	3.4	7.4	9.3	2900
Vinyl Chloride	75-01-4	1.8	3.5	4.4	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	95
4-Bromofluorobenzene	460-00-4	70-130	88
Toluene-d8	2037-26-5	70-130	107

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	SSMP-12400BELDEN-12_040919	<b>Date/Time Analyzed:</b>	4/16/19 10:45 PM
<b>Lab ID:</b>	1904296-12A	<b>Dilution Factor:</b>	2.40
<b>Date/Time Collecte</b>	4/9/19 07:42 AM	<b>Instrument/Filename:</b>	msd17.i / 17041614
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.1	3.8	4.8	Not Detected
1,4-Dioxane	123-91-1	9.2	13	17	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.3	3.8	4.8	Not Detected
Tetrachloroethene	127-18-4	3.2	6.5	8.1	12
trans-1,2-Dichloroethene	156-60-5	1.4	3.8	4.8	540
Trichloroethene	79-01-6	2.3	5.2	6.4	1100
Vinyl Chloride	75-01-4	1.2	2.4	3.1	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	84
4-Bromofluorobenzene	460-00-4	70-130	92
Toluene-d8	2037-26-5	70-130	115

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	DUP-12400BELDEN-02_040919	<b>Date/Time Analyzed:</b>	4/17/19 03:27 AM
<b>Lab ID:</b>	1904296-13A	<b>Dilution Factor:</b>	2.40
<b>Date/Time Collecte</b>	4/9/19 12:00 AM	<b>Instrument/Filename:</b>	msd17.i / 17041624
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.1	3.8	4.8	Not Detected
1,4-Dioxane	123-91-1	9.2	13	17	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.3	3.8	4.8	Not Detected
Tetrachloroethene	127-18-4	3.2	6.5	8.1	12
trans-1,2-Dichloroethene	156-60-5	1.4	3.8	4.8	570
Trichloroethene	79-01-6	2.3	5.2	6.4	1100
Vinyl Chloride	75-01-4	1.2	2.4	3.1	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	100
4-Bromofluorobenzene	460-00-4	70-130	96
Toluene-d8	2037-26-5	70-130	111

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	Lab Blank	<b>Date/Time Analyzed:</b>	4/16/19 06:01 PM
<b>Lab ID:</b>	1904296-14A	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collecte</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd17.i / 17041611a
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.87	1.6	2.0	Not Detected
1,4-Dioxane	123-91-1	3.8	5.4	7.2	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.56	1.6	2.0	Not Detected
Tetrachloroethene	127-18-4	1.4	2.7	3.4	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.59	1.6	2.0	Not Detected
Trichloroethene	79-01-6	0.97	2.1	2.7	Not Detected
Vinyl Chloride	75-01-4	0.51	1.0	1.3	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	94
4-Bromofluorobenzene	460-00-4	70-130	89
Toluene-d8	2037-26-5	70-130	98

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	CCV	<b>Date/Time Analyzed:</b>	4/16/19 03:06 PM
<b>Lab ID:</b>	1904296-15A	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collecte</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd17.i / 17041606
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	108
1,4-Dioxane	123-91-1	123
cis-1,2-Dichloroethene	156-59-2	103
Tetrachloroethene	127-18-4	100
trans-1,2-Dichloroethene	156-60-5	115
Trichloroethene	79-01-6	112
Vinyl Chloride	75-01-4	110

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	112
4-Bromofluorobenzene	460-00-4	70-130	90
Toluene-d8	2037-26-5	70-130	108

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	LCS	<b>Date/Time Analyzed:</b>	4/16/19 03:32 PM
<b>Lab ID:</b>	1904296-16A	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collecte</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd17.i / 17041607
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	110
1,4-Dioxane	123-91-1	126
cis-1,2-Dichloroethene	156-59-2	112
Tetrachloroethene	127-18-4	102
trans-1,2-Dichloroethene	156-60-5	106
Trichloroethene	79-01-6	110
Vinyl Chloride	75-01-4	126

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	108
4-Bromofluorobenzene	460-00-4	70-130	91
Toluene-d8	2037-26-5	70-130	107

\* % Recovery is calculated using unrounded analytical results.

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	LCSD	<b>Date/Time Analyzed:</b>	4/16/19 05:33 PM
<b>Lab ID:</b>	1904296-16AA	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collecte</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd17.i / 17041610
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	100
1,4-Dioxane	123-91-1	126
cis-1,2-Dichloroethene	156-59-2	102
Tetrachloroethene	127-18-4	96
trans-1,2-Dichloroethene	156-60-5	95
Trichloroethene	79-01-6	110
Vinyl Chloride	75-01-4	116

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	100
4-Bromofluorobenzene	460-00-4	70-130	90
Toluene-d8	2037-26-5	70-130	108

\* % Recovery is calculated using unrounded analytical results.



April 19, 2019

Kris Hinskey  
Arcadis Inc  
10559 Citation Ave  
Suite 100  
Brighton, MI 48116

CADENA project ID: E203631  
Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater  
Project number: MI001454.0002/3/4.00002/2B/3B  
Client project scope reference: Sample COC only was used to define project analytical requirements.  
Laboratory: Eurofins Air Toxics - Folsom  
Laboratory submittal: 1904296  
Sample date: 2019-04-09  
Report received by CADENA: 2019-04-19  
Initial Data Verification completed by CADENA: 2019-04-19

13 Air samples were analyzed for TO-15 parameters.

There were no significant QC anomalies or exceptions to report.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356



## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

# Ford Motor Company – Livonia Transmission Project

## DATA REVIEW

### Livonia, Michigan

Volatile Organic Compounds (VOC) TO-15 Analysis

SDG #1904296

CADENA Verification Report: 2019-04-19

Analyses Performed By:  
Eurofins Air Toxics  
Folsom, California

Report #32577R  
Review Level: Tier III  
Project: MI001454.0003.00001



## DATA REVIEW

### SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 1904296 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III includes a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis		
						TO-15 (Full Scan)	TO-15 (SIM)	MISC
1904296	SSMP-12400BELDEN-01_040919	1904296-01A	Air	4/9/2019		X		
	SSMP-12400BELDEN-02_040919	1904296-02A	Air	4/9/2019		X		
	SSMP-12400BELDEN-03_040919	1904296-03A	Air	4/9/2019		X		
	SSMP-12400BELDEN-04_040919	1904296-04A	Air	4/9/2019		X		
	SSMP-12400BELDEN-05_040919	1904296-05A	Air	4/9/2019		X		
	SSMP-12400BELDEN-06_040919	1904296-06A	Air	4/9/2019		X		
	SSMP-12400BELDEN-07_040919	1904296-07A	Air	4/9/2019		X		
	SSMP-12400BELDEN-08_040919	1904296-08A	Air	4/9/2019		X		
	SSMP-12400BELDEN-09_040919	1904296-09A	Air	4/9/2019		X		

**DATA REVIEW**

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis		
						TO-15 (Full Scan)	TO-15 (SIM)	MISC
	SSMP-12400BELDEN-10_040919	1904296-10A	Air	4/9/2019		X		
	SSMP-12400BELDEN-11_040919	1904296-11A	Air	4/9/2019		X		
	SSMP-12400BELDEN-12_040919	1904296-12A	Air	4/9/2019		X		
	DUP-12400BELDEN-02_040919	1904296-13A	Air	4/9/2019	SSMP-12400BELDEN-12_040919	X		

## DATA REVIEW

### ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

## DATA REVIEW

### ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) Method TO-15 (Full Scan). Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - J+ The result is an estimated quantity, but the result may be biased high.
  - J- The result is an estimated quantity, but the result may be biased low.
  - UB Analyte considered non-detect at the listed value due to associated blank contamination.
  - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

## DATA REVIEW

### VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

#### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation	Return Canister Pressure
USEPA TO-15	Air	30 days from collection to analysis (Canister)	Ambient Temperature	< -2" Hg

All samples were analyzed within the specified holding time and canister return pressure / vacuum criteria.

#### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

#### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

##### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (30%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

##### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (30%) and RRF value greater than control limit (0.05).

All compounds associated with the continuing calibrations were within the specified control limits.

#### 4. Internal Standard Performance

Internal standard performance criteria insure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria requires the internal standard compounds associated with the VOC exhibit area counts that are not greater than 140% or less than 60% of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

## DATA REVIEW

### 5. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

All identified compounds met the specified criteria.

### 6. Field Duplicate Sample Analysis

The field duplicate analysis is used to assess the precision of the field sampling procedures and analytical method. A control limit of 35% for air matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are not greater than five times the RL, a control limit of one times the RL is applied to the difference between the duplicate sample results.

Results (in  $\mu\text{g}/\text{m}^3$ ) for the field duplicate samples are summarized in the following table.

Sample ID / Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
SSMP-12400BELDEN-12_040919/ DUP-12400BELDEN-02_040919	Tetrachloroethene	12	12	AC
	trans-1,2-Dichloroethene	540	570	5.4%
	Trichloroethene	1100	1100	0.0%

Notes:

AC Acceptable

The calculated RPDs between the parent sample and field duplicate were acceptable.

### 7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.



**DATA REVIEW**

**DATA VALIDATION CHECKLIST FOR VOCs**

VOCs: TO-15 ( Full Scan)	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
<b>GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)</b>					
<b>Tier II Validation</b>					
Canister return pressure (<-2"Hg)		X		X	
<b>Tier III Validation</b>					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X		X	
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Internal standard		X		X	
Field Duplicate Sample RPD		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

VALIDATION PERFORMED BY: Joseph C. Houser

SIGNATURE:



DATE: April 28, 2019

PEER REVIEW: Dennis Capria

DATE: May 2, 2019



**CHAIN OF CUSTODY  
CORRECTED SAMPLE ANALYSIS DATA  
SHEETS**



EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	SSMP-12400BELDEN-01_040919	<b>Date/Time Analyzed:</b>	4/16/19 07:47 PM
<b>Lab ID:</b>	1904296-01A	<b>Dilution Factor:</b>	2.66
<b>Date/Time Collecte</b>	4/9/19 07:47 AM	<b>Instrument/Filename:</b>	msd17.i / 17041612
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.3	4.2	5.3	Not Detected
1,4-Dioxane	123-91-1	10	14	19	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.5	4.2	5.3	Not Detected
Tetrachloroethene	127-18-4	3.6	7.2	9.0	27
trans-1,2-Dichloroethene	156-60-5	1.6	4.2	5.3	380
Trichloroethene	79-01-6	2.6	5.7	7.1	1200
Vinyl Chloride	75-01-4	1.4	2.7	3.4	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	89
4-Bromofluorobenzene	460-00-4	70-130	92
Toluene-d8	2037-26-5	70-130	128

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	SSMP-12400BELDEN-02_040919	<b>Date/Time Analyzed:</b>	4/16/19 08:16 PM
<b>Lab ID:</b>	1904296-02A	<b>Dilution Factor:</b>	2.68
<b>Date/Time Collecte</b>	4/9/19 08:15 AM	<b>Instrument/Filename:</b>	msd17.i / 17041613
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.3	4.2	5.3	Not Detected
1,4-Dioxane	123-91-1	10	14	19	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.5	4.2	5.3	Not Detected
Tetrachloroethene	127-18-4	3.6	7.3	9.1	14
trans-1,2-Dichloroethene	156-60-5	1.6	4.2	5.3	150
Trichloroethene	79-01-6	2.6	5.8	7.2	270
Vinyl Chloride	75-01-4	1.4	2.7	3.4	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	100
4-Bromofluorobenzene	460-00-4	70-130	95
Toluene-d8	2037-26-5	70-130	111

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	SSMP-12400BELDEN-03_040919	<b>Date/Time Analyzed:</b>	4/16/19 11:13 PM
<b>Lab ID:</b>	1904296-03A	<b>Dilution Factor:</b>	2.74
<b>Date/Time Collecte</b>	4/9/19 08:42 AM	<b>Instrument/Filename:</b>	msd17.i / 17041615
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.4	4.3	5.4	Not Detected
1,4-Dioxane	123-91-1	10	15	20	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.5	4.3	5.4	Not Detected
Tetrachloroethene	127-18-4	3.7	7.4	9.3	13
trans-1,2-Dichloroethene	156-60-5	1.6	4.3	5.4	300
Trichloroethene	79-01-6	2.6	5.9	7.4	580
Vinyl Chloride	75-01-4	1.4	2.8	3.5	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	88
4-Bromofluorobenzene	460-00-4	70-130	93
Toluene-d8	2037-26-5	70-130	109

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	SSMP-12400BELDEN-04_040919	<b>Date/Time Analyzed:</b>	4/16/19 11:42 PM
<b>Lab ID:</b>	1904296-04A	<b>Dilution Factor:</b>	2.43
<b>Date/Time Collecte</b>	4/9/19 09:10 AM	<b>Instrument/Filename:</b>	msd17.i / 17041616
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.1	3.8	4.8	Not Detected
1,4-Dioxane	123-91-1	9.3	13	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.3	3.8	4.8	Not Detected
Tetrachloroethene	127-18-4	3.3	6.6	8.2	Not Detected
trans-1,2-Dichloroethene	156-60-5	1.4	3.8	4.8	170
Trichloroethene	79-01-6	2.4	5.2	6.5	170
Vinyl Chloride	75-01-4	1.2	2.5	3.1	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	88
4-Bromofluorobenzene	460-00-4	70-130	94
Toluene-d8	2037-26-5	70-130	110

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	SSMP-12400BELDEN-05_040919	<b>Date/Time Analyzed:</b>	4/17/19 12:10 AM
<b>Lab ID:</b>	1904296-05A	<b>Dilution Factor:</b>	2.65
<b>Date/Time Collecte</b>	4/9/19 09:35 AM	<b>Instrument/Filename:</b>	msd17.i / 17041617
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.3	4.2	5.2	Not Detected
1,4-Dioxane	123-91-1	10	14	19	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.5	4.2	5.2	Not Detected
Tetrachloroethene	127-18-4	3.6	7.2	9.0	Not Detected
trans-1,2-Dichloroethene	156-60-5	1.6	4.2	5.2	260
Trichloroethene	79-01-6	2.6	5.7	7.1	240
Vinyl Chloride	75-01-4	1.4	2.7	3.4	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	91
4-Bromofluorobenzene	460-00-4	70-130	93
Toluene-d8	2037-26-5	70-130	108



EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	SSMP-12400BELDEN-06_040919	<b>Date/Time Analyzed:</b>	4/17/19 12:38 AM
<b>Lab ID:</b>	1904296-06A	<b>Dilution Factor:</b>	2.58
<b>Date/Time Collecte</b>	4/9/19 09:58 AM	<b>Instrument/Filename:</b>	msd17.i / 17041618
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.2	4.1	5.1	Not Detected
1,4-Dioxane	123-91-1	9.8	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.4	4.1	5.1	Not Detected
Tetrachloroethene	127-18-4	3.5	7.0	8.8	31
trans-1,2-Dichloroethene	156-60-5	1.5	4.1	5.1	340
Trichloroethene	79-01-6	2.5	5.5	6.9	1100
Vinyl Chloride	75-01-4	1.3	2.6	3.3	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	92
4-Bromofluorobenzene	460-00-4	70-130	93
Toluene-d8	2037-26-5	70-130	108

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	SSMP-12400BELDEN-07_040919	<b>Date/Time Analyzed:</b>	4/17/19 01:06 AM
<b>Lab ID:</b>	1904296-07A	<b>Dilution Factor:</b>	2.44
<b>Date/Time Collecte</b>	4/9/19 10:03 AM	<b>Instrument/Filename:</b>	msd17.i / 17041619
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.1	3.9	4.8	Not Detected
1,4-Dioxane	123-91-1	9.3	13	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.4	3.9	4.8	Not Detected
Tetrachloroethene	127-18-4	3.3	6.6	8.3	18
trans-1,2-Dichloroethene	156-60-5	1.4	3.9	4.8	230
Trichloroethene	79-01-6	2.4	5.2	6.6	370
Vinyl Chloride	75-01-4	1.2	2.5	3.1	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	109
4-Bromofluorobenzene	460-00-4	70-130	96
Toluene-d8	2037-26-5	70-130	109

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	SSMP-12400BELDEN-08_040919	<b>Date/Time Analyzed:</b>	4/17/19 01:34 AM
<b>Lab ID:</b>	1904296-08A	<b>Dilution Factor:</b>	2.64
<b>Date/Time Collecte</b>	4/9/19 09:40 AM	<b>Instrument/Filename:</b>	msd17.i / 17041620
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.3	4.2	5.2	Not Detected
1,4-Dioxane	123-91-1	10	14	19	12 J
cis-1,2-Dichloroethene	156-59-2	1.5	4.2	5.2	Not Detected
Tetrachloroethene	127-18-4	3.6	7.2	9.0	22
trans-1,2-Dichloroethene	156-60-5	1.6	4.2	5.2	360
Trichloroethene	79-01-6	2.6	5.7	7.1	960
Vinyl Chloride	75-01-4	1.3	2.7	3.4	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	92
4-Bromofluorobenzene	460-00-4	70-130	96
Toluene-d8	2037-26-5	70-130	90

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	SSMP-12400BELDEN-09_040919	<b>Date/Time Analyzed:</b>	4/17/19 02:03 AM
<b>Lab ID:</b>	1904296-09A	<b>Dilution Factor:</b>	2.64
<b>Date/Time Collecte</b>	4/9/19 09:09 AM	<b>Instrument/Filename:</b>	msd17.i / 17041621
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.3	4.2	5.2	Not Detected
1,4-Dioxane	123-91-1	10	14	19	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.5	4.2	5.2	Not Detected
Tetrachloroethene	127-18-4	3.6	7.2	9.0	36
trans-1,2-Dichloroethene	156-60-5	1.6	4.2	5.2	560
Trichloroethene	79-01-6	2.6	5.7	7.1	1400
Vinyl Chloride	75-01-4	1.3	2.7	3.4	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	92
4-Bromofluorobenzene	460-00-4	70-130	96
Toluene-d8	2037-26-5	70-130	108

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	SSMP-12400BELDEN-10_040919	<b>Date/Time Analyzed:</b>	4/17/19 02:31 AM
<b>Lab ID:</b>	1904296-10A	<b>Dilution Factor:</b>	2.60
<b>Date/Time Collecte</b>	4/9/19 09:14 AM	<b>Instrument/Filename:</b>	msd17.i / 17041622
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.3	4.1	5.2	Not Detected
1,4-Dioxane	123-91-1	9.9	14	19	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.4	4.1	5.2	Not Detected
Tetrachloroethene	127-18-4	3.5	7.0	8.8	29
trans-1,2-Dichloroethene	156-60-5	1.5	4.1	5.2	810
Trichloroethene	79-01-6	2.5	5.6	7.0	1800
Vinyl Chloride	75-01-4	1.3	2.6	3.3	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	112
4-Bromofluorobenzene	460-00-4	70-130	95
Toluene-d8	2037-26-5	70-130	109

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	SSMP-12400BELDEN-11_040919	<b>Date/Time Analyzed:</b>	4/17/19 07:17 AM
<b>Lab ID:</b>	1904296-11A	<b>Dilution Factor:</b>	3.47
<b>Date/Time Collecte</b>	4/9/19 08:14 AM	<b>Instrument/Filename:</b>	msd17.i / 17041626
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	3.0	5.5	6.9	Not Detected
1,4-Dioxane	123-91-1	13	19	25	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.9	5.5	6.9	Not Detected
Tetrachloroethene	127-18-4	4.7	9.4	12	11 J
trans-1,2-Dichloroethene	156-60-5	2.1	5.5	6.9	2300
Trichloroethene	79-01-6	3.4	7.4	9.3	2900
Vinyl Chloride	75-01-4	1.8	3.5	4.4	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	95
4-Bromofluorobenzene	460-00-4	70-130	88
Toluene-d8	2037-26-5	70-130	107

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	SSMP-12400BELDEN-12_040919	<b>Date/Time Analyzed:</b>	4/16/19 10:45 PM
<b>Lab ID:</b>	1904296-12A	<b>Dilution Factor:</b>	2.40
<b>Date/Time Collecte</b>	4/9/19 07:42 AM	<b>Instrument/Filename:</b>	msd17.i / 17041614
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.1	3.8	4.8	Not Detected
1,4-Dioxane	123-91-1	9.2	13	17	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.3	3.8	4.8	Not Detected
Tetrachloroethene	127-18-4	3.2	6.5	8.1	12
trans-1,2-Dichloroethene	156-60-5	1.4	3.8	4.8	540
Trichloroethene	79-01-6	2.3	5.2	6.4	1100
Vinyl Chloride	75-01-4	1.2	2.4	3.1	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	84
4-Bromofluorobenzene	460-00-4	70-130	92
Toluene-d8	2037-26-5	70-130	115

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	DUP-12400BELDEN-02_040919	<b>Date/Time Analyzed:</b>	4/17/19 03:27 AM
<b>Lab ID:</b>	1904296-13A	<b>Dilution Factor:</b>	2.40
<b>Date/Time Collecte</b>	4/9/19 12:00 AM	<b>Instrument/Filename:</b>	msd17.i / 17041624
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.1	3.8	4.8	Not Detected
1,4-Dioxane	123-91-1	9.2	13	17	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.3	3.8	4.8	Not Detected
Tetrachloroethene	127-18-4	3.2	6.5	8.1	12
trans-1,2-Dichloroethene	156-60-5	1.4	3.8	4.8	570
Trichloroethene	79-01-6	2.3	5.2	6.4	1100
Vinyl Chloride	75-01-4	1.2	2.4	3.1	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	100
4-Bromofluorobenzene	460-00-4	70-130	96
Toluene-d8	2037-26-5	70-130	111



## Analysis Request / Canister Chain of Custody

For Laboratory Use Only

PID: \_\_\_\_\_ Workorder #: 1904296

**180 Blue Ravine Rd. Suite B, Folsom, CA 95630**  
**Phone (800) 985-5955; Fax (916) 351-8279**

Click links below to view:

[Canister Sampling Guide](#)  
[Helium Shroud Video](#)

Client: <u>Ford</u>	PID: <u>NA</u>	<b>Special Instructions/Notes:</b> Report ONLY: 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, 1,4-Dioxane, PCE, TCE and VC.  Submit results through Cadena at jim.tomalia@cadena.com.  Cadena #E203631. Level IV Reporting	<b>Turnaround Time (Rush surcharges may apply)</b>						
Project Name: <u>Ford LTP</u>	P.O.# <u>MI001454.0003</u>		5 Day Turnaround Time						
Project Manager: <u>Kris Hinskey</u>			<b>Canister Vacuum/Pressure</b>	<b>Requested Analyses</b>					
Sampler: <u>J. Lutz, E. Redner</u>			<b>Lab Use Only</b>						
Site Name: <u>12400 Belden</u>		Initial (in Hg)	Final (in Hg)	Receipt	Final (psig) Gas: N <sub>2</sub> / He	TO-15 (See Special Instructions/Notes)			

Lab ID	Sample Identification	Can #	Flow Controller #	Start Sampling Information		Stop Sampling Information		Initial (in Hg)	Final (in Hg)	Receipt	Final (psig) Gas: N <sub>2</sub> / He	TO-15 (See Special Instructions/Notes)			
				Date	Time	Date	Time								
01A	SSMP-12400BELDEN-01_040919	1L3132	23639	4-9-19	0737	4-9-19	0747	-29	-6			X			
02A	SSMP-12400BELDEN-02_040919	1L1714	23614	4-9-19	0805	4-9-19	0815	-29	-6.5			X			
03A	SSMP-12400BELDEN-03_040919	1L1908	23254	4-9-19	0831	4-9-19	0842	-29	-6.5			X			
04A	SSMP-12400BELDEN-04_040919	1L2344	23585	4-9-19	0859	4-9-19	0910	-29	-5			X			
05A	SSMP-12400BELDEN-05_040919	1L1604	23283	4-9-19	0925	4-9-19	0935	-29	-6			X			
06A	SSMP-12400BELDEN-06_040919	1L1519	23447	4-9-19	0947	4-9-19	0958	-20	-5.5			X			
07A	SSMP-12400BELDEN-07_040919	1L1912	23444	4-9-19	0953	4-9-19	1003	-28.5	-5			X			
08A	SSMP-12400BELDEN-08_040919	1L1515	23581	4-9-19	0930	4-9-19	0940	-28.5	-6			X			
09A	SSMP-12400BELDEN-09_040919	1L1818	23536	4-9-19	0859	4-9-19	0909	-29	-6			X			
10A	SSMP-12400BELDEN-10_040919	600009 6431	23615	4-9-19	0833	4-9-19	0844	-29	-6			X			

Relinquished by: (Signature/Affiliation) <i>[Signature]</i>	Date <u>4-10-19</u>	Time <u>1600</u>	Received by: (Signature/Affiliation) <i>[Signature]</i>	Date <u>4/12/19</u>	Time <u>1210</u>
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)	Date	Time
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)	Date	Time

Lab Use Only		
Shipper Name: <u>[Signature]</u>	Custody Seals Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> None	

**Sample Transportation Notice:** Relinquishing signature on this document indicates that samples are shipped in compliance with all applicable local, State, Federal, and international laws, regulations, and ordinances of any kind. Relinquishing signature also indicates agreement to hold harmless, defend, and indemnify Eurofins Air Toxics against any claim, demand, or action, of any kind, related to the collection, handling, of shipping of samples. D.O.T Hotline (800) 467-4922

