

## ANALYTICAL REPORT

Eurofins TestAmerica, Canton  
4101 Shuffel Street NW  
North Canton, OH 44720  
Tel: (330)497-9396

Laboratory Job ID: 240-144376-1  
Client Project/Site: Ford LTP - Off Site

For:  
ARCADIS U.S., Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Attn: Kristoffer Hinskey



---

Authorized for release by:  
2/19/2021 11:44:20 AM

Michael DelMonico, Project Manager I  
(330)497-9396  
[Michael.DelMonico@Eurofinset.com](mailto:Michael.DelMonico@Eurofinset.com)

### LINKS

Review your project  
results through  
**TotalAccess**

Have a Question?

 **Ask  
The  
Expert**

Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Method Summary . . . . .	5
Sample Summary . . . . .	6
Detection Summary . . . . .	7
Client Sample Results . . . . .	8
Surrogate Summary . . . . .	12
QC Sample Results . . . . .	13
QC Association Summary . . . . .	16
Lab Chronicle . . . . .	17
Certification Summary . . . . .	18
Chain of Custody . . . . .	19



# Definitions/Glossary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-144376-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-144376-1

---

## Job ID: 240-144376-1

---

Laboratory: Eurofins TestAmerica, Canton

### Narrative

---

Job Narrative  
240-144376-1

### Comments

No additional comments.

### Receipt

The samples were received on 2/11/2021 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 2.3° C.

### GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

### VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Method Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-144376-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Sample Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-144376-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-144376-1	TRIP BLANK	Water	02/09/21 00:00	02/11/21 08:00	
240-144376-2	MW-86S_020921	Water	02/09/21 12:20	02/11/21 08:00	
240-144376-3	MW-86_020921	Water	02/09/21 13:55	02/11/21 08:00	
240-144376-4	MW-87_020921	Water	02/09/21 15:40	02/11/21 08:00	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-144376-1

**Client Sample ID: TRIP BLANK**

**Lab Sample ID: 240-144376-1**

No Detections.

**Client Sample ID: MW-86S\_020921**

**Lab Sample ID: 240-144376-2**

No Detections.

**Client Sample ID: MW-86\_020921**

**Lab Sample ID: 240-144376-3**

No Detections.

**Client Sample ID: MW-87\_020921**

**Lab Sample ID: 240-144376-4**

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-144376-1

**Client Sample ID: TRIP BLANK**

**Lab Sample ID: 240-144376-1**

**Date Collected: 02/09/21 00:00**

**Matrix: Water**

**Date Received: 02/11/21 08:00**

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/15/21 18:34	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/15/21 18:34	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/15/21 18:34	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/15/21 18:34	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/15/21 18:34	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/15/21 18:34	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		75 - 130		02/15/21 18:34	1
4-Bromofluorobenzene (Surr)	67		47 - 134		02/15/21 18:34	1
Toluene-d8 (Surr)	79		69 - 122		02/15/21 18:34	1
Dibromofluoromethane (Surr)	115		78 - 129		02/15/21 18:34	1



# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-144376-1

**Client Sample ID: MW-86S\_020921**

**Lab Sample ID: 240-144376-2**

Date Collected: 02/09/21 12:20

Matrix: Water

Date Received: 02/11/21 08:00

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/12/21 13:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	82		70 - 133					02/12/21 13:20	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/15/21 18:58	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/15/21 18:58	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/15/21 18:58	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/15/21 18:58	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/15/21 18:58	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/15/21 18:58	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		75 - 130					02/15/21 18:58	1
4-Bromofluorobenzene (Surr)	65		47 - 134					02/15/21 18:58	1
Toluene-d8 (Surr)	80		69 - 122					02/15/21 18:58	1
Dibromofluoromethane (Surr)	116		78 - 129					02/15/21 18:58	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-144376-1

**Client Sample ID: MW-86\_020921**

**Lab Sample ID: 240-144376-3**

Date Collected: 02/09/21 13:55

Matrix: Water

Date Received: 02/11/21 08:00

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/12/21 13:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	81		70 - 133					02/12/21 13:45	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/15/21 19:45	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/15/21 19:45	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/15/21 19:45	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/15/21 19:45	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/15/21 19:45	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/15/21 19:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		75 - 130					02/15/21 19:45	1
4-Bromofluorobenzene (Surr)	67		47 - 134					02/15/21 19:45	1
Toluene-d8 (Surr)	80		69 - 122					02/15/21 19:45	1
Dibromofluoromethane (Surr)	118		78 - 129					02/15/21 19:45	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-144376-1

**Client Sample ID: MW-87\_020921**

**Lab Sample ID: 240-144376-4**

Date Collected: 02/09/21 15:40

Matrix: Water

Date Received: 02/11/21 08:00

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/12/21 15:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	84		70 - 133					02/12/21 15:00	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/15/21 19:22	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/15/21 19:22	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/15/21 19:22	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/15/21 19:22	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/15/21 19:22	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/15/21 19:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		75 - 130					02/15/21 19:22	1
4-Bromofluorobenzene (Surr)	67		47 - 134					02/15/21 19:22	1
Toluene-d8 (Surr)	80		69 - 122					02/15/21 19:22	1
Dibromofluoromethane (Surr)	122		78 - 129					02/15/21 19:22	1

# Surrogate Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-144376-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (75-130)	BFB (47-134)	TOL (69-122)	DBFM (78-129)
240-144376-1	TRIP BLANK	106	67	79	115
240-144376-2	MW-86S_020921	107	65	80	116
240-144376-3	MW-86_020921	108	67	80	118
240-144376-3 MS	MW-86-MS_020921	93	95	93	95
240-144376-3 MSD	MW-86-MSD_020921	86	86	85	91
240-144376-4	MW-87_020921	106	67	80	122
LCS 240-473065/4	Lab Control Sample	89	93	91	93
MB 240-473065/7	Method Blank	103	70	83	105

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(70-133)
240-144376-2	MW-86S_020921	82
240-144376-3	MW-86_020921	81
240-144376-3 MS	MW-86-MS_020921	83
240-144376-3 MSD	MW-86-MSD_020921	82
240-144376-4	MW-87_020921	84
LCS 240-472900/4	Lab Control Sample	82
MB 240-472900/5	Method Blank	82

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-144376-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-473065/7**  
**Matrix: Water**  
**Analysis Batch: 473065**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/15/21 11:48	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/15/21 11:48	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/15/21 11:48	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/15/21 11:48	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/15/21 11:48	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/15/21 11:48	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		75 - 130		02/15/21 11:48	1
4-Bromofluorobenzene (Surr)	70		47 - 134		02/15/21 11:48	1
Toluene-d8 (Surr)	83		69 - 122		02/15/21 11:48	1
Dibromofluoromethane (Surr)	105		78 - 129		02/15/21 11:48	1

**Lab Sample ID: LCS 240-473065/4**  
**Matrix: Water**  
**Analysis Batch: 473065**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	10.0	9.81		ug/L		98	73 - 129
cis-1,2-Dichloroethene	10.0	9.60		ug/L		96	75 - 124
Tetrachloroethene	10.0	11.2		ug/L		112	70 - 125
trans-1,2-Dichloroethene	10.0	10.3		ug/L		103	74 - 130
Trichloroethene	10.0	10.1		ug/L		101	71 - 121
Vinyl chloride	10.0	8.27		ug/L		83	61 - 134

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	89		75 - 130
4-Bromofluorobenzene (Surr)	93		47 - 134
Toluene-d8 (Surr)	91		69 - 122
Dibromofluoromethane (Surr)	93		78 - 129

**Lab Sample ID: 240-144376-3 MS**  
**Matrix: Water**  
**Analysis Batch: 473065**

**Client Sample ID: MW-86-MS\_020921**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	1.0	U	10.0	9.84		ug/L		98	64 - 132
cis-1,2-Dichloroethene	1.0	U	10.0	9.69		ug/L		97	68 - 121
Tetrachloroethene	1.0	U	10.0	10.8		ug/L		108	52 - 129
trans-1,2-Dichloroethene	1.0	U	10.0	9.85		ug/L		98	69 - 126
Trichloroethene	1.0	U	10.0	9.18		ug/L		92	56 - 124
Vinyl chloride	1.0	U	10.0	8.01		ug/L		80	49 - 136

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	93		75 - 130
4-Bromofluorobenzene (Surr)	95		47 - 134
Toluene-d8 (Surr)	93		69 - 122

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-144376-1

## Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: 240-144376-3 MS**  
**Matrix: Water**  
**Analysis Batch: 473065**

**Client Sample ID: MW-86-MS\_020921**  
**Prep Type: Total/NA**

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	95		78 - 129

**Lab Sample ID: 240-144376-3 MSD**  
**Matrix: Water**  
**Analysis Batch: 473065**

**Client Sample ID: MW-86-MSD\_020921**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	10.0	9.36		ug/L		94	64 - 132	5	35
cis-1,2-Dichloroethene	1.0	U	10.0	9.44		ug/L		94	68 - 121	3	35
Tetrachloroethene	1.0	U	10.0	9.39		ug/L		94	52 - 129	14	35
trans-1,2-Dichloroethene	1.0	U	10.0	9.90		ug/L		99	69 - 126	1	35
Trichloroethene	1.0	U	10.0	9.24		ug/L		92	56 - 124	1	35
Vinyl chloride	1.0	U	10.0	8.23		ug/L		82	49 - 136	3	35

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	86		75 - 130
4-Bromofluorobenzene (Surr)	86		47 - 134
Toluene-d8 (Surr)	85		69 - 122
Dibromofluoromethane (Surr)	91		78 - 129

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-472900/5**  
**Matrix: Water**  
**Analysis Batch: 472900**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/12/21 12:29	1

	MB	MB							
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
1,2-Dichloroethane-d4 (Surr)	82		70 - 133		02/12/21 12:29	1			

**Lab Sample ID: LCS 240-472900/4**  
**Matrix: Water**  
**Analysis Batch: 472900**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	10.6		ug/L		106	80 - 135

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	82		70 - 133

**Lab Sample ID: 240-144376-3 MS**  
**Matrix: Water**  
**Analysis Batch: 472900**

**Client Sample ID: MW-86-MS\_020921**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	2.0	U	10.0	10.8		ug/L		108	46 - 170

Eurofins TestAmerica, Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-144376-1

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	83		70 - 133

**Lab Sample ID: 240-144376-3 MSD**  
**Matrix: Water**  
**Analysis Batch: 472900**

**Client Sample ID: MW-86-MSD\_020921**  
**Prep Type: Total/NA**

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MSD Result</i>	<i>MSD Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec. Limits</i>	<i>RPD</i>	<i>RPD Limit</i>
1,4-Dioxane	2.0	U	10.0	10.8		ug/L		108	46 - 170	1	26

<i>Surrogate</i>	<i>%Recovery</i>	<i>MSD MSD Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	82		70 - 133



# QC Association Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-144376-1

## GC/MS VOA

### Analysis Batch: 472900

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-144376-2	MW-86S_020921	Total/NA	Water	8260B SIM	
240-144376-3	MW-86_020921	Total/NA	Water	8260B SIM	
240-144376-4	MW-87_020921	Total/NA	Water	8260B SIM	
MB 240-472900/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-472900/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-144376-3 MS	MW-86-MS_020921	Total/NA	Water	8260B SIM	
240-144376-3 MSD	MW-86-MSD_020921	Total/NA	Water	8260B SIM	

### Analysis Batch: 473065

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-144376-1	TRIP BLANK	Total/NA	Water	8260B	
240-144376-2	MW-86S_020921	Total/NA	Water	8260B	
240-144376-3	MW-86_020921	Total/NA	Water	8260B	
240-144376-4	MW-87_020921	Total/NA	Water	8260B	
MB 240-473065/7	Method Blank	Total/NA	Water	8260B	
LCS 240-473065/4	Lab Control Sample	Total/NA	Water	8260B	
240-144376-3 MS	MW-86-MS_020921	Total/NA	Water	8260B	
240-144376-3 MSD	MW-86-MSD_020921	Total/NA	Water	8260B	



# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-144376-1

## Client Sample ID: TRIP BLANK

Lab Sample ID: 240-144376-1

Date Collected: 02/09/21 00:00

Matrix: Water

Date Received: 02/11/21 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	473065	02/15/21 18:34	LRW	TAL CAN

## Client Sample ID: MW-86S\_020921

Lab Sample ID: 240-144376-2

Date Collected: 02/09/21 12:20

Matrix: Water

Date Received: 02/11/21 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	473065	02/15/21 18:58	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	472900	02/12/21 13:20	SAM	TAL CAN

## Client Sample ID: MW-86\_020921

Lab Sample ID: 240-144376-3

Date Collected: 02/09/21 13:55

Matrix: Water

Date Received: 02/11/21 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	473065	02/15/21 19:45	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	472900	02/12/21 13:45	SAM	TAL CAN

## Client Sample ID: MW-87\_020921

Lab Sample ID: 240-144376-4

Date Collected: 02/09/21 15:40

Matrix: Water

Date Received: 02/11/21 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	473065	02/15/21 19:22	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	472900	02/12/21 15:00	SAM	TAL CAN

### Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

# Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-144376-1

## Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-21
Connecticut	State	PH-0590	12-31-21
Florida	NELAP	E87225	06-30-21
Georgia	State	4062	02-23-21
Illinois	NELAP	004498	07-31-21
Iowa	State	421	06-01-21
Kansas	NELAP	E-10336	04-30-21
Kentucky (UST)	State	112225	02-23-21
Kentucky (WW)	State	KY98016	12-31-21
Minnesota	NELAP	OH00048	12-31-21
Minnesota (Petrofund)	State	3506	08-01-21
New Jersey	NELAP	OH001	06-30-21
New York	NELAP	10975	03-31-21
Ohio VAP	State	CL0024	12-21-23
Oregon	NELAP	4062	02-24-21
Pennsylvania	NELAP	68-00340	08-31-21
Texas	NELAP	T104704517-18-10	08-31-21
USDA	US Federal Programs	P330-18-00281	09-17-21
Virginia	NELAP	010101	09-14-21
Washington	State	C971	01-12-22
West Virginia DEP	State	210	12-31-21

**Chain of Custody Record**

TestAmerica Laboratory Location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

<b>Client Contact</b> Company Name: Arcadis Address: 28550 Cabot Drive, Suite 500 City/State/Zip: Novi, MI, 48377 Phone: 248-994-2240 Project Name: Ford LTP Off-Site Project Number: 30050315.402.04 PO # 30050315.402.04		<b>Regulatory program:</b> <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other	
<b>Client Project Manager:</b> Kris Hinskey Telephone: 248-994-2240 Email: kristoffer.hinskey@arcadis.com		<b>Lab Contact:</b> Mike DeMonico Telephone: 330-497-9396	
<b>Site Contact:</b> Julia McClafferty Telephone: 734-644-5131		<b>Analyses</b> TCE 8260B PCE 8260B Trans-1,2-DCE 8260B cis-1,2-DCE 8260B 1,1-DCE 8260B Composite=C/Grab=G Filtered Sample (Y/N)	
<b>Sampler Name:</b> ALLYSON HARTZ Method of Shipment/Carrier: Shipping/Tracking No:		<b>Analysis Turnaround Time</b> TAT if different from below: <input type="checkbox"/> 3 weeks <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day	
<b>Containers &amp; Preservatives</b> HCl NaOH NaOH HNO3 H2SO4 Others:		<b>Matrix</b> Aqueous Solid Sediment Others:	
<b>Sample Identification</b> TRIP BLANK MW-86S-020921 MW-86-M5-020921 MW-86-M5D-020921 MW-86-020921 MW-87-020921	<b>Sample Date</b> 2/9/21 2/9/21 2/9/21 2/9/21 2/9/21	<b>Sample Time</b> 12:20 13:55 13:55 13:55 15:40	<b>Containers &amp; Preservatives</b> HCl NaOH NaOH HNO3 H2SO4 Others:
<b>Possible Hazard Identification</b> <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Corrosive <input type="checkbox"/> Irritant		<b>Special Instructions/QC Requirements &amp; Comments:</b> Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203631 Level IV Reporting requested.	
<b>Relinquished by:</b> Allyson Hartz Date/Time: 2/9/21 17:30 Company: Arcadis		<b>Received by:</b> Nancy Cold Storage Date/Time: 2/9/21 17:30 Company: Arcadis	
<b>Relinquished by:</b> Allyson Hartz Date/Time: 2/10/21 13:09 Company: ETA		<b>Received by:</b> Amanda Bartlesher Date/Time: 2/10/21 13:09 Company: ETA	
<b>Relinquished by:</b> Allyson Hartz Date/Time: 2/11/21 8:00 Company: ETA		<b>Received by:</b> Amanda Bartlesher Date/Time: 2/11/21 8:00 Company: ETA	



**Eurofins TestAmerica Canton Sample Receipt Form/Narrative**  
**Canton Facility**

Login # : 144376

Client Arcadis Site Name \_\_\_\_\_  
 Cooler Received on 2-11-21 Opened on 2-11-21

Cooler unpacked by:  
Mattson

FedEx: 1<sup>st</sup> Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other

Receipt After-hours: Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

TestAmerica Cooler # 724 Foam Box \_\_\_\_\_ Client Cooler \_\_\_\_\_ Box \_\_\_\_\_ Other \_\_\_\_\_  
 Packing material used: Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_  
 COOLANT: Wet Ice Blue Ice Dry Ice Water None


1. Cooler temperature upon receipt  See Multiple Cooler Form  
 IR GUN# IR-11 (CF +0.1 °C) Observed Cooler Temp 2-2 °C Corrected Cooler Temp 2-3 °C  
 IR GUN #IR-12 (CF +0.2°C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No  
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA  
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No  
 -Were tamper/custody seals intact and uncompromised? Yes No NA

Tests that are not checked for pH by Receiving:  
 VOAs  
 Oil and Grease  
 TOC

3. Shippers' packing slip attached to the cooler(s)? Yes No  
 4. Did custody papers accompany the sample(s)? Yes No  
 5. Were the custody papers relinquished & signed in the appropriate place? Yes No  
 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No  
 7. Did all bottles arrive in good condition (Unbroken)? Yes No  
 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No  
 9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No  
 10. Were correct bottle(s) used for the test(s) indicated? Yes No  
 11. Sufficient quantity received to perform indicated analyses? Yes No  
 12. Are these work share samples and all listed on the COC? Yes No

If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC907861  
 14. Were VOAs on the COC? Yes No  
 15. Were air bubbles >6 mm in any VOA vials?  ← Larger than this. Yes No NA  
 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 0303101F Yes No  
 17. Was a LL Hg or Me Hg trip blank present? Yes No

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other

Concerning \_\_\_\_\_

**18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES**  additional next page

Samples processed by: \_\_\_\_\_

**19. SAMPLE CONDITION**

Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
 Sample(s) \_\_\_\_\_ were received in a broken container.  
 Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

**20. SAMPLE PRESERVATION**

Sample(s) \_\_\_\_\_ were further preserved in the laboratory.  
 Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_

VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_