

ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-144373-1
Client Project/Site: Ford LTP - On Site

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
2/24/2021 11:32:53 AM

Michael DelMonico, Project Manager I
(330)497-9396
Michael.DelMonico@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	13
QC Sample Results	14
QC Association Summary	18
Lab Chronicle	19
Certification Summary	20
Chain of Custody	21

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-144373-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-144373-1

Job ID: 240-144373-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

Job Narrative
240-144373-1

Comments

No additional comments.

Receipt

The samples were received on 2/11/2021 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 2.3° C.

GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-144373-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-144373-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-144373-1	TRIP BLANK	Water	02/09/21 00:00	02/11/21 08:00	
240-144373-2	MW-113_020921	Water	02/09/21 10:11	02/11/21 08:00	
240-144373-3	MW-29_020921	Water	02/09/21 12:19	02/11/21 08:00	
240-144373-4	MW-19_020921	Water	02/09/21 13:57	02/11/21 08:00	
240-144373-5	DUP-05	Water	02/09/21 00:00	02/11/21 08:00	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-144373-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-144373-1

No Detections.

Client Sample ID: MW-113_020921

Lab Sample ID: 240-144373-2

No Detections.

Client Sample ID: MW-29_020921

Lab Sample ID: 240-144373-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	16		2.0	0.86	ug/L	1		8260B SIM	Total/NA
Vinyl chloride	3.4		1.0	0.20	ug/L	1		8260B	Total/NA

Client Sample ID: MW-19_020921

Lab Sample ID: 240-144373-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	590		12	5.2	ug/L	6		8260B SIM	Total/NA
cis-1,2-Dichloroethene	0.47	J	1.0	0.16	ug/L	1		8260B	Total/NA
Trichloroethene	0.85	J	1.0	0.10	ug/L	1		8260B	Total/NA
Vinyl chloride	0.99	J	1.0	0.20	ug/L	1		8260B	Total/NA

Client Sample ID: DUP-05

Lab Sample ID: 240-144373-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	580		12	5.2	ug/L	6		8260B SIM	Total/NA
cis-1,2-Dichloroethene	0.53	J	1.0	0.16	ug/L	1		8260B	Total/NA
Trichloroethene	0.87	J	1.0	0.10	ug/L	1		8260B	Total/NA
Vinyl chloride	1.0		1.0	0.20	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-144373-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-144373-1

Date Collected: 02/09/21 00:00

Matrix: Water

Date Received: 02/11/21 08:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/15/21 18:10	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/15/21 18:10	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/15/21 18:10	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/15/21 18:10	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/15/21 18:10	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/15/21 18:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		75 - 130		02/15/21 18:10	1
4-Bromofluorobenzene (Surr)	68		47 - 134		02/15/21 18:10	1
Toluene-d8 (Surr)	80		69 - 122		02/15/21 18:10	1
Dibromofluoromethane (Surr)	111		78 - 129		02/15/21 18:10	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-144373-1

Client Sample ID: MW-113_020921

Lab Sample ID: 240-144373-2

Date Collected: 02/09/21 10:11

Matrix: Water

Date Received: 02/11/21 08:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/12/21 22:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	84		70 - 133					02/12/21 22:10	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/15/21 15:47	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/15/21 15:47	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/15/21 15:47	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/15/21 15:47	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/15/21 15:47	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/15/21 15:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		75 - 130					02/15/21 15:47	1
4-Bromofluorobenzene (Surr)	63		47 - 134					02/15/21 15:47	1
Toluene-d8 (Surr)	77		69 - 122					02/15/21 15:47	1
Dibromofluoromethane (Surr)	114		78 - 129					02/15/21 15:47	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-144373-1

Client Sample ID: MW-29_020921

Lab Sample ID: 240-144373-3

Date Collected: 02/09/21 12:19

Matrix: Water

Date Received: 02/11/21 08:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	16		2.0	0.86	ug/L			02/17/21 10:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	83		70 - 133					02/17/21 10:23	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/15/21 16:11	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/15/21 16:11	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/15/21 16:11	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/15/21 16:11	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/15/21 16:11	1
Vinyl chloride	3.4		1.0	0.20	ug/L			02/15/21 16:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		75 - 130					02/15/21 16:11	1
4-Bromofluorobenzene (Surr)	64		47 - 134					02/15/21 16:11	1
Toluene-d8 (Surr)	77		69 - 122					02/15/21 16:11	1
Dibromofluoromethane (Surr)	116		78 - 129					02/15/21 16:11	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-144373-1

Client Sample ID: MW-19_020921

Lab Sample ID: 240-144373-4

Date Collected: 02/09/21 13:57

Matrix: Water

Date Received: 02/11/21 08:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	590		12	5.2	ug/L			02/18/21 13:17	6
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	78		70 - 133					02/18/21 13:17	6

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/15/21 20:57	1
cis-1,2-Dichloroethene	0.47	J	1.0	0.16	ug/L			02/15/21 20:57	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/15/21 20:57	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/15/21 20:57	1
Trichloroethene	0.85	J	1.0	0.10	ug/L			02/15/21 20:57	1
Vinyl chloride	0.99	J	1.0	0.20	ug/L			02/15/21 20:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		75 - 130					02/15/21 20:57	1
4-Bromofluorobenzene (Surr)	66		47 - 134					02/15/21 20:57	1
Toluene-d8 (Surr)	80		69 - 122					02/15/21 20:57	1
Dibromofluoromethane (Surr)	105		78 - 129					02/15/21 20:57	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-144373-1

Client Sample ID: DUP-05

Lab Sample ID: 240-144373-5

Date Collected: 02/09/21 00:00

Matrix: Water

Date Received: 02/11/21 08:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	580		12	5.2	ug/L			02/18/21 13:43	6
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	79		70 - 133					02/18/21 13:43	6

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/15/21 21:21	1
cis-1,2-Dichloroethene	0.53	J	1.0	0.16	ug/L			02/15/21 21:21	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/15/21 21:21	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/15/21 21:21	1
Trichloroethene	0.87	J	1.0	0.10	ug/L			02/15/21 21:21	1
Vinyl chloride	1.0		1.0	0.20	ug/L			02/15/21 21:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		75 - 130					02/15/21 21:21	1
4-Bromofluorobenzene (Surr)	68		47 - 134					02/15/21 21:21	1
Toluene-d8 (Surr)	83		69 - 122					02/15/21 21:21	1
Dibromofluoromethane (Surr)	112		78 - 129					02/15/21 21:21	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-144373-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (75-130)	BFB (47-134)	TOL (69-122)	DBFM (78-129)
240-144373-1	TRIP BLANK	109	68	80	111
240-144373-2	MW-113_020921	102	63	77	114
240-144373-3	MW-29_020921	109	64	77	116
240-144373-4	MW-19_020921	102	66	80	105
240-144373-5	DUP-05	105	68	83	112
240-144376-H-3 MS	Matrix Spike	93	95	93	95
240-144376-I-3 MSD	Matrix Spike Duplicate	86	86	85	91
LCS 240-473065/4	Lab Control Sample	89	93	91	93
MB 240-473065/7	Method Blank	103	70	83	105

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (70-133)
240-144373-2	MW-113_020921	84
240-144373-3	MW-29_020921	83
240-144373-4	MW-19_020921	78
240-144373-5	DUP-05	79
240-144376-F-3 MS	Matrix Spike	83
240-144376-F-3 MSD	Matrix Spike Duplicate	82
240-144425-C-2 MS	Matrix Spike	82
240-144425-C-2 MSD	Matrix Spike Duplicate	81
240-144439-A-3 MS	Matrix Spike	84
240-144439-A-3 MSD	Matrix Spike Duplicate	85
LCS 240-472900/4	Lab Control Sample	82
LCS 240-473381/4	Lab Control Sample	80
LCS 240-473604/4	Lab Control Sample	81
MB 240-472900/5	Method Blank	82
MB 240-473381/5	Method Blank	81
MB 240-473604/5	Method Blank	80

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-144373-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-473065/7
Matrix: Water
Analysis Batch: 473065

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/15/21 11:48	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/15/21 11:48	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/15/21 11:48	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/15/21 11:48	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/15/21 11:48	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/15/21 11:48	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		75 - 130		02/15/21 11:48	1
4-Bromofluorobenzene (Surr)	70		47 - 134		02/15/21 11:48	1
Toluene-d8 (Surr)	83		69 - 122		02/15/21 11:48	1
Dibromofluoromethane (Surr)	105		78 - 129		02/15/21 11:48	1

Lab Sample ID: LCS 240-473065/4
Matrix: Water
Analysis Batch: 473065

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	10.0	9.81		ug/L		98	73 - 129
cis-1,2-Dichloroethene	10.0	9.60		ug/L		96	75 - 124
Tetrachloroethene	10.0	11.2		ug/L		112	70 - 125
trans-1,2-Dichloroethene	10.0	10.3		ug/L		103	74 - 130
Trichloroethene	10.0	10.1		ug/L		101	71 - 121
Vinyl chloride	10.0	8.27		ug/L		83	61 - 134

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	89		75 - 130
4-Bromofluorobenzene (Surr)	93		47 - 134
Toluene-d8 (Surr)	91		69 - 122
Dibromofluoromethane (Surr)	93		78 - 129

Lab Sample ID: 240-144376-H-3 MS
Matrix: Water
Analysis Batch: 473065

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	1.0	U	10.0	9.84		ug/L		98	64 - 132
cis-1,2-Dichloroethene	1.0	U	10.0	9.69		ug/L		97	68 - 121
Tetrachloroethene	1.0	U	10.0	10.8		ug/L		108	52 - 129
trans-1,2-Dichloroethene	1.0	U	10.0	9.85		ug/L		98	69 - 126
Trichloroethene	1.0	U	10.0	9.18		ug/L		92	56 - 124
Vinyl chloride	1.0	U	10.0	8.01		ug/L		80	49 - 136

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	93		75 - 130
4-Bromofluorobenzene (Surr)	95		47 - 134
Toluene-d8 (Surr)	93		69 - 122

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-144373-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-144376-H-3 MS
Matrix: Water
Analysis Batch: 473065

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	95		78 - 129

Lab Sample ID: 240-144376-I-3 MSD
Matrix: Water
Analysis Batch: 473065

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD		Unit	D	%Rec	%Rec.		RPD	Limit
	Result	Qualifier		Result	Qualifier				Limits	RPD		
1,1-Dichloroethene	1.0	U	10.0	9.36		ug/L		94	64 - 132	5	35	
cis-1,2-Dichloroethene	1.0	U	10.0	9.44		ug/L		94	68 - 121	3	35	
Tetrachloroethene	1.0	U	10.0	9.39		ug/L		94	52 - 129	14	35	
trans-1,2-Dichloroethene	1.0	U	10.0	9.90		ug/L		99	69 - 126	1	35	
Trichloroethene	1.0	U	10.0	9.24		ug/L		92	56 - 124	1	35	
Vinyl chloride	1.0	U	10.0	8.23		ug/L		82	49 - 136	3	35	

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	86		75 - 130
4-Bromofluorobenzene (Surr)	86		47 - 134
Toluene-d8 (Surr)	85		69 - 122
Dibromofluoromethane (Surr)	91		78 - 129

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-472900/5
Matrix: Water
Analysis Batch: 472900

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L		02/12/21 12:29	1	

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	82		70 - 133	02/12/21 12:29	1	

Lab Sample ID: LCS 240-472900/4
Matrix: Water
Analysis Batch: 472900

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	LCS		Unit	D	%Rec	%Rec.	
		Result	Qualifier				Limits	RPD
1,4-Dioxane	10.0	10.6		ug/L		106	80 - 135	

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	82		70 - 133

Lab Sample ID: 240-144376-F-3 MS
Matrix: Water
Analysis Batch: 472900

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS		Unit	D	%Rec	%Rec.	
	Result	Qualifier		Result	Qualifier				Limits	RPD
1,4-Dioxane	2.0	U	10.0	10.8		ug/L		108	46 - 170	

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-144373-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	83		70 - 133

Lab Sample ID: 240-144376-F-3 MSD
Matrix: Water
Analysis Batch: 472900

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	10.8		ug/L		108	46 - 170	1	26

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	82		70 - 133

Lab Sample ID: MB 240-473381/5
Matrix: Water
Analysis Batch: 473381

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/17/21 09:33	1

	MB	MB		Prepared	Analyzed	Dil Fac
Surrogate	%Recovery	Qualifier	Limits			
1,2-Dichloroethane-d4 (Surr)	81		70 - 133		02/17/21 09:33	1

Lab Sample ID: LCS 240-473381/4
Matrix: Water
Analysis Batch: 473381

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	10.8		ug/L		108	80 - 135

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	80		70 - 133

Lab Sample ID: 240-144439-A-3 MS
Matrix: Water
Analysis Batch: 473381

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	34		10.0	43.3		ug/L		91	46 - 170

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	84		70 - 133

Lab Sample ID: 240-144439-A-3 MSD
Matrix: Water
Analysis Batch: 473381

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,4-Dioxane	34		10.0	42.6		ug/L		83	46 - 170	2	26

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-144373-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-144439-A-3 MSD
Matrix: Water
Analysis Batch: 473381

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	85		70 - 133

Lab Sample ID: MB 240-473604/5
Matrix: Water
Analysis Batch: 473604

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/18/21 12:27	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	80		70 - 133		02/18/21 12:27	1

Lab Sample ID: LCS 240-473604/4
Matrix: Water
Analysis Batch: 473604

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	10.5		ug/L		105	80 - 135

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	81		70 - 133

Lab Sample ID: 240-144425-C-2 MS
Matrix: Water
Analysis Batch: 473604

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	2.0	U	10.0	11.1		ug/L		111	46 - 170

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	82		70 - 133

Lab Sample ID: 240-144425-C-2 MSD
Matrix: Water
Analysis Batch: 473604

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
1,4-Dioxane	2.0	U	10.0	10.7		ug/L		107	46 - 170	3	26

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	81		70 - 133

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-144373-1

GC/MS VOA

Analysis Batch: 472900

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-144373-2	MW-113_020921	Total/NA	Water	8260B SIM	
MB 240-472900/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-472900/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-144376-F-3 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-144376-F-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Analysis Batch: 473065

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-144373-1	TRIP BLANK	Total/NA	Water	8260B	
240-144373-2	MW-113_020921	Total/NA	Water	8260B	
240-144373-3	MW-29_020921	Total/NA	Water	8260B	
240-144373-4	MW-19_020921	Total/NA	Water	8260B	
240-144373-5	DUP-05	Total/NA	Water	8260B	
MB 240-473065/7	Method Blank	Total/NA	Water	8260B	
LCS 240-473065/4	Lab Control Sample	Total/NA	Water	8260B	
240-144376-H-3 MS	Matrix Spike	Total/NA	Water	8260B	
240-144376-I-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Analysis Batch: 473381

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-144373-3	MW-29_020921	Total/NA	Water	8260B SIM	
MB 240-473381/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-473381/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-144439-A-3 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-144439-A-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Analysis Batch: 473604

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-144373-4	MW-19_020921	Total/NA	Water	8260B SIM	
240-144373-5	DUP-05	Total/NA	Water	8260B SIM	
MB 240-473604/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-473604/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-144425-C-2 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-144425-C-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-144373-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-144373-1

Date Collected: 02/09/21 00:00

Matrix: Water

Date Received: 02/11/21 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	473065	02/15/21 18:10	LRW	TAL CAN

Client Sample ID: MW-113_020921

Lab Sample ID: 240-144373-2

Date Collected: 02/09/21 10:11

Matrix: Water

Date Received: 02/11/21 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	473065	02/15/21 15:47	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	472900	02/12/21 22:10	SAM	TAL CAN

Client Sample ID: MW-29_020921

Lab Sample ID: 240-144373-3

Date Collected: 02/09/21 12:19

Matrix: Water

Date Received: 02/11/21 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	473065	02/15/21 16:11	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	473381	02/17/21 10:23	SAM	TAL CAN

Client Sample ID: MW-19_020921

Lab Sample ID: 240-144373-4

Date Collected: 02/09/21 13:57

Matrix: Water

Date Received: 02/11/21 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	473065	02/15/21 20:57	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		6	473604	02/18/21 13:17	SAM	TAL CAN

Client Sample ID: DUP-05

Lab Sample ID: 240-144373-5

Date Collected: 02/09/21 00:00

Matrix: Water

Date Received: 02/11/21 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	473065	02/15/21 21:21	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		6	473604	02/18/21 13:43	SAM	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-144373-1

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-21
Connecticut	State	PH-0590	12-31-21
Florida	NELAP	E87225	06-30-21
Georgia	State	4062	02-23-21
Illinois	NELAP	004498	07-31-21
Iowa	State	421	06-01-21
Kansas	NELAP	E-10336	04-30-21
Kentucky (UST)	State	112225	02-23-21
Kentucky (WW)	State	KY98016	12-31-21
Minnesota	NELAP	OH00048	12-31-21
Minnesota (Petrofund)	State	3506	08-01-21
New Jersey	NELAP	OH001	06-30-21
New York	NELAP	10975	03-31-21
Ohio VAP	State	CL0024	12-21-23
Oregon	NELAP	4062	02-24-21
Pennsylvania	NELAP	68-00340	08-31-21
Texas	NELAP	T104704517-18-10	08-31-21
USDA	US Federal Programs	P330-18-00281	09-17-21
Virginia	NELAP	010101	09-14-21
Washington	State	C971	01-12-22
West Virginia DEP	State	210	12-31-21

Eurofins TestAmerica Canton Sample Receipt Form/Narrative
Canton Facility

Login # : 144373

Client Arcadis Site Name _____
 Cooler Received on 2-11-21 Opened on 2-11-21
 FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other _____

Cooler unpacked by:
Matt

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

TestAmerica Cooler # 7-12 Foam Box Client Cooler Box Other _____
 Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
 COOLANT: Wet Ice Blue Ice Dry Ice Water None _____

1. Cooler temperature upon receipt See Multiple Cooler Form
 IR GUN# IR-11 (CF +0.1 °C) Observed Cooler Temp 2.2 °C Corrected Cooler Temp 2.3 °C
 IR GUN #IR-12 (CF +0.2°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

- 2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No
 - Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 - Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
 - Were tamper/custody seals intact and uncompromised? Yes No NA
- 3. Shippers' packing slip attached to the cooler(s)? Yes No
- 4. Did custody papers accompany the sample(s)? Yes No
- 5. Were the custody papers relinquished & signed in the appropriate place? Yes No
- 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
- 7. Did all bottles arrive in good condition (Unbroken)? Yes No
- 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
- 9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No
- 10. Were correct bottle(s) used for the test(s) indicated? Yes No
- 11. Sufficient quantity received to perform indicated analyses? Yes No
- 12. Are these work share samples and all listed on the COC? Yes No

Tests that are not checked for pH by Receiving:

 VOAs
 Oil and Grease
 TOC

- If yes, Questions 13-17 have been checked at the originating laboratory.
- 13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC907861
- 14. Were VOAs on the COC? Yes No
- 15. Were air bubbles >6 mm in any VOA vials? Yes No NA Larger than this.
- 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No
- 17. Was a LL Hg or Me Hg trip blank present? _____ Yes No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page

Samples processed by: _____

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container.
 Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.
 Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____