

ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-149972-1
Client Project/Site: Ford LTP - Off Site
Revision: 1

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
6/22/2021 11:27:56 AM

Michael DelMonico, Project Manager I
(330)497-9396
Michael.DelMonico@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	12
QC Sample Results	13
QC Association Summary	15
Lab Chronicle	16
Certification Summary	17
Chain of Custody	18

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-149972-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-149972-1

Job ID: 240-149972-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

Job Narrative
240-149972-1

Comments

No additional comments.

Receipt

The samples were received on 5/22/2021 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 1.6° C.

GC/MS VOA

Method 8260B SIM: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate/sample duplicate (MS/MSD/DUP) associated with analytical batch 240-488395.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-149972-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-149972-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-149972-1	TRIP BLANK_144	Water	05/20/21 00:00	05/22/21 08:00	
240-149972-2	MW-137S_052021	Water	05/20/21 11:45	05/22/21 08:00	
240-149972-3	MW-80SR_052021	Water	05/20/21 12:49	05/22/21 08:00	
240-149972-4	DUP-08	Water	05/20/21 00:00	05/22/21 08:00	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-149972-1

Client Sample ID: TRIP BLANK_144

Lab Sample ID: 240-149972-1

No Detections.

Client Sample ID: MW-137S_052021

Lab Sample ID: 240-149972-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	0.70	J	1.0	0.20	ug/L	1		8260B	Total/NA

Client Sample ID: MW-80SR_052021

Lab Sample ID: 240-149972-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	3.4		1.0	0.20	ug/L	1		8260B	Total/NA

Client Sample ID: DUP-08

Lab Sample ID: 240-149972-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	3.5		1.0	0.20	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off Site

Job ID: 240-149972-1

Client Sample ID: TRIP BLANK_144

Lab Sample ID: 240-149972-1

Date Collected: 05/20/21 00:00

Matrix: Water

Date Received: 05/22/21 08:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/01/21 17:13	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			06/01/21 17:13	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			06/01/21 17:13	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/01/21 17:13	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			06/01/21 17:13	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			06/01/21 17:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	80		75 - 130		06/01/21 17:13	1
4-Bromofluorobenzene (Surr)	92		47 - 134		06/01/21 17:13	1
Toluene-d8 (Surr)	95		69 - 122		06/01/21 17:13	1
Dibromofluoromethane (Surr)	88		78 - 129		06/01/21 17:13	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off Site

Job ID: 240-149972-1

Client Sample ID: MW-137S_052021

Lab Sample ID: 240-149972-2

Date Collected: 05/20/21 11:45

Matrix: Water

Date Received: 05/22/21 08:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			06/01/21 16:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		70 - 133					06/01/21 16:55	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/01/21 17:38	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			06/01/21 17:38	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			06/01/21 17:38	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/01/21 17:38	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			06/01/21 17:38	1
Vinyl chloride	0.70	J	1.0	0.20	ug/L			06/01/21 17:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	80		75 - 130					06/01/21 17:38	1
4-Bromofluorobenzene (Surr)	88		47 - 134					06/01/21 17:38	1
Toluene-d8 (Surr)	95		69 - 122					06/01/21 17:38	1
Dibromofluoromethane (Surr)	86		78 - 129					06/01/21 17:38	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-149972-1

Client Sample ID: MW-80SR_052021

Lab Sample ID: 240-149972-3

Date Collected: 05/20/21 12:49

Matrix: Water

Date Received: 05/22/21 08:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			06/01/21 17:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	84		70 - 133		06/01/21 17:20	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/01/21 18:03	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			06/01/21 18:03	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			06/01/21 18:03	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/01/21 18:03	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			06/01/21 18:03	1
Vinyl chloride	3.4		1.0	0.20	ug/L			06/01/21 18:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	80		75 - 130		06/01/21 18:03	1
4-Bromofluorobenzene (Surr)	92		47 - 134		06/01/21 18:03	1
Toluene-d8 (Surr)	98		69 - 122		06/01/21 18:03	1
Dibromofluoromethane (Surr)	87		78 - 129		06/01/21 18:03	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off Site

Job ID: 240-149972-1

Client Sample ID: DUP-08

Lab Sample ID: 240-149972-4

Date Collected: 05/20/21 00:00

Matrix: Water

Date Received: 05/22/21 08:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			06/01/21 17:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	82		70 - 133		06/01/21 17:45	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/01/21 18:31	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			06/01/21 18:31	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			06/01/21 18:31	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/01/21 18:31	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			06/01/21 18:31	1
Vinyl chloride	3.5		1.0	0.20	ug/L			06/01/21 18:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	80		75 - 130		06/01/21 18:31	1
4-Bromofluorobenzene (Surr)	88		47 - 134		06/01/21 18:31	1
Toluene-d8 (Surr)	98		69 - 122		06/01/21 18:31	1
Dibromofluoromethane (Surr)	85		78 - 129		06/01/21 18:31	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-149972-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (75-130)	BFB (47-134)	TOL (69-122)	DBFM (78-129)
240-149972-1	TRIP BLANK_144	80	92	95	88
240-149972-2	MW-137S_052021	80	88	95	86
240-149972-3	MW-80SR_052021	80	92	98	87
240-149972-4	DUP-08	80	88	98	85
240-149975-E-2 MS	Matrix Spike	81	95	96	86
240-149975-F-2 MSD	Matrix Spike Duplicate	81	95	98	89
LCS 240-488334/4	Lab Control Sample	79	94	98	87
MB 240-488334/7	Method Blank	79	94	98	86

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(70-133)
240-149972-2	MW-137S_052021	85
240-149972-3	MW-80SR_052021	84
240-149972-4	DUP-08	82
LCS 240-488395/4	Lab Control Sample	83
MB 240-488395/5	Method Blank	84

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-149972-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-488334/7
Matrix: Water
Analysis Batch: 488334

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/01/21 15:33	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			06/01/21 15:33	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			06/01/21 15:33	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/01/21 15:33	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			06/01/21 15:33	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			06/01/21 15:33	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	79		75 - 130		06/01/21 15:33	1
4-Bromofluorobenzene (Surr)	94		47 - 134		06/01/21 15:33	1
Toluene-d8 (Surr)	98		69 - 122		06/01/21 15:33	1
Dibromofluoromethane (Surr)	86		78 - 129		06/01/21 15:33	1

Lab Sample ID: LCS 240-488334/4
Matrix: Water
Analysis Batch: 488334

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
1,1-Dichloroethene	10.0	7.62		ug/L		76	73 - 129
cis-1,2-Dichloroethene	10.0	9.99		ug/L		100	75 - 124
Tetrachloroethene	10.0	11.2		ug/L		112	70 - 125
trans-1,2-Dichloroethene	10.0	8.80		ug/L		88	74 - 130
Trichloroethene	10.0	9.49		ug/L		95	71 - 121
Vinyl chloride	10.0	11.3		ug/L		113	61 - 134

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	79		75 - 130
4-Bromofluorobenzene (Surr)	94		47 - 134
Toluene-d8 (Surr)	98		69 - 122
Dibromofluoromethane (Surr)	87		78 - 129

Lab Sample ID: 240-149975-E-2 MS
Matrix: Water
Analysis Batch: 488334

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec. Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	10.0	7.15		ug/L		72	64 - 132
cis-1,2-Dichloroethene	1.0	U	10.0	9.23		ug/L		92	68 - 121
Tetrachloroethene	1.0	U	10.0	10.1		ug/L		101	52 - 129
trans-1,2-Dichloroethene	1.0	U	10.0	8.39		ug/L		84	69 - 126
Trichloroethene	1.0	U	10.0	9.30		ug/L		93	56 - 124
Vinyl chloride	1.0	U	10.0	11.1		ug/L		111	49 - 136

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	81		75 - 130
4-Bromofluorobenzene (Surr)	95		47 - 134
Toluene-d8 (Surr)	96		69 - 122

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-149972-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-149975-E-2 MS
Matrix: Water
Analysis Batch: 488334

Client Sample ID: Matrix Spike
Prep Type: Total/NA

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	86		78 - 129

Lab Sample ID: 240-149975-F-2 MSD
Matrix: Water
Analysis Batch: 488334

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	10.0	6.94		ug/L		69	64 - 132	3	35
cis-1,2-Dichloroethene	1.0	U	10.0	9.23		ug/L		92	68 - 121	0	35
Tetrachloroethene	1.0	U	10.0	10.1		ug/L		101	52 - 129	0	35
trans-1,2-Dichloroethene	1.0	U	10.0	8.54		ug/L		85	69 - 126	2	35
Trichloroethene	1.0	U	10.0	8.76		ug/L		88	56 - 124	6	35
Vinyl chloride	1.0	U	10.0	11.8		ug/L		118	49 - 136	7	35

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	81		75 - 130
4-Bromofluorobenzene (Surr)	95		47 - 134
Toluene-d8 (Surr)	98		69 - 122
Dibromofluoromethane (Surr)	89		78 - 129

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-488395/5
Matrix: Water
Analysis Batch: 488395

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			06/01/21 15:27	1

	MB	MB							
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
1,2-Dichloroethane-d4 (Surr)	84		70 - 133		06/01/21 15:27	1			

Lab Sample ID: LCS 240-488395/4
Matrix: Water
Analysis Batch: 488395

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	9.79		ug/L		98	80 - 135

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	83		70 - 133

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-149972-1

GC/MS VOA

Analysis Batch: 488334

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-149972-1	TRIP BLANK_144	Total/NA	Water	8260B	
240-149972-2	MW-137S_052021	Total/NA	Water	8260B	
240-149972-3	MW-80SR_052021	Total/NA	Water	8260B	
240-149972-4	DUP-08	Total/NA	Water	8260B	
MB 240-488334/7	Method Blank	Total/NA	Water	8260B	
LCS 240-488334/4	Lab Control Sample	Total/NA	Water	8260B	
240-149975-E-2 MS	Matrix Spike	Total/NA	Water	8260B	
240-149975-F-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Analysis Batch: 488395

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-149972-2	MW-137S_052021	Total/NA	Water	8260B SIM	
240-149972-3	MW-80SR_052021	Total/NA	Water	8260B SIM	
240-149972-4	DUP-08	Total/NA	Water	8260B SIM	
MB 240-488395/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-488395/4	Lab Control Sample	Total/NA	Water	8260B SIM	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-149972-1

Client Sample ID: TRIP BLANK_144

Lab Sample ID: 240-149972-1

Date Collected: 05/20/21 00:00

Matrix: Water

Date Received: 05/22/21 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	488334	06/01/21 17:13	LRW	TAL CAN

Client Sample ID: MW-137S_052021

Lab Sample ID: 240-149972-2

Date Collected: 05/20/21 11:45

Matrix: Water

Date Received: 05/22/21 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	488334	06/01/21 17:38	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	488395	06/01/21 16:55	CS	TAL CAN

Client Sample ID: MW-80SR_052021

Lab Sample ID: 240-149972-3

Date Collected: 05/20/21 12:49

Matrix: Water

Date Received: 05/22/21 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	488334	06/01/21 18:03	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	488395	06/01/21 17:20	CS	TAL CAN

Client Sample ID: DUP-08

Lab Sample ID: 240-149972-4

Date Collected: 05/20/21 00:00

Matrix: Water

Date Received: 05/22/21 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	488334	06/01/21 18:31	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	488395	06/01/21 17:45	CS	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off Site

Job ID: 240-149972-1

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-22
Connecticut	State	PH-0590	12-31-21
Florida	NELAP	E87225	06-30-21
Georgia	State	4062	02-23-22
Illinois	NELAP	200004	07-31-21
Iowa	State	421	06-01-21
Kansas	NELAP	E-10336	04-30-21 *
Kentucky (UST)	State	112225	02-23-22
Kentucky (WW)	State	KY98016	12-31-21
Minnesota	NELAP	OH00048	12-31-21
Minnesota (Petrofund)	State	3506	08-01-21
New Jersey	NELAP	OH001	06-30-21
New York	NELAP	10975	03-31-22
Ohio VAP	State	CL0024	12-21-23
Oregon	NELAP	4062	02-23-22
Pennsylvania	NELAP	68-00340	08-31-21
Texas	NELAP	T104704517-18-10	08-31-21
USDA	US Federal Programs	P330-18-00281	09-17-21
Virginia	NELAP	010101	09-14-21
Washington	State	C971	01-12-22
West Virginia DEP	State	210	12-31-21

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

5/14

Chain of Custody Record

TestAmerica

TestAmerica Laboratory location: Brighton — 10448 Citation Drive Suite 200 / Brighton, MI 48116 / 810-229-2763
 Regulatory program: DW NPDES RCRA Other

Client Contact: Arcadis
 Address: 28550 Cabot Drive, Suite 500
 City/State/Zip: Novi, MI, 48377
 Phone: 248-994-2240

Project Name: Ford LTP Off-Site
 Project Number: 30080642.402.04
 PO # 30080642.402.04


Client Project Manager: Kris Hinskey
 Telephone: 248-994-2240
 Email: kris@hinskey@arcadis.com

Site Contact: Julia McClafferty
 Telephone: 734-644-5131

Lab Contact: Mike DeMonten
 Telephone: 330-497-9396

Sampler Name: **AINSON HARTZ**
 Method of Shipment/Carrier:
 Shipping/Tracking No:

Sample Identification	Sample Date	Sample Time	Matrix				Containers & Preservatives				Filtered Sample (Y/N)	Composite=C / Grab=G	Analyses							Sample Specific Notes / Special Instructions				
			Air	Aqueous	Sediment	Solid	Other	H2SO4	HNO3	HCl			NaOH	ZnOH	NaOH	Other	1-DCE 8260B	cis-1,2-DCE 8260B	Trans-1,2-DCE 8260B		PCE 8260B	TCE 8260B	Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM
TRIP BLANK - 1A4			X																				1 Trip Blank	
MW-1375-052021	5/26/21	11 45	X																					3 VOAs for 8260B 3 VOAs for 8260B SIM
MW-8058-052021	5/26/21	12 49	X																					
DUP-08			X																					



240-149972 Chain of Custody

Possible Hazard Identification
 Non-Hazard
 Irritant
 Poison B
 Unknown

Special Instructions/QC Requirements & Comments:
 Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return to Client Disposal By Lab Archive For _____ Months

Relinquished by	Date/Time	Company	Received by	Date/Time	Company
A. Hartz	5/26/21 1545	Arcadis	NEW Cold Storage	5/26/21 1545	Arcadis
Julia McClafferty	5/26/21 1545	Arcadis	AINSON HARTZ	5/26/21 1545	Arcadis
AINSON HARTZ	5/26/21 1545	Arcadis	AINSON HARTZ	5/26/21 1545	Arcadis

Submit all results through Cadena at jtomalia@cadenaco.com, Cadena #E203631
 Level IV Reporting requested.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

**Eurofins TestAmerica Canton Sample Receipt Form/Narrative
Canton Facility**

Login # : 149972

Client ARCA DIS Site Name FORA LTP Cooler unpacked by MJL
 Cooler Received on 5/22/21 Opened on 5/22/21
 FedEx. 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other _____
 Receipt After-hours. Drop-off Date/Time _____ Storage Location _____

TestAmerica Cooler # _____ Foam Box Client Cooler Box _____ Other _____
 Packing material used Bubble Wrap Foam Plastic Bag None _____ Other _____
 COOLANT: Wet Ice _____ Blue Ice _____ Dry Ice _____ Water _____ None _____

- 1 Cooler temperature upon receipt See Multiple Cooler Form
 IR GUN# IR-11 (CF +0.1 °C) Observed Cooler Temp. 15 °C Corrected Cooler Temp 1.6 °C
 IR GUN #IR-12 (CF +0.2 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp _____ °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
 -Were tamper/custody seals intact and uncompromised? Yes No NA
- 3 Shippers' packing slip attached to the cooler(s)? Yes No NA
- 4 Did custody papers accompany the sample(s)? Yes No NA
- 5 Were the custody papers relinquished & signed in the appropriate place? Yes No NA
- 6 Was/were the person(s) who collected the samples clearly identified on the COC? Yes No NA
- 7 Did all bottles arrive in good condition (Unbroken)? Yes No NA
- 8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No NA
- 9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No NA
- 10 Were correct bottle(s) used for the test(s) indicated? Yes No NA
- 11 Sufficient quantity received to perform indicated analyses? Yes No NA
- 12 Are these work share samples and all listed on the COC? Yes No NA
 If yes, Questions 13-17 have been checked at the originating laboratory
- 13 Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC022887
- 14 Were VOAs on the COC? Yes No NA
- 15 Were air bubbles >6 mm in any VOA vials? ← Larger than this Yes No NA
- 16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # COVERED Yes No NA
- 17 Was a LL Hg or Me Hg trip blank present? Yes No NA

Tests that are not checked for pH by Receiving.
VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
 Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by _____

19 SAMPLE CONDITION
 Sample(s) _____ were received after the recommended holding time had expired
 Sample(s) _____ were received in a broken container
 Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION
 Sample(s) _____ were further preserved in the laboratory
 Time preserved _____ Preservative(s) added/Lot number(s) _____

VOA Sample Preservation - Date/Time VOAs Frozen. _____

1
2
3
4
5
6
7
8
9
10
11
12
13
14