

## ANALYTICAL REPORT

Eurofins TestAmerica, Canton  
4101 Shuffel Street NW  
North Canton, OH 44720  
Tel: (330)497-9396

Laboratory Job ID: 240-144666-1  
Client Project/Site: Ford LTP - Off Site

For:  
ARCADIS U.S., Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Attn: Kristoffer Hinskey



---

Authorized for release by:  
3/5/2021 2:30:14 PM

Michael DelMonico, Project Manager I  
(330)497-9396  
[Michael.DelMonico@Eurofinset.com](mailto:Michael.DelMonico@Eurofinset.com)

### LINKS

Review your project  
results through  
**TotalAccess**

Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*



# Table of Contents

|                                  |    |
|----------------------------------|----|
| Cover Page . . . . .             | 1  |
| Table of Contents . . . . .      | 2  |
| Definitions/Glossary . . . . .   | 3  |
| Case Narrative . . . . .         | 4  |
| Method Summary . . . . .         | 5  |
| Sample Summary . . . . .         | 6  |
| Detection Summary . . . . .      | 7  |
| Client Sample Results . . . . .  | 8  |
| Surrogate Summary . . . . .      | 11 |
| QC Sample Results . . . . .      | 12 |
| QC Association Summary . . . . . | 15 |
| Lab Chronicle . . . . .          | 16 |
| Certification Summary . . . . .  | 17 |
| Chain of Custody . . . . .       | 18 |

# Definitions/Glossary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-144666-1

## Qualifiers

### GC/MS VOA

| Qualifier | Qualifier Description                                    |
|-----------|--|
| U         | Indicates the analyte was analyzed for but not detected. |

## Glossary

| Abbreviation   | These commonly used abbreviations may or may not be present in this report.                                 |
|----------------|---|
| α              | Listed under the "D" column to designate that the result is reported on a dry weight basis                  |
| %R             | Percent Recovery  |
| CFL            | Contains Free Liquid  |
| CFU            | Colony Forming Unit   |
| CNF            | Contains No Free Liquid   |
| DER            | Duplicate Error Ratio (normalized absolute difference)  |
| Dil Fac        | Dilution Factor   |
| DL             | Detection Limit (DoD/DOE)   |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC            | Decision Level Concentration (Radiochemistry)   |
| EDL            | Estimated Detection Limit (Dioxin)  |
| LOD            | Limit of Detection (DoD/DOE)  |
| LOQ            | Limit of Quantitation (DoD/DOE)   |
| MCL            | EPA recommended "Maximum Contaminant Level"   |
| MDA            | Minimum Detectable Activity (Radiochemistry)  |
| MDC            | Minimum Detectable Concentration (Radiochemistry)   |
| MDL            | Method Detection Limit  |
| ML             | Minimum Level (Dioxin)  |
| MPN            | Most Probable Number  |
| MQL            | Method Quantitation Limit   |
| NC             | Not Calculated  |
| ND             | Not Detected at the reporting limit (or MDL or EDL if shown)  |
| NEG            | Negative / Absent   |
| POS            | Positive / Present  |
| PQL            | Practical Quantitation Limit  |
| PRES           | Presumptive   |
| QC             | Quality Control   |
| RER            | Relative Error Ratio (Radiochemistry)   |
| RL             | Reporting Limit or Requested Limit (Radiochemistry)   |
| RPD            | Relative Percent Difference, a measure of the relative difference between two points                        |
| TEF            | Toxicity Equivalent Factor (Dioxin)   |
| TEQ            | Toxicity Equivalent Quotient (Dioxin)   |
| TNTC           | Too Numerous To Count   |

# Case Narrative

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-144666-1

---

## Job ID: 240-144666-1

---

Laboratory: Eurofins TestAmerica, Canton

### Narrative

---

Job Narrative  
240-144666-1

### Comments

No additional comments.

### Receipt

The samples were received on 2/19/2021 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 1.4° C.

### GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

### VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Method Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-144666-1

| Method    | Method Description                 | Protocol | Laboratory |
|-----------|------------------------------------|----------|------------|
| 8260B     | Volatile Organic Compounds (GC/MS) | SW846    | TAL CAN    |
| 8260B SIM | Volatile Organic Compounds (GC/MS) | SW846    | TAL CAN    |
| 5030B     | Purge and Trap                     | SW846    | TAL CAN    |

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



# Sample Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-144666-1

| Lab Sample ID | Client Sample ID | Matrix | Collected      | Received       | Asset ID |
|---------------|------------------|--------|----------------|----------------|----------|
| 240-144666-1  | TRIP BLANK       | Water  | 02/17/21 00:00 | 02/19/21 08:00 |          |
| 240-144666-2  | MW-81S_021721    | Water  | 02/17/21 09:38 | 02/19/21 08:00 |          |
| 240-144666-3  | MW-81_021721     | Water  | 02/17/21 11:15 | 02/19/21 08:00 |          |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-144666-1

**Client Sample ID: TRIP BLANK**

**Lab Sample ID: 240-144666-1**

No Detections.

**Client Sample ID: MW-81S\_021721**

**Lab Sample ID: 240-144666-2**

No Detections.

**Client Sample ID: MW-81\_021721**

**Lab Sample ID: 240-144666-3**

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-144666-1

**Client Sample ID: TRIP BLANK**

**Lab Sample ID: 240-144666-1**

**Date Collected: 02/17/21 00:00**

**Matrix: Water**

**Date Received: 02/19/21 08:00**

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

| Analyte                  | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene       | 1.0    | U         | 1.0 | 0.19 | ug/L |   |          | 02/25/21 19:22 | 1       |
| cis-1,2-Dichloroethene   | 1.0    | U         | 1.0 | 0.16 | ug/L |   |          | 02/25/21 19:22 | 1       |
| Tetrachloroethene        | 1.0    | U         | 1.0 | 0.15 | ug/L |   |          | 02/25/21 19:22 | 1       |
| trans-1,2-Dichloroethene | 1.0    | U         | 1.0 | 0.19 | ug/L |   |          | 02/25/21 19:22 | 1       |
| Trichloroethene          | 1.0    | U         | 1.0 | 0.10 | ug/L |   |          | 02/25/21 19:22 | 1       |
| Vinyl chloride           | 1.0    | U         | 1.0 | 0.20 | ug/L |   |          | 02/25/21 19:22 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 108       |           | 75 - 130 |          | 02/25/21 19:22 | 1       |
| 4-Bromofluorobenzene (Surr)  | 67        |           | 47 - 134 |          | 02/25/21 19:22 | 1       |
| Toluene-d8 (Surr)            | 80        |           | 69 - 122 |          | 02/25/21 19:22 | 1       |
| Dibromofluoromethane (Surr)  | 114       |           | 78 - 129 |          | 02/25/21 19:22 | 1       |



# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-144666-1

**Client Sample ID: MW-81S\_021721**

**Lab Sample ID: 240-144666-2**

**Date Collected: 02/17/21 09:38**

**Matrix: Water**

**Date Received: 02/19/21 08:00**

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

| Analyte     | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|-------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,4-Dioxane | 2.0    | U         | 2.0 | 0.86 | ug/L |   |          | 02/25/21 20:17 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 81        |           | 70 - 133 |          | 02/25/21 20:17 | 1       |

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

| Analyte                  | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene       | 1.0    | U         | 1.0 | 0.19 | ug/L |   |          | 02/25/21 22:56 | 1       |
| cis-1,2-Dichloroethene   | 1.0    | U         | 1.0 | 0.16 | ug/L |   |          | 02/25/21 22:56 | 1       |
| Tetrachloroethene        | 1.0    | U         | 1.0 | 0.15 | ug/L |   |          | 02/25/21 22:56 | 1       |
| trans-1,2-Dichloroethene | 1.0    | U         | 1.0 | 0.19 | ug/L |   |          | 02/25/21 22:56 | 1       |
| Trichloroethene          | 1.0    | U         | 1.0 | 0.10 | ug/L |   |          | 02/25/21 22:56 | 1       |
| Vinyl chloride           | 1.0    | U         | 1.0 | 0.20 | ug/L |   |          | 02/25/21 22:56 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 114       |           | 75 - 130 |          | 02/25/21 22:56 | 1       |
| 4-Bromofluorobenzene (Surr)  | 65        |           | 47 - 134 |          | 02/25/21 22:56 | 1       |
| Toluene-d8 (Surr)            | 81        |           | 69 - 122 |          | 02/25/21 22:56 | 1       |
| Dibromofluoromethane (Surr)  | 112       |           | 78 - 129 |          | 02/25/21 22:56 | 1       |

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-144666-1

**Client Sample ID: MW-81\_021721**

**Lab Sample ID: 240-144666-3**

**Date Collected: 02/17/21 11:15**

**Matrix: Water**

**Date Received: 02/19/21 08:00**

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

| Analyte                      | Result    | Qualifier | RL       | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,4-Dioxane                  | 2.0       | U         | 2.0      | 0.86 | ug/L |   |          | 02/25/21 20:42 | 1       |
| Surrogate                    | %Recovery | Qualifier | Limits   |      |      |   | Prepared | Analyzed       | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 81        |           | 70 - 133 |      |      |   |          | 02/25/21 20:42 | 1       |

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

| Analyte                      | Result    | Qualifier | RL       | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene           | 1.0       | U         | 1.0      | 0.19 | ug/L |   |          | 02/25/21 23:20 | 1       |
| cis-1,2-Dichloroethene       | 1.0       | U         | 1.0      | 0.16 | ug/L |   |          | 02/25/21 23:20 | 1       |
| Tetrachloroethene            | 1.0       | U         | 1.0      | 0.15 | ug/L |   |          | 02/25/21 23:20 | 1       |
| trans-1,2-Dichloroethene     | 1.0       | U         | 1.0      | 0.19 | ug/L |   |          | 02/25/21 23:20 | 1       |
| Trichloroethene              | 1.0       | U         | 1.0      | 0.10 | ug/L |   |          | 02/25/21 23:20 | 1       |
| Vinyl chloride               | 1.0       | U         | 1.0      | 0.20 | ug/L |   |          | 02/25/21 23:20 | 1       |
| Surrogate                    | %Recovery | Qualifier | Limits   |      |      |   | Prepared | Analyzed       | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 114       |           | 75 - 130 |      |      |   |          | 02/25/21 23:20 | 1       |
| 4-Bromofluorobenzene (Surr)  | 65        |           | 47 - 134 |      |      |   |          | 02/25/21 23:20 | 1       |
| Toluene-d8 (Surr)            | 83        |           | 69 - 122 |      |      |   |          | 02/25/21 23:20 | 1       |
| Dibromofluoromethane (Surr)  | 111       |           | 78 - 129 |      |      |   |          | 02/25/21 23:20 | 1       |

# Surrogate Summary

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-144666-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

| Lab Sample ID      | Client Sample ID       | Percent Surrogate Recovery (Acceptance Limits) |                 |                 |                  |
|--------------------|------------------------|--|-----------------|-----------------|------------------|
|                    |                        | DCA<br>(75-130)                                | BFB<br>(47-134) | TOL<br>(69-122) | DBFM<br>(78-129) |
| 240-144666-1       | TRIP BLANK             | 108  | 67              | 80              | 114              |
| 240-144666-2       | MW-81S_021721          | 114  | 65              | 81              | 112              |
| 240-144666-3       | MW-81_021721           | 114  | 65              | 83              | 111              |
| 240-144711-E-2 MS  | Matrix Spike           | 93   | 88              | 91              | 94               |
| 240-144711-F-2 MSD | Matrix Spike Duplicate | 91   | 92              | 91              | 92               |
| LCS 240-474507/4   | Lab Control Sample     | 88   | 88              | 88              | 91               |
| MB 240-474507/7    | Method Blank           | 102  | 68              | 80              | 101              |

#### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)  
 BFB = 4-Bromofluorobenzene (Surr)  
 TOL = Toluene-d8 (Surr)  
 DBFM = Dibromofluoromethane (Surr)

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

| Lab Sample ID      | Client Sample ID       | DCA      |
|--------------------|------------------------|----------|
|                    |                        | (70-133) |
| 240-144568-J-3 MS  | Matrix Spike           | 79       |
| 240-144568-J-3 MSD | Matrix Spike Duplicate | 83       |
| 240-144666-2       | MW-81S_021721          | 81       |
| 240-144666-3       | MW-81_021721           | 81       |
| LCS 240-474490/4   | Lab Control Sample     | 79       |
| MB 240-474490/5    | Method Blank           | 81       |

#### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-144666-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-474507/7**  
**Matrix: Water**  
**Analysis Batch: 474507**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

| Analyte                  | MB MB  |           | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
|                          | Result | Qualifier |     |      |      |   |          |                |         |
| 1,1-Dichloroethene       | 1.0    | U         | 1.0 | 0.19 | ug/L |   |          | 02/25/21 17:22 | 1       |
| cis-1,2-Dichloroethene   | 1.0    | U         | 1.0 | 0.16 | ug/L |   |          | 02/25/21 17:22 | 1       |
| Tetrachloroethene        | 1.0    | U         | 1.0 | 0.15 | ug/L |   |          | 02/25/21 17:22 | 1       |
| trans-1,2-Dichloroethene | 1.0    | U         | 1.0 | 0.19 | ug/L |   |          | 02/25/21 17:22 | 1       |
| Trichloroethene          | 1.0    | U         | 1.0 | 0.10 | ug/L |   |          | 02/25/21 17:22 | 1       |
| Vinyl chloride           | 1.0    | U         | 1.0 | 0.20 | ug/L |   |          | 02/25/21 17:22 | 1       |

| Surrogate                    | MB MB     |           | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
|                              | %Recovery | Qualifier |          |          |                |         |
| 1,2-Dichloroethane-d4 (Surr) | 102       |           | 75 - 130 |          | 02/25/21 17:22 | 1       |
| 4-Bromofluorobenzene (Surr)  | 68        |           | 47 - 134 |          | 02/25/21 17:22 | 1       |
| Toluene-d8 (Surr)            | 80        |           | 69 - 122 |          | 02/25/21 17:22 | 1       |
| Dibromofluoromethane (Surr)  | 101       |           | 78 - 129 |          | 02/25/21 17:22 | 1       |

**Lab Sample ID: LCS 240-474507/4**  
**Matrix: Water**  
**Analysis Batch: 474507**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

| Analyte                  | Spike Added | LCS LCS |           | Unit | D | %Rec | %Rec. Limits |
|--------------------------|-------------|---------|-----------|------|---|------|--------------|
|                          |             | Result  | Qualifier |      |   |      |              |
| 1,1-Dichloroethene       | 10.0        | 9.27    |           | ug/L |   | 93   | 73 - 129     |
| cis-1,2-Dichloroethene   | 10.0        | 9.22    |           | ug/L |   | 92   | 75 - 124     |
| Tetrachloroethene        | 10.0        | 11.5    |           | ug/L |   | 115  | 70 - 125     |
| trans-1,2-Dichloroethene | 10.0        | 9.77    |           | ug/L |   | 98   | 74 - 130     |
| Trichloroethene          | 10.0        | 9.71    |           | ug/L |   | 97   | 71 - 121     |
| Vinyl chloride           | 10.0        | 8.03    |           | ug/L |   | 80   | 61 - 134     |

| Surrogate                    | LCS LCS   |           | Limits   |
|------------------------------|-----------|-----------|----------|
|                              | %Recovery | Qualifier |          |
| 1,2-Dichloroethane-d4 (Surr) | 88        |           | 75 - 130 |
| 4-Bromofluorobenzene (Surr)  | 88        |           | 47 - 134 |
| Toluene-d8 (Surr)            | 88        |           | 69 - 122 |
| Dibromofluoromethane (Surr)  | 91        |           | 78 - 129 |

**Lab Sample ID: 240-144711-E-2 MS**  
**Matrix: Water**  
**Analysis Batch: 474507**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

| Analyte                  | Sample Sample |           | Spike Added | MS MS  |           | Unit | D | %Rec | %Rec. Limits |
|--------------------------|---------------|-----------|-------------|--------|-----------|------|---|------|--------------|
|                          | Result        | Qualifier |             | Result | Qualifier |      |   |      |              |
| 1,1-Dichloroethene       | 1.0           | U         | 10.0        | 8.83   |           | ug/L |   | 88   | 64 - 132     |
| cis-1,2-Dichloroethene   | 1.0           | U         | 10.0        | 8.92   |           | ug/L |   | 89   | 68 - 121     |
| Tetrachloroethene        | 1.0           | U         | 10.0        | 11.2   |           | ug/L |   | 112  | 52 - 129     |
| trans-1,2-Dichloroethene | 1.0           | U         | 10.0        | 9.58   |           | ug/L |   | 96   | 69 - 126     |
| Trichloroethene          | 1.0           | U         | 10.0        | 9.00   |           | ug/L |   | 90   | 56 - 124     |
| Vinyl chloride           | 1.0           | U         | 10.0        | 8.39   |           | ug/L |   | 84   | 49 - 136     |

| Surrogate                    | MS MS     |           | Limits   |
|------------------------------|-----------|-----------|----------|
|                              | %Recovery | Qualifier |          |
| 1,2-Dichloroethane-d4 (Surr) | 93        |           | 75 - 130 |
| 4-Bromofluorobenzene (Surr)  | 88        |           | 47 - 134 |
| Toluene-d8 (Surr)            | 91        |           | 69 - 122 |

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-144666-1

## Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: 240-144711-E-2 MS**  
**Matrix: Water**  
**Analysis Batch: 474507**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

| Surrogate                   | MS MS     |           | Limits   |
|-----------------------------|-----------|-----------|----------|
|                             | %Recovery | Qualifier |          |
| Dibromofluoromethane (Surr) | 94        |           | 78 - 129 |

**Lab Sample ID: 240-144711-F-2 MSD**  
**Matrix: Water**  
**Analysis Batch: 474507**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

| Analyte                  | Sample | Sample    | Spike | MSD MSD |           | Unit | D | %Rec | %Rec.    |     | RPD | Limit |
|--------------------------|--------|-----------|-------|---------|-----------|------|---|------|----------|-----|-----|-------|
|                          | Result | Qualifier |       | Result  | Qualifier |      |   |      | Limits   | RPD |     |       |
| 1,1-Dichloroethene       | 1.0    | U         | 10.0  | 9.03    |           | ug/L |   | 90   | 64 - 132 | 2   | 35  |       |
| cis-1,2-Dichloroethene   | 1.0    | U         | 10.0  | 9.44    |           | ug/L |   | 94   | 68 - 121 | 6   | 35  |       |
| Tetrachloroethene        | 1.0    | U         | 10.0  | 11.3    |           | ug/L |   | 113  | 52 - 129 | 1   | 35  |       |
| trans-1,2-Dichloroethene | 1.0    | U         | 10.0  | 9.55    |           | ug/L |   | 96   | 69 - 126 | 0   | 35  |       |
| Trichloroethene          | 1.0    | U         | 10.0  | 9.26    |           | ug/L |   | 93   | 56 - 124 | 3   | 35  |       |
| Vinyl chloride           | 1.0    | U         | 10.0  | 8.55    |           | ug/L |   | 86   | 49 - 136 | 2   | 35  |       |

| Surrogate                    | MSD MSD   |           | Limits   |
|------------------------------|-----------|-----------|----------|
|                              | %Recovery | Qualifier |          |
| 1,2-Dichloroethane-d4 (Surr) | 91        |           | 75 - 130 |
| 4-Bromofluorobenzene (Surr)  | 92        |           | 47 - 134 |
| Toluene-d8 (Surr)            | 91        |           | 69 - 122 |
| Dibromofluoromethane (Surr)  | 92        |           | 78 - 129 |

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-474490/5**  
**Matrix: Water**  
**Analysis Batch: 474490**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

| Analyte     | MB MB  |           | RL  | MDL  | Unit | D | Prepared       | Analyzed | Dil Fac |
|-------------|--------|-----------|-----|------|------|---|----------------|----------|---------|
|             | Result | Qualifier |     |      |      |   |                |          |         |
| 1,4-Dioxane | 2.0    | U         | 2.0 | 0.86 | ug/L |   | 02/25/21 12:43 | 1        |         |

  

| Surrogate                    | MB MB     |           | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
|                              | %Recovery | Qualifier |          |          |                |         |
| 1,2-Dichloroethane-d4 (Surr) | 81        |           | 70 - 133 |          | 02/25/21 12:43 | 1       |

**Lab Sample ID: LCS 240-474490/4**  
**Matrix: Water**  
**Analysis Batch: 474490**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

| Analyte     | Spike | LCS LCS |           | Unit | D | %Rec | %Rec.    |     |
|-------------|-------|---------|-----------|------|---|------|----------|-----|
|             |       | Result  | Qualifier |      |   |      | Limits   | RPD |
| 1,4-Dioxane | 10.0  | 10.7    |           | ug/L |   | 107  | 80 - 135 |     |

  

| Surrogate                    | LCS LCS   |           | Limits   |
|------------------------------|-----------|-----------|----------|
|                              | %Recovery | Qualifier |          |
| 1,2-Dichloroethane-d4 (Surr) | 79        |           | 70 - 133 |

**Lab Sample ID: 240-144568-J-3 MS**  
**Matrix: Water**  
**Analysis Batch: 474490**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

| Analyte     | Sample | Sample    | Spike | MS MS  |           | Unit | D | %Rec | %Rec.    |     |
|-------------|--------|-----------|-------|--------|-----------|------|---|------|----------|-----|
|             | Result | Qualifier |       | Result | Qualifier |      |   |      | Limits   | RPD |
| 1,4-Dioxane | 2.0    | U         | 10.0  | 10.2   |           | ug/L |   | 102  | 46 - 170 |     |

Eurofins TestAmerica, Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-144666-1

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

| <i>Surrogate</i>             | <i>MS</i><br><i>%Recovery</i> | <i>MS</i><br><i>Qualifier</i> | <i>Limits</i> |
|------------------------------|-------------------------------|-------------------------------|---------------|
| 1,2-Dichloroethane-d4 (Surr) | 79                            |                               | 70 - 133      |

**Lab Sample ID: 240-144568-J-3 MSD**  
**Matrix: Water**  
**Analysis Batch: 474490**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

| <i>Analyte</i> | <i>Sample</i><br><i>Result</i> | <i>Sample</i><br><i>Qualifier</i> | <i>Spike</i><br><i>Added</i> | <i>MSD</i><br><i>Result</i> | <i>MSD</i><br><i>Qualifier</i> | <i>Unit</i> | <i>D</i> | <i>%Rec</i> | <i>%Rec.</i><br><i>Limits</i> | <i>RPD</i> | <i>RPD</i><br><i>Limit</i> |
|----------------|--------------------------------|-----------------------------------|------------------------------|-----------------------------|--------------------------------|-------------|----------|-------------|-------------------------------|------------|----------------------------|
| 1,4-Dioxane    | 2.0                            | U                                 | 10.0                         | 10.2                        |                                | ug/L        |          | 102         | 46 - 170                      | 0          | 26                         |

| <i>Surrogate</i>             | <i>MSD</i><br><i>%Recovery</i> | <i>MSD</i><br><i>Qualifier</i> | <i>Limits</i> |
|------------------------------|--------------------------------|--------------------------------|---------------|
| 1,2-Dichloroethane-d4 (Surr) | 83                             |                                | 70 - 133      |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# QC Association Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-144666-1

## GC/MS VOA

### Analysis Batch: 474490

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method    | Prep Batch |
|--------------------|------------------------|-----------|--------|-----------|------------|
| 240-144666-2       | MW-81S_021721          | Total/NA  | Water  | 8260B SIM |            |
| 240-144666-3       | MW-81_021721           | Total/NA  | Water  | 8260B SIM |            |
| MB 240-474490/5    | Method Blank           | Total/NA  | Water  | 8260B SIM |            |
| LCS 240-474490/4   | Lab Control Sample     | Total/NA  | Water  | 8260B SIM |            |
| 240-144568-J-3 MS  | Matrix Spike           | Total/NA  | Water  | 8260B SIM |            |
| 240-144568-J-3 MSD | Matrix Spike Duplicate | Total/NA  | Water  | 8260B SIM |            |

### Analysis Batch: 474507

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| 240-144666-1       | TRIP BLANK             | Total/NA  | Water  | 8260B  |            |
| 240-144666-2       | MW-81S_021721          | Total/NA  | Water  | 8260B  |            |
| 240-144666-3       | MW-81_021721           | Total/NA  | Water  | 8260B  |            |
| MB 240-474507/7    | Method Blank           | Total/NA  | Water  | 8260B  |            |
| LCS 240-474507/4   | Lab Control Sample     | Total/NA  | Water  | 8260B  |            |
| 240-144711-E-2 MS  | Matrix Spike           | Total/NA  | Water  | 8260B  |            |
| 240-144711-F-2 MSD | Matrix Spike Duplicate | Total/NA  | Water  | 8260B  |            |

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-144666-1

## Client Sample ID: TRIP BLANK

Lab Sample ID: 240-144666-1

Date Collected: 02/17/21 00:00

Matrix: Water

Date Received: 02/19/21 08:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260B        |     | 1               | 474507       | 02/25/21 19:22       | LRW     | TAL CAN |

## Client Sample ID: MW-81S\_021721

Lab Sample ID: 240-144666-2

Date Collected: 02/17/21 09:38

Matrix: Water

Date Received: 02/19/21 08:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260B        |     | 1               | 474507       | 02/25/21 22:56       | LRW     | TAL CAN |
| Total/NA  | Analysis   | 8260B SIM    |     | 1               | 474490       | 02/25/21 20:17       | SAM     | TAL CAN |

## Client Sample ID: MW-81\_021721

Lab Sample ID: 240-144666-3

Date Collected: 02/17/21 11:15

Matrix: Water

Date Received: 02/19/21 08:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260B        |     | 1               | 474507       | 02/25/21 23:20       | LRW     | TAL CAN |
| Total/NA  | Analysis   | 8260B SIM    |     | 1               | 474490       | 02/25/21 20:42       | SAM     | TAL CAN |

### Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



# Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-144666-1

## Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

| Authority             | Program             | Identification Number | Expiration Date |
|-----------------------|---------------------|-----------------------|-----------------|
| California            | State               | 2927                  | 02-23-21 *      |
| Connecticut           | State               | PH-0590               | 12-31-21        |
| Florida               | NELAP               | E87225                | 06-30-21        |
| Georgia               | State               | 4062                  | 02-23-21 *      |
| Illinois              | NELAP               | 004498                | 07-31-21        |
| Iowa                  | State               | 421                   | 06-01-21        |
| Kansas                | NELAP               | E-10336               | 04-30-21        |
| Kentucky (UST)        | State               | 112225                | 02-23-21 *      |
| Kentucky (WW)         | State               | KY98016               | 12-31-21        |
| Minnesota             | NELAP               | OH00048               | 12-31-21        |
| Minnesota (Petrofund) | State               | 3506                  | 08-01-21        |
| New Jersey            | NELAP               | OH001                 | 06-30-21        |
| New York              | NELAP               | 10975                 | 03-31-21        |
| Ohio VAP              | State               | CL0024                | 12-21-23        |
| Oregon                | NELAP               | 4062                  | 02-23-22        |
| Pennsylvania          | NELAP               | 68-00340              | 08-31-21        |
| Texas                 | NELAP               | T104704517-18-10      | 08-31-21        |
| USDA                  | US Federal Programs | P330-18-00281         | 09-17-21        |
| Virginia              | NELAP               | 010101                | 09-14-21        |
| Washington            | State               | C971                  | 01-12-22        |
| West Virginia DEP     | State               | 210                   | 12-31-21        |

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.



**Chain of Custody Record**

TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

190

|   |  |   |  |   |  |  |  |   |  |
|---|--|---|--|---|--|--|--|---|--|
| <b>Client Contact</b><br>Company Name: Arcadis<br>Address: 28550 Cabot Drive, Suite 500<br>City/State/Zip: Novi, MI, 48377<br>Phone: 248-994-2240<br>Project Name: Ford LTP Off-Site<br>Project Number: 30050315.402.04<br>PO # 30050315.402.04 |  | <b>Regulatory program:</b><br><input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other   |  | <b>Site Contact:</b> Julia McClafferty<br>Telephone: 734-644-5131   |  | <b>Lab Contact:</b> Mike DeMonico<br>Telephone: 330-497-9396   |  | TestAmerica Laboratories, Inc.<br>COC No.: _____ of _____ COCs  |  |
| <b>Client Project Manager:</b> Kris Hinskey<br>Telephone: 248-994-2240<br>Email: kris@for.hinskey@arcadis.com   |  | <b>Analysis Turnaround Time</b><br>TAT if different from below:<br>10 day <input type="checkbox"/> 3 weeks <input type="checkbox"/><br>1 week <input type="checkbox"/> 2 weeks <input type="checkbox"/><br>2 days <input type="checkbox"/> 1 week <input type="checkbox"/><br>1 day <input type="checkbox"/> 1 day <input type="checkbox"/> |  | <b>Analyses</b><br>1,4-DCE 8260B<br>Cis-1,2-DCE 8260B<br>Trans-1,2-DCE 8260B<br>PCE 8260B<br>TCE 8260B<br>Vinyl Chloride 8260B<br>1,4-Dioxane 8260B SIM   |  | Sample Specific Notes / Special Instructions:<br>TRIP BLANK<br>3 VOAS FOR 8260B<br>3 VOAS FOR 8260B SIM<br>"   |  | For lab use only<br>Walk-in client<br>Lab sampling<br>Job SDG No.: _____  |  |
| <b>Sampler Name:</b> AINSOFT16112<br><b>Method of Shipment/Carrier:</b><br><b>Shipping/Tracking No:</b>   |  | <b>Matrix</b><br>Air _____<br>Aqueous _____<br>Sediment _____<br>Solid _____<br>Other: _____  |  | <b>Containers &amp; Preservatives</b><br>H2SO4 _____<br>HNO3 _____<br>HCl _____<br>NaOH _____<br>ZnAc _____<br>NaOH _____<br>Uptres _____<br>Other: _____ |  | <b>Filtered Sample (Y/N)</b><br>Composite C / Grab C<br>1,4-DCE 8260B<br>Cis-1,2-DCE 8260B<br>Trans-1,2-DCE 8260B<br>PCE 8260B<br>TCE 8260B<br>Vinyl Chloride 8260B<br>1,4-Dioxane 8260B SIM |  | Sample Identification<br>TRIP BLANK<br>MW-015-021721<br>MW-01-021721  |  |
| <b>Sample Date</b><br>2/17/21 9:38<br>2/17/21 11:15   |  | <b>Sample Time</b><br>9:38<br>11:15   |  | 240-144666 Chain of Custody   |  | Possible Hazard Identification<br><input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Corrosive <input type="checkbox"/> Irritant     |  | Special Instructions/QC Requirements & Comments:<br>Submit all results through Cadena at jtomalla@cadenaco.com. Cadena #E203631 Level IV Reporting requested. |  |
| <b>Company:</b> Arcadis<br><b>Date/Time:</b> 2/17/21 13:30<br><b>Received by:</b> NCM Cold Storage  |  | <b>Company:</b> Arcadis<br><b>Date/Time:</b> 2/18/21 11:38<br><b>Received by:</b> Arcadis   |  | <b>Company:</b> Arcadis<br><b>Date/Time:</b> 2/18/21 13:30<br><b>Received by:</b> NCM Cold Storage  |  | <b>Company:</b> Arcadis<br><b>Date/Time:</b> 2/17/21 13:30<br><b>Received by:</b> NCM Cold Storage   |  | <b>Company:</b> Arcadis<br><b>Date/Time:</b> 2/18/21 13:30<br><b>Received by:</b> NCM Cold Storage  |  |



**Eurofins TestAmerica Canton Sample Receipt Form/Narrative**  
**Canton Facility**

Login # : 44666

Client Arcadis Site Name \_\_\_\_\_

Cooler unpacked by: \_\_\_\_\_

Cooler Received on 2-19-21 Opened on 2-19-21

FedEx: 1<sup>st</sup> Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other \_\_\_\_\_

Receipt After-hours: Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

TestAmerica Cooler # TA Foam Box Client Cooler Box Other \_\_\_\_\_

Packing material used: Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_

COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt  See Multiple Cooler Form  
 IR GUN# IR-11 (CF +0.1 °C) Observed Cooler Temp. 1.3 °C Corrected Cooler Temp. 1.4 °C  
 IR GUN #IR-12 (CF +0.2°C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No  
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA  
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No  
 -Were tamper/custody seals intact and uncompromised? Yes No NA

3. Shippers' packing slip attached to the cooler(s)? Yes No  
 4. Did custody papers accompany the sample(s)? Yes No  
 5. Were the custody papers relinquished & signed in the appropriate place? Yes No  
 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No  
 7. Did all bottles arrive in good condition (Unbroken)? Yes No  
 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No  
 9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?  
 10. Were correct bottle(s) used for the test(s) indicated? Yes No  
 11. Sufficient quantity received to perform indicated analyses? Yes No  
 12. Are these work share samples and all listed on the COC? Yes No

Tests that are not checked for pH by Receiving:  
 VOAs  
 Oil and Grease  
 TOC

- If yes, Questions 13-17 have been checked at the originating laboratory.  
 13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC907861  
 14. Were VOAs on the COC? Yes No  
 15. Were air bubbles >6 mm in any VOA vials? Yes No NA Larger than this.  
 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # \_\_\_\_\_ Yes No  
 17. Was a LL Hg or Me Hg trip blank present? Yes No

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_

Concerning \_\_\_\_\_

**18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES**  additional next page

Samples processed by: \_\_\_\_\_

**19. SAMPLE CONDITION**

Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
 Sample(s) \_\_\_\_\_ were received in a broken container.  
 Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

**20. SAMPLE PRESERVATION**

Sample(s) \_\_\_\_\_ were further preserved in the laboratory.  
 Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_

VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_